

# LCD Keypad For Terxon SX / MX

Art.-Nr. AZ4110

Seite 1 von 2

The LCD Keypad is an extension module for the Terxon SX and Terxon MX. Installed near the entrance door, it allows you to quickly operate your alarm panel. The LCD keypad is connected to the Terxon SX/MX via a 4-wire bus cable. Up to 4 control units can be integrated into the alarm system. Arranged in various parts of your building, these extension modules provide additional convenience. The system can be conveniently activated or deactivated via any keypad using a PIN code and proximity chip key. The status of the alarm control panel is also displayed on the plain text display of the control unit. You can conveniently view and, of course, change system settings, programming and the 250x event memory of the Terxon S/M. The LCD keypad is designed in an elegant white color. Thus, it is not only an enhancement for each entrance area, but it is also optically in line with the wireless components of the Secvest 2WAY.

## Technologies

- For operating and programming the alarm panel Terxon SX/MX
- Suitable for indoor and protected outdoor use
- Operate your alarm panel with PIN code or proximity key fob
- Proximity chip reader integrated

## Technical data - LCD Keypad For Terxon SX / MX

Colour	white
Connections	4-core bus, screw terminal for additional tamper contact, panic alarm button, and button for manually ending the exit delay
Current consumption	30 mA
DC power supply	12 V
Depth	30 mm
Dimensions	(WxHxD) 135x135x30 mm
Display type	alphanumeric LCD-Display 2lines
Environmental class	II
Height	135 mm
Housing material	ABS
Integrated siren	1
Length	30 mm
Max. Air humidity	94 %
Max. Operating temperature	55 °C
Mechanical protection	No
Min. operating temperature	-10 °C
Mounting location	Indoors and protected outdoor areas
Net weight	0.3 kg
Number of rooms / groups	1
PSTI conformity needed	No

# LCD Keypad For Terxon SX / MX

Art.-Nr. AZ4110

Seite 2 von 2

---

## Technical data - LCD Keypad For Terxon SX / MX

Power consumption	0.36 W
Product group	Operation
Protection class IP	54
Security gradient	2
Tamper monitoring	Yes
Touchpanel	No
VdS class	without
WEEE group	09
width	135 mm