



Security Tech Germany

HOME SECURITY

GENERAL CATALOGUE 2021



WORLDWIDE



ABUS HEAD OFFICE - WETTER, GERMANY



ABUS PRODUCTION - WETTER, GERMANY



ABUS PRODUCTION - REHE, GERMANY



ABUS PRODUCTION - PFAFFENHAIN, GERMANY



ABUS SECURITY-CENTER - AUGSBURG, GERMANY



ABUS PRODUCTION - CHINA




ABUS – THE SYNONYM FOR SECURITY, MADE IN GERMANY.


Right from the beginning in 1924 when August Bremicker and his sons first produced traditional padlocks, the course was set for an ambitious goal: to become the global brand for security. ABUS's expertise in security was and still is founded on a comprehensive product range offering fundamental security, based on mechanical technology. A range systematically extended by the "ABUS Mobile Security" program for security on the road. With the aid of modern management processes and an eye for opportunities in the growing security technology market, the company, which has a real sense of its own history, was systematically expanded. Since the takeover in 2001, ABUS Security-Center has developed rapidly in the specialist field of "electronic security": from a pure specialist supplier to a leading full-range supplier of ultramodern alarm systems and high-tech solutions for intelligent video surveillance technology. Since 2003, ABUS Pfaffenhain has been making a name for itself within the ABUS Group as a renowned supplier of high-quality locking systems for commercial property.



SECURITY FROM A TO Z FROM A FULL-LINE SUPPLIER

The last thing that we want to do is reserve that good feeling of security just for people in Germany. Customers all over the world should be able to experience what it means to trust ABUS. And we provide people on every continent of the globe with tailor-made security solutions. To this end, our German production plants work hand in hand with our international partners – at 25 locations with 102 national offices. More than 3,500 employees work for ABUS worldwide. Wherever our customers need us.





German engineering – worldwide!

Our experts for home and mobile security solutions are located at our company headquarters in Wetter, which is also on the Ruhr river. Our ABUS Security-Center develops surveillance cameras, video surveillance recorders, and alarm systems that are based on digital, analog, or a hybrid of both technologies. ABUS Pfaffenhain GmbH designs and manufactures high-quality locking systems. Electronic locking systems and switching equipment for burglar alarm systems are also part of the product portfolio.

 ABUS STANDORTE  ABUS PARTNER

PRODUCTION QUALITY



ABUS Production Quality

Worldwide "Made in Germany" stands for excellent engineering and the highest quality levels. ABUS enhances this German reputation through optimal quality driven production protocols.

Ergonomic working units guarantee concentrated, structured work, complemented by high-tech machinery that ensures the ultimate precision. "Made in Germany" brand quality has evolved from the harmonious interaction of highly trained and skilled workers using the best raw materials on the latest high technology machinery. These standards of excellence apply to all ABUS security products from all our manufacturing sites.

ABUS GLOBAL PROTECTION SYSTEM®



A higher level means more security. The ABUS Global Protection Standard makes it easier to find the qualified products.

TEST SEALS

ABUS products are tested and acknowledged by independent, neutral test institutes in several European countries that confirm the extraordinary security of ABUS products:



DIN CERTCO
GESELLSCHAFT FÜR KONFORMITÄTS-
BEWERTUNG MBH –
BERLIN, GERMANY



QUALITÄTSZEICHEN FÜR RAUCHMELDER
FORUM
BRANDRAUCHPRÄVENTION E.V.
BERLIN, GERMANY

DIN EN
12320

DIN NORMENAUSSCHUSS –
BERLIN, GERMANY



STIFTUNG WARENTEST –
BERLIN, GERMANY



KRIWAN TESTZENTRUM –
FORCHTENBERG, GERMANY



SKG-IKOB CERTIFICATION –
GELDERMALSEN, NETHERLANDS



Ö-NORM, AUSTRIAN STANDARDS
INTERNATIONAL –
VIENNA, AUSTRIA



SVENSK BRAND- OCH
SÄKERHETSCERTIFIERING AB –
STOCKHOLM, SWEDEN



PLUS X AWARD
GREVENBROICH, GERMANY



VDS –
KÖLN, GERMANY



POLITIEKEURMERK VEILIG WONEN
UTRECHT, NETHERLANDS

PICTOGRAMS

Material Characteristics



100% rust free: All lock components are made of non-corrosive materials



New sophisticated plating for extreme corrosion resistance



Lock body made from Titanium special aluminium - high security with low weight



Highly corrosion resistant due to surface protection



Shackle made from hardened steel

Product Dimensions



Distance between centre of door cylinder and centre of thumb turn or handle



Distance between centre of door cylinder and centre of thumb turn or handle

Service



Spare keys are only produced on presentation of code card



Replacement cylinders and keys can be produced on presentation of code card



New locks can be made up to a sample key



Keyed alike padlocks - can be opened by a single key



Additional cylinders and padlocks can be supplied keyed alike to this lock



Keyed alike cylinders - can be opened by a single key

Product Protection



Paracentric keyway gives optimum picking resistance



Freeze spray attack resistant



Bolt cutter attack resistant



Saw attack resistant



Hammer & impact attack resistant



Hardened pins: Drill attack resistant



Leverage attack resistant - the most common break-in method



Provides pulling protection to door cylinders



Leverage attack resisted by locking steel bolts



Shackle access restricted, protecting shackle from attack



Leverage attack resistant
(withstands centered pulling force in excess of 6 tons)



Leverage attack resistant
(withstands centered pulling force in excess of 1.5 tons)

Manufacturer Information



German/European development and production

Manufacturer Information



Tested and approved product



CEN corresponds to the European norm for padlocks DIN EN-12320

Product Application



For outward opening windows



For inward opening windows



Mortice lock with lever type keys



Mortice lock for door cylinders



Mortice lock for doors with hinges on the right side



Mortice lock for doors with hinges on the left side



Mortice lock for bathroom/restroom doors

Equipment Features



Worldwide proven protection against unlawful manipulation and picking



Dimple key, no sharp edges and can be inserted either way up



5 keys instead of 3



Individual codes can be reset



Solid steel ball locking



Shackle locked on both sides



Lock operates even with a key inserted on the inside



Door guard protects internal occupants



RK: Cylinder can be taken out and can be rekeyed to match an existing key



LED key



Self-locking: The lock is locked automatically by pushing down the shackle – no key needed for locking




Key Retaining:
A key is needed for locking. Lock retains key until locked



MK: Available master keyed (one key opens many different locks)

ABBREVIATIONS

AZ	Rim cylinder
B	brown
B7	antique copper
BB	pipe key
Bl/.....	Blister
Cl/.....	carded Export
CL	ConsumerLine (Blister)
CLC	ConsumerLine (carded Export)
CLH	ConsumerLine (Polybag + Header)
CLP	ConsumerLine (Polybag)
DFNLI	German / French / Dutch / Italian
ESFPP	English / French / Spanish / Portuguese
SDKNFIN	Swedish / Danish / Norwegian / Finnish
PLCZHRUS	Polish / Czech / Hungarian / Russian
Chr	chrome plated
CS	shackle guard
DG	double link
Dr	internal/external handles
DZ	Double cylinder
EK	individual box
ER	stainless steel
F1	anodized alu
F2	anodized silver
F3	anodized brass
F4	anodized bronze
F9	stainless steel look
FA	fixing arm
FF	coloured
G	gold painted
GL/KA	keyed alike
GR	gray
GS	sliding rail
HB	long shackle
HG	hammerblow gold
HS/MK/PP	master keyed
HZ	Half cylinder
IB	stainless steel shackle
KC	can also be opened with a key
KS	square chain
KNZ	Knob cylinder
L	DIN left
M	brass lacquered
MB	brass shackle
MM	dull brass
MS	brass
N	nickel plated
P	polished brass
PZ	profile cylinder hole
R	DIN right
RK	rekeyable
SB	German skincard
S	silver lacquered
SKW	with staple and chain
V	variable
W	white
W-Chrom	white/chrome plated
W-Messing	white/brass plated
w/o	without
W-W	white-white
Z	zinc plated
ZS	cylinder protected against pulling



CONTENTS

ABUS IN GENERAL

PAGE: 3 - 11

PADLOCKS

PAGE: 14 - 91

Overview	15 - 16
Material & Coating	17
GRANIT™	18 - 21
Rekeyable Padlocks	22 - 33
DISKUS®	34 - 35
TITALIUM™	36 - 41
Brass Padlocks	42 - 47
Aluminium Padlocks	48 - 50
Love Lock	51 - 55
Combination Lock	56 - 64
Padlocks for every application	65
KEYGARAGE™	66 - 70
Serie 700	71 - 85
Iron Padlock	86 - 91

HASPS

PAGE: 92 - 99

Overview	93
DISKUS® Integral	94
DISKUS® Hasp	95
Hinged Hasp	96
Standard Hasp	97 - 98
Locking Bracket	99

DOOR CYLINDERS

PAGE: 100 - 131

Overview	101 - 102
XP20S	103 - 108
D15	109 - 110
D10PS	111 - 113
D6PS	114 - 116
E60	117 - 118
A93	119 - 120
E50	121 - 122
TI14	123 - 124
TI12	125 - 126
D45	127 - 128
E45	129 - 130
B5LT	131

DOOR SECURITY	PAGE: 132 - 149
Overview	133
Multi-Point Door Lock	134
Rim Locks	135 - 136
Door Hinge Locks	137 - 138
Door Chains	139 - 141
Door Viewers	142
Door Closer	143 - 145
Mortice Locks	146 - 149


WINDOW SECURITY	PAGE: 150 - 165
Overview	151
Multiple Point Window Lock	152
Window Locks	153 - 163
Window Hinge Locks	164 - 165

ELECTRONICS	PAGE: 166 - 171
Overview	167
HomeTec Pro Bluetooth®	168 - 169
HomeTec Pro	170 - 171

JUNIOR CARE	PAGE: 172 - 193
Overview	173 - 174
Electronics	176 - 178
Cupboard doors & Drawers	178 - 183
Protection against burns	183 - 184
Outside & on the go	184 - 185
Bed security	185 - 186
Doors & Windows	186 - 188
Showering & Bathing	188
Stair safety	189 - 191
Edge guards	191 - 193
Various products	193

FIRE PROTECTION	PAGE: 194 - 197
Overview	195
Smoke alarm device	196
Carbon monoxide detector	197
Hazard Detector	197

INDEX	PAGE: 198 - 199
--------------	------------------------



GRANIT™



37RK/80
Page 18



37RK/70
Page 19



37/60 | 37RK/60
Page 20



37/55 | 37RK/55
Page 21

REKEYABLE PADLOCK



83/80 | 83/60
Page 24



83/55 | 83CS/55
Page 25



83WP | 83WP/CS
Page 26



83WP/IB
Page 27



83/50 | 83CS/50
Page 28



83/45
Page 29



83AL TITANIUM™
Page 30



93RK/110
Page 32



Platinum 34CS
Page 33

DISKUS®



20
Page 34



23
Page 35

TITANIUM™



98TI
Page 38



86TI
Page 39



82TI
Page 40



96TI
Page 41

BRASS PADLOCK



88
Page 42



85 | 85WY
Page 43



75IB
Page 45



65 | 65CS
Page 46



84IB
Page 47

ALUMINIUM PADLOCK



72 | 72IB
Page 48



T65AL
Page 50

LOVE LOCK



72/40
Page 52



72LL/40
Page 53



T65AL
Page 54



645TI
Page 55

COMBINATION LOCK



190CS/60
Page 56



180IB
Page 57



158
Page 58



158KC
Page 59



160
Page 60



155
Page 61



148TSA
Page 62



147TSA
Page 63



146TSA
Page 64

KEYGARAGE



787 Smart
Page 66



797 Smart
Page 66



787 BIG | 787 BIG LED
Page 67



787 | 787 LED
Page 67



797 | 797 LED
Page 68



707
Page 68



767
Page 69



777
Page 69



727
Page 70



737
Page 70

SERIE 700



725TI
Page 71



727TI
Page 72



726TI
Page 73



723
Page 74



722
Page 75



720
Page 76



719
Page 77



713
Page 78



718
Page 79



717 | 717IB
Page 80



717AL
Page 81



716
Page 82



721
Page 83



724
Page 84

IRON PADLOCK



888
Page 86



878
Page 87



868
Page 88



858
Page 89



838 | 838CS
Page 90



818
Page 91



HARDENED

Is a chrome-nickel plated shackle made from hardened steel. This combination unites extremely high resistance against attack and corrosion.



NANO PROTECT™

Nano Protect is an additional coating which fills even smallest roughnesses. It provides ultimate corrosion protection for the hardened steel shackle.



Stainless

The material features extremely high corrosion resistance and is especially suited for wet and aggressive conditions.



Black GRANIT™

Originally developed for the secure locking of high security compounds, the Black Granit made from hardened special steel virtually resists any attack.



Brass

The material is spark-resistant and suitable for many industrial applications.

GRANIT™ 37RK/80

FOR ULTIMATE SECURITY REQUIREMENTS



OPERATION AND USE

- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, factory gates, containers and lorries

TECHNOLOGY

- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black Granit coating for even more corrosion resistance
- SZP: comes with security card to protect against unauthorized key duplicates
- RK: cylinder can be re-keyed to match an existing ABUS-Plus key
- 2 keys, 1 with LED light
- Shackle guard protects against attacks with tools
- Cylinder inserted from the top: optimum drill and pull resistance
- Shackle can be taken out



KL. 4

DIN EN
12320
KL. 5



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
37RK/80 B/EFSP	43121 0	0102	79	22	22	14	39	94	1050	05078	10	1	
37RK/80 SZP Profil B/EFSP	79173 4	0102	79	22	22	14	39	94	1200	83137	10	1	
37RK/80 SA pre-assembled	35905 7	0102	79	22	22	14	39	94	600	05078	10	1	
Master Key ABUS-PLUS	04325 3	01										1	
Master Key ABUS-PLUS SZP	84184 2	01										1	

SURCHARGE

- KA
- KA as per sample
- MK

GRANIT™ 37RK/70

FOR HIGHEST SECURITY REQUIREMENTS



OPERATION AND USE

- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, factory gates, containers and lorries

TECHNOLOGY

- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black Granit coating for even more corrosion resistance
- SZP: comes with security card to protect against unauthorized key duplicates
- RK: cylinder can be re-keyed to match an existing ABUS-Plus key
- 2 keys, 1 with LED light
- Cylinder inserted from the top: optimum drill and pull resistance



Kl. 4

DIN EN
12320
Kl. 5



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
37RK/70 pre-assembled	33558 7	0102	77	29	35	14	37	103	300	05078	10	1	
37RK/70HB100	45091 4	0102	77	29	100	14	37	169	1000	05078	10	1	
37RK/70HB100 SZP Profil	79169 7	0102	77	29	100	14	37	169	1060	83137	10	1	
Master Key ABUS-PLUS	04325 3	01										1	
Master Key ABUS-PLUS SZP	84184 2	01										1	

SURCHARGE

- KA
- KA as per sample
- MK

GRANIT™ 37/60 | 37RK/60

FOR HIGHEST SECURITY REQUIREMENTS



OPERATION AND USE

- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, factory gates, containers and lorries
- Ideally used with ABUS hasp No. 135

TECHNOLOGY

- Special hardened lock body and shackle, new Black Granit coating for even more corrosion resistance
- Shackle can be taken out
- 37RK/80: Shackle guard protects against attacks with tools
- Recommended by police and insurance companies



37RK/60

Ref. No.	EAN	Family	Dimensions						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
37/60 B/EFSP	32380 5	0102	65	18	16	11	35	85	580	05078	10	2	
37/60 SZP Profil B/EFSP	79151 2	0102	65	18	16	11	35	85	683	83137	10	1	
37RK/60	08334 1	0102	65	18	16	11	36	82	580	05078	10	3	
37RK/60 SZP Profil	79156 7	0102	65	18	16	11	35	85	695	83137	10	3	
Master Key ABUS-PLUS	04325 3	01										1	
Master Key ABUS-PLUS SZP	84184 2	01										1	

SURCHARGE

- KA
- KA as per sample
- MK

GRANIT™ 37/55 | 37RK/55

FOR HIGHEST SECURITY REQUIREMENTS



OPERATION AND USE

- To secure valuables/goods of great value or at a very high risk of theft
- Meets special requirements of insurance companies
- Certified and approved padlock
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries
- Ideal in combination with ABUS high-security hasp No. 130

TECHNOLOGY

- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black Granit coating for even more corrosion resistance
- SZP: comes with security card to protect against unauthorized key duplicates
- RK: cylinder can be re-keyed to match an existing ABUS-Plus key
- 2 keys, 1 with LED light



37RK/55



Kl. 3

DIN EN 12320
Kl. 4



37/55
37/55HB50

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
37/55 B/EFSP	32170 2	0102	62,5	27,5	26,5	11	31	84	415	05078	10	3	
37/55 SZP Profil B/EFSP	79124 6	0102	62,5	27,5	26,5	11	31	84	540	83137	10	2	
37/55HB75	12088 6	0102	62,5	27,5	75	11	31	133,5	553	05078	10	1	
37/55HB75 SZP Profil	79134 5	0102	62,5	27,5	75	11	31	133,5	553	83137	10	1	
37/55HB100	45090 7	0102	62,5	27,5	100	11	31	158,5	650	05078	10	1	
37RK/55	07783 8	0102	62,5	27,5	26,5	11	31	84	445	05078	10	3	
37RK/55 SZP Profil	79139 0	0102	62,5	27,5	26,5	11	31	84	475	83137	10	3	
37RK/70 pre-assembled	79142 0	0102	62,5	27,5	26,5	11	31	84	300	83137	10	1	
37RK/55HB50	23238 1	0102	62,5	27,5	50	11	31	108,5	510	05078	10	3	
37RK/55HB50 SZP Profil	79143 7	0102	62,5	27,5	50	11	31	108,5	510	83137	10	3	
37/55 S&S B/EFSP	32441 3	0102	62,5	27,5	26,5	11	31	84	445	05078	10	3	
37/55 S&S SZP Profil B/EFSP	79145 1	0102	62,5	27,5	26,5	11	31	84	630	83137	10	2	
Master Key ABUS-PLUS	04325 3	01										1	
Master Key ABUS-PLUS SZP	84184 2	01										1	

SURCHARGE

- KA
- KA as per sample
- MK

83 SERIES - FEATURES AND ACCESSORIES

HIGH SECURITY - KEYED ALIKE WITH THE ENTRANCE DOOR



Precision and quality, fast rekeying, easy shackle changing, function convertibility and the development of Nano Protect plating for extreme corrosion resistance are standard with the ABUS 83 Series 2 making it suitable for almost every application. The choice of hardened steel bodied padlocks and new lightweight Titanium aluminum padlocks further enhance what is already the best padlock offering.



NANO PROTECT™

Nano Protect plating offers extreme corrosion resistance.



Patented Z-Bar

The Z-bar converts padlocks from key retaining to non-key-retaining and vice versa within seconds.



Easy Shackle Change Feature

The popular „Easy Shackle Change“ feature allows to change the shackle within seconds. ABUS offers a wide number of Nano Protect, stainless steel and brass shackles for 83 Series.



Shackle Changing Tools

There are two shackle changing tools for use with ABUS 83 Series. Version 1 is an aluminium/ steel tool designed for use in a workshop environment. Version 2 is an economy version of this tool, designed for use in a van or on site and where only a smaller number of shackles need to be changed.



Patented Pinning Window

The patented pinning window allows you to re-pin the ABUS cylinder without having to remove the inner core.

83 SERIES - FEATURES AND ACCESSORIES

HIGH SECURITY - KEYED ALIKE WITH THE ENTRANCE DOOR



Ref. No.	EAN 4003318	Family
Cylinder 83 80TI 0-bitted	58845 7	01
Cylinder 83 C83 vs	17091 1	01
Cylinder 83 C83 0-bitted	53937 4	01
Cylinder 83 E60 0-bitted	53938 1	01



Ref. No.	EAN 4003318	Family
Z-BAR 83 Series 2	53088 3	01



Ref. No.	EAN 4003318	Family
Shackle change tool 83 Series 2 (Alu)	14815 6	01
Shackle change tool 83 Series 2 (Stahl)	51103 5	01



Ref. No.	EAN 4003318	Family
Brass shackle		
Shackle 83/45HB19 MB	53378 5	01
Shackle 83/45HB25 MB	23748 5	01
Shackle 83/45HB38 MB	53233 7	01
Shackle 83/45HB50 MB	23726 3	01
Shackle 83/45HB75 MB	23723 2	01
Shackle 83/45HB100 MB	23720 1	01
Shackle 83/50HB25 MB	53348 8	01
Shackle 83/50HB38 MB	53381 5	01
Shackle 83/50HB50 MB	53349 5	01
Shackle 83/50HB75 MB	53350 1	01
Shackle 83/50HB100 MB	53351 8	01




Ref. No.	EAN 4003318	Family
Stainless steel shackle		
Shackle 83/40HB38 IB	73416 8	01
Shackle 83/40HB50 IB	73417 5	01
Shackle 83/40HB75 IB	73418 2	01
Shackle 83/45HB19 IB	53377 8	01
Shackle 83/45HB25 IB	23751 5	01
Shackle 83/45HB38 IB	53384 6	01
Shackle 83/45HB50 IB	23725 6	01
Shackle 83/45HB75 IB	23722 5	01
Shackle 83/45HB100 IB	23719 5	01
Shackle 83/50HB25 IB	53344 0	01
Shackle 83/50HB38 IB	53380 8	01
Shackle 83/50HB50 IB	53345 7	01
Shackle 83/50HB75 IB	53346 4	01
Shackle 83/50HB100 IB	53347 1	01
Shackle 83WP/53HB19 IB	53383 9	01
Shackle 83WP/53HB28 IB	53361 7	01
Shackle 83WP/53HB63 IB	53362 4	01
Shackle 83WP/53HB75 IB	53363 1	01
Shackle 83WP/53HB100 IB	53364 8	01
Shackle 83WP/53HB125 IB	53365 5	01



Ref. No.	EAN 4003318	Family
Nano Protect		
Shackle 83/40HB50 SA	73436 6	01
Shackle 83/40HB75 SA	73415 1	01
Shackle 83/45HB19 SA	53376 1	01
Shackle 83/45HB25 SA	37299 5	01
Shackle 83/45HB38 SA	53375 4	01
Shackle 83/45HB50 SA	23727 0	01
Shackle 83/45HB75 SA	23724 9	01
Shackle 83/45HB100 SA	23721 8	01
Shackle 83/50HB25 SA	53343 3	01
Shackle 83/50HB38 SA	53379 2	01
Shackle 83/50HB50 SA	23718 8	01
Shackle 83/50HB75 SA	23717 1	01
Shackle 83/50HB100 SA	23752 2	01
Shackle 83WP/53HB19 SA	53382 2	01
Shackle 83WP/53HB28 SA	53353 2	01
Shackle 83WP/53HB63 SA	53354 9	01
Shackle 83WP/53HB75 SA	53355 6	01
Shackle 83WP/53HB100 SA	53356 3	01
Shackle 83WP/53HB125 SA	53357 0	01
Shackle 83WP/63HB35 SA	53358 7	01
Shackle 83WP/63HB63 SA	53359 4	01
Shackle 83WP/63HB100 SA	53360 0	01

ROCK 83/80 | 83/60

FOR HIGH SECURITY - KEYED ALIKE WITH THE FRONT DOOR



OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- To secure gratings, doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, barriers, etc.

TECHNOLOGY

- Shackle and body made of hardened steel
- Shackle made from hardened alloy steel
- Double bolted
- Can be adapted to meet various requirements within seconds - no special tools needed
- 83/60 and 83/80: Key-retaining: Lock retains key until locked
- CS: shackle guard protects shackle from attack
- 0: Designed to accept Scandinavian Oval cylinders
- HB100: shackle detachable, particularly suitable for use in ConHasp Granit™ 215
- 60 mm: SSF KI. 3/ CEN KI. 4; 80 mm: SSF KI.4/ CEN KI. 5
- Cylinder cover available upon request



Cylinder Protection



83/80



83/60



83/60HB60



83/80HB80



83/80HB100

83/80
83CS/80



KI. 4

DIN EN
12320
KI. 5

83/60




KI. 3

DIN EN
12320
KI. 4

Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
83/60 0 (without cylinder)	51128 8	0123	60	25	38	11	28	105	627	9	6		
83/80 0 (without cylinder)	51129 5	0123	80	40	40	15	33	112	1182	10	3		
83/60HB60 0 (without cylinder)	51250 6	0123	60	25	60	11	28	128	665	9	3		
83/80HB80 0 (without cylinder)	51251 3	0123	80	40	81	15	33	162	1410	10	3		
83/80HB100 0 (without cylinder)	51458 6	0123	80	40	100	15	33	182	1493	10	3		
83CS/80 0 (without cylinder)	05805 9	0123	80	29	38	15	32	120	1405	10	3		
Cylinder Protection 83/60	51104 2	0123	66					22,5	34	19	1		
Cylinder Protection 83/80	51105 9	0123	86,5					39	30,5	37	1		

83/55 | 83CS/55

FOR HIGH SECURITY - KEYED ALIKE WITH THE FRONT DOOR



OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- To secure gratings, doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, barriers, etc.

TECHNOLOGY

- Shackle and body made of hardened steel
- Shackle made from hardened alloy steel
- Double bolted
- Can be adapted to meet various requirements within seconds - no special tools needed
- 83/55: Patented "Z-Bar" for 2-in-1 function: converts key-retaining to non-key-retaining and vice versa within seconds
- Cylinder cover available upon request



Cylinder Protection

83CS/55

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
83/55	52462 2	0123	55	26	37	11,5	25	103	625	10023	9	6	
83/55 B/EF	53929 9	0123	55	26	37	11,5	25	103	625	10023	9	4	
83/55 (without cylinder)	53225 2	0123	55	26	37	11,5	25	103	520		9	6	
83/55 XP20	77369 3	0123	55	26	37	11,5	25	103	625		9	6	
83CS/55	52463 9	0123	55	26	28	11,5	25	94	675	10023	9	6	
83CS/55 B/EF	53930 5	0123	55	26	28	11,5	25	94	675	10023	9	4	
83CS/55 (without cylinder)	52568 1	0123	55	26	28	11,5	25	94	573		9	6	
83CS/55 XP20	77372 3	0123	55	26	28	11,5	25	94	675				
Cylinder C83N 0-bitted	53937 4	0123										1	
Cylinder E60N 0-bitted	53938 1	0123										1	
Cylinder Protection 83/55	30414 9	0123	70					32	25	20		1	

SURCHARGE

- KA
- KA as per sample
- MK

83WP | 83WPCS

FOR HIGHEST SECURITY - WEATHER PREDECTED



OPERATION AND USE

- To secure assets and objects of greater value or those at a high risk of theft
- To secure grates, doors, gates, cupboards, tool boxes, cellar windows, sheds, switch boxes, barriers, etc.

TECHNOLOGY

- Shackle and lock body made of hardened special steel with NANO PredECT™ coating for extreme corrosion resistance
- Precision pin cylinder
- RK: cylinder can be re-keyed to match an existing key
- As required, either automatic locking = locking without a key by pressing down on the shackle, or key-retaining = locking only with a key (Z-bar)
- Extremely weather-resistant due to the full plastic coating, including Cylinder Protection and sealed shackle holes
- 83WP/53: Shackle can be exchanged within seconds



83WPCS



83WP/63

Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			Shackle mm	Body mm	Body mm	Body mm	Body mm	Body mm					
83WP/53	52936 8	0123	52	25	28	8	29	97	371	10023	8	6	
83WP/53 XP20	77378 5	0123	52	25	28	8	29	97	371		8	6	
83WP/63	52937 5	0123	65	25	35,5	11	34	112	526	10023	9	6	
83WP/63 XP20	34632 3	0123	65	25	35,5	11	34	112	526		9	6	
83WP/53 B/EF	53931 2	0123	57	23,5	28	8	34	97	371	10023	8	3	
83WP/63 B/EF	53935 0	0123	65	25	35,5	11	34	112	533	10023	9	4	
83WP/53 (without cylinder)	53227 6	0123	57	23,5	28	8	34	97	303		8	6	
83WP/63 (without cylinder)	53228 3	0123	65	25	35,5	11	34	112	424		9	3	
83WPCS/53	57131 2	0123	57	18,5	24	8	34,5	97	420	10023	8	6	
83WPCS/53 XP20	77384 6	0123	57	18,5	24	8	34,5	97	420		8	6	
83WPCS/53 B/EF	53933 6	0123	56,5	18	24,5	8	34	97	420	10023	8	4	
83WPCS/53 (without cylinder)	52569 8	0123	56,5	18	24,5	8	34	97	435		8	6	
Cylinder C83N 0-bitted	53937 4	0123										1	
Cylinder E60N 0-bitted	53938 1	0123										1	

SURCHARGE

- KA
- KA as per sample
- MK

83WPIB

EXTREMELY WEATHER PREDECTED



OPERATION AND USE

- To secure assets and objects of greater value or those at a high risk of theft
- Suitable for industrial or commercial doors/gates, warehouses, trailers, containers and garages
- Ideal for severe weather conditions (e.g., in sea and port areas)

TECHNOLOGY

- Lock body made of solid brass
- Stainless-steel shackle
- As required, either automatic locking = locking without a key by pressing down on the shackle, or key-retaining = locking only with a key (Z-bar)
- Extremely weather-resistant due to the full plastic coating, including Cylinder Protection and sealed shackle holes; drainage channels transport moisture that has penetrated the lock back out
- Shackle can be exchanged within seconds
- RK: cylinder can be re-keyed to match an existing key



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
83WPIB/53	52938 2	0123	57	24	28	8	35	103	345	10023	8	6	
83WPIB/53 XP20	77387 7	0123	57	24	28	8	35	103	345		8	6	
83WPIB/53 B/EF	53934 3	0123	57	24	28	8	35	103	345	10023	8	4	
83WPIB/53 (without cylinder)	52570 4	0123	57	24	28	8	35	103	274		8	6	
83WPIB/53 S (without cylinder)	51045 8	0123	57	24	28	8	35	103	274		8	6	
Cylinder C83N 0-bitted	53937 4	0123										1	
Cylinder E60N 0-bitted	53938 1	0123										1	

SURCHARGE

- KA
- KA as per sample
- MK

83/50 | 83CS/50

FOR HIGHEST SECURITY



83CS/50

OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft
- To secure gratings, doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, barriers, etc.

TECHNOLOGY

- Chrome plated solid brass lock body
- Special alloy steel shackle with NANO PRedECT™ coating for extra corrosion resistance
- High precision pin tumbler cylinder with patented pinning window
- Patented "Z-Bar" for 2-in-1 function: converts key-retaining to non-key-retaining and vice versa within seconds
- Cylinder can be taken out and can be re-keyed to match an existing key
- RK: Can be keyed into many popular security keyways
- Easy shackle change: shackle can be exchanged within seconds



Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			Shackle height	Shackle width	Shackle thickness	Body width	Body height	Body thickness					
83/50	52461 5	0123	48	24	27	9,5	21	88	390	10023	8	6	
83/50 B/EF	53927 5	0123	48	24	27	9,5	21	88	437	10023	8	6	
83/50 (without cylinder)	53223 8	0123	48	24	27	9,5	21	88	292		8	6	
83/50 XP20	77435 5	0123	48	24	27	9,5	21	88	390		8	6	
83CS/50	57114 5	0123	48	22	27	9,5	21	88	410	10023	8	6	
83CS/50 B/EF	53928 2	0123	48	24	27	9,5	21	88	478	10023	8	6	
83CS/50 (without cylinder)	53224 5	0123	48	22	27	9,5	21	88	333		8	6	
83CS/50 XP20	77375 4	0123	48	22	27	9,5	21	88	410		8	6	
Cylinder C83N 0-bitted	53937 4	0123										1	
Cylinder E60N 0-bitted	53938 1	0123										1	

SURCHARGE

- KA
- KA as per sample
- MK



Cylinder Protection

OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft
- To secure gratings, doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, barriers, etc.

TECHNOLOGY

- Special alloy steel shackle with NANO PRedECT™ coating for extra corrosion resistance
- High precision pin tumbler cylinder with patented pinning window
- Patented "Z-Bar" for 2-in-1 function: converts key-retaining to non-key-retaining and vice versa within seconds
- Cylinder can be taken out and can be re-keyed to match an existing key
- RK: Can be keyed into many popular security keyways
- Easy shackle change: shackle can be exchanged within seconds



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
83/45	52460 8	0123	47	23,5	26,5	8	21	85	356	10023	8	1	
83/45 B/EF	53926 8	0123	47	23,5	26,5	8	21	85	356	10023	8	1	
83/45 (without cylinder)	53222 1	0123	47	23,5	26,5	8	21	85	266		8	1	
83/45 XP20	77366 2	0123	47	23,5	26,5	8	21	85	356		8	1	
Cylinder C83N 0-bitted	53937 4	0123										1	
Cylinder E60N 0-bitted	53938 1	0123										1	
Cylinder Protection	27347 6	0123	60					27	23			1	

SURCHARGE

- KA
- KA as per sample
- MK

83AL TITALIUM™

HIGH SECURITY - ANODIZED ALUMINIUM



OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- To secure gratings, doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, barriers, etc.

TECHNOLOGY

- Lock body made from TITALIUM™ special aluminium - high security with low weight
- Hardened special steel shackle with NANO PRedECT™ coating for very high corrosion resistance
- Patented Z-Bar™ for 2 in 1 function: converts key retaining to non-key retaining and vice versa in seconds"
- Cylinder can be taken out and can be re-keyed to match an existing key
- RK: Can be keyed into many popular security keyways



83AL/40 red



83AL/40 blue



83AL/40 yellow



83AL/45 green



83AL/45 orange



83AL/45 purple



83AL/45 black

Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
83AL/40 blue vs.	38935 1	0123	40	23	38	6,5	19	97	215	72477	7	6	
83AL/40 yellow vs.	38938 2	0123	40	23	38	6,5	19	97	215	72477	7	6	
83AL/40 green vs.	38941 2	0123	40	23	38	6,5	19	97	215	72477	7	6	
83AL/40 red vs.	38944 3	0123	40	23	38	6,5	19	97	215	72477	7	6	
83AL/40 black vs.	38947 4	0123	40	23	38	6,5	19	97	215	72477	7	6	
83AL/40 silver vs.	38950 4	0123	40	23	38	6,5	19	97	215	72477	7	6	
83AL/40HB50 silver XP20	77393 8	0123	40	23	51,5	6,5	19	110	189	72477	7	3	
83AL/40HB75 silver XP20	77398 3	0123	40	23	76	6,5	19	134	201	72477	7	3	
83ALIB/40 silver XP20	77401 0	0123	40	23	38	6,5	19	97	215	72477	7	6	
83ALIB/40HB50 silver XP20	77404 1	0123	40	23	51,5	6,5	19	110	189	72477	7	6	
83ALIB/40HB75 silver XP20	77407 2	0123	40	23	76	6,5	19	134	201	72477	7	6	
83AL/45 silver XP20	77410 2	0123	47	24	25	8	21	85	241	72477	8	6	
83AL/45HB50 silver XP20	77414 0	0123	47	24	49	8	21	109	225	72477	8	6	
83ALIB/45 silver XP20	77420 1	0123	47	24	25	8	21	85	241	72477	8	6	
83ALIB/45HB50 silver XP20	77423 2	0123	47	24	49	8	21	109	225	72477	8	6	
83ALIB/45HB75 silver XP20	77426 3	0123	47	24	74	8	21	133	244	72477	8	6	
83AL/40 black (without cylinder)	55026 3	0123	40	23	38	6,5	19	97	179		7	6	
83AL/40 blue (without cylinder)	55029 4	0123	40	23	38	6,5	19	97	179		7	6	
83AL/40 green (without cylinder)	55028 7	0123	40	23	38	6,5	19	97	179		7	6	
83AL/40 red (without cylinder)	55027 0	0123	40	23	38	6,5	19	97	179		7	6	
83AL/40 yellow (without cylinder)	55030 0	0123	40	23	38	6,5	19	97	179		7	6	
83AL/40 silver (without cylinder)	55031 7	0123	40	23	38	6,5	19	97	179		7	6	
83AL/45 S black (without cylinder)	51038 0	0123	47	24	25	8	21	85	204		8	6	
83AL/45 S blue (without cylinder)	51042 7	0123	47	24	25	8	21	85	204		8	6	
83AL/45 S green (without cylinder)	51039 7	0123	47	24	25	8	21	85	204		8	6	
83AL/45 S purple (without cylinder)	51041 0	0123	47	24	25	8	21	85	204		8	6	
83AL/45 S orange (without cylinder)	51043 4	0123	47	24	25	8	21	85	204		8	6	
83AL/45 S red (without cylinder)	51040 3	0123	47	24	25	8	21	85	204		8	6	
83AL/45 S yellow (without cylinder)	51044 1	0123	47	24	25	8	21	85	204		8	6	

83AL TITALIUM™

HIGH SECURITY - ANODIZED ALUMINIUM

Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Key Blank	Level	PU	Gross Price €
83AL/45 silver (without cylinder)	59475 5	0123	47	24	25	8	21	85	204		8	6	
Cylinder C83N 0-bitted	53937 4	0123										1	
Cylinder E60N 0-bitted	53938 1	0123										1	
Cylinder 83 EC550 VS	54774 4	0123											

SURCHARGE

- KA
- KA as per sample
- MK

93RK/110

MONOBLOC PADLOCK WITH INTERCHANGEABLE CYLINDER

OPERATION AND USE

- To secure assets and objects of greater value or those at a high risk of theft
- For the highest security requirements
- For securing warehouses, factory gates, containers and lorries etc.

TECHNOLOGY

- Shackle and lock body made of hardened special steel with NANO PROTECT™ coating for extra corrosion resistance
- Protected against drilling or pulling open
- Cylinder can be replaced and re-keyed to match an existing key
- Accepts all standard Euro profile half cylinders



Ref. No.	EAN	Family	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Key Blank	Level	PU	Gross Price €
93RK/110 (without cylinder)	88993 6	01	110	34,5	21,5	15	29	70			10	3	

PLATINUM 34CS

HIGH PREDECTION WITH EXCHANGEABLE CYLINDER



Cylinder Protection

OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft
- To secure grates, doors, gates, cupboards, tool boxes, cellar windows, sheds, switch boxes, barriers, etc.
- Ideally used with ABUS-chains

TECHNOLOGY

- Precision pin tumbler cylinder
- Body and shackle made from hardened alloy steel
- RK: cylinder can be re-keyed to match an existing key
- Shackle guard protects shackle from attack
- Constructed and tested according to CEN-class 4
- The cylinder cover is available separately



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
34CS/55	20071 7	0113	55	25	28	11	25	87	620	20066	8	3	
Cylinder Protection 34/55	30414 9	0113	70				32	25	20			1	

SURCHARGE

- KA
- KA as per sample
- MK

DISKUS® 20

ORIGINAL ABUS DISKUS WITH ABUS PLUS LOCKING SYSTEM



OPERATION AND USE

- To secure valuables/goods of great value or at a very high risk of theft
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries
- Ideally used with ABUS Diskus® Hasp 140: virtually impossible to attack shackle

TECHNOLOGY

- Stainless steel - outside and inside
- Additional protection against sawing
- Shackle made from high quality stainless steel
- ABUS-Plus disc cylinder: highest protection against manipulation, extremely high number of key differs
- Cylinder cover - maximum protection against dirt and water spray
- Sophisticated Diskus® welded seam for highest break resistance
- Original Diskus® design: 360° protection
- Key retaining: key is needed for locking (lock retains key until locked)
- Made in Germany
- 2 keys



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
20/70	08854 4	0101	70	20	17	10	30	70	337	05078	9	6	
20/80	08798 1	0101	80	25	18	11	35	81	469	05078	9	3	
20/70 B/EFSP	32164 1	0101	70	20	17	10	30	70	337	05078	9	6	
20/80 B/EFSP	32165 8	0101	80	25	18	11	35	81	469	05078	9	3	
20/80 B/PLCZHRUS	32391 1	0101	80	25	18	11	35	81	469	05078	9	3	
20/70 vs. Lock-Tag	81697 0	0101	70	20	17	10	30	70	330	05078	9	6	
20/80 vs. Lock-Tag	81696 3	0101	80	25	18	11	35	81	466	05078	9	3	
Master Key ABUS-PLUS	04325 3	0101										1	

SURCHARGE

- KA
- KA as per sample
- MK

DISKUS® 23

ORIGINAL ABUS DISKUS - SOLID SECURITY FROM GERMANY



OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- To secure doors, gates, cupboards, cellar doors etc.
- Ideally used with ABUS Diskus® Hasp 140: virtually impossible to attack shackle

TECHNOLOGY

- Original Diskus® design: 360° protection
- Diskus® Deep-Welding Technology - maximum strength
- Hardened steel shackle
- Precision pin tumbler cylinder with anti-pick pins
- Key retaining: locking only with the key (lock retains key until locked)
- Made in Germany



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
23/60	44750 1	0101	60	17	13	8	29	60	189	02706	7	6	
23/70	44754 9	0101	70	20	17	10	29	70	261	12874	7	6	
23/60 B/EFSP	44753 2	0101	60	17	13	8	29	60	189	02706	7	6	
23/70 B/EFSP	44757 0	0101	70	20	17	10	29	70	261	12874	7	6	
23/70 Twins B/EFSP	59305 5	0101	70	20	17	10	29	70	630	12874	7	2	

SURCHARGE

- KA
- KA as per sample
 - up to 49 pcs
 - as of 50 pcs

TITALIUM™ PADLOCKS

TITALIUM™ – A NEW GENERATION OF PADLOCKS



TITALIUM™ – Security for the future

Titalium padlocks, from security specialist ABUS, represent a new dimension in security. Made from an innovative material, they represent high security at a significantly reduced weight. The Titalium material is a special aluminium alloy that uniquely combines a high level of torsion with lightness. Like in the aircraft industry, with Titalium, ABUS is concentrating on two fundamental qualities: maximum strength and low weight. This contemporary material implementation is reflected in the design of the products: Titalium series padlocks all feature an impressive stainless steel like finish.

TITALIUM™ – Light and secure

The Titalium range is the reference for padlocks. With approximately 30% reduced weight compared to traditional brass padlocks with at least the same level of security, the Titalium lock series becomes an attractive alternative. There are many applications where reliable security but also weight is significant - when travelling, mobile situations or for securing goods in transit. Titalium series represents a new generation of secure, innovative padlocks.

TITALIUM™ PADLOCKS

Powerful

The Titalium padlocks provide maximum safety at an excellent price-performance ratio - in purchasing as well as in sales.

Varied

Many Titalium locks have shackle with Nano Protect - enabling a wide range of applications in outdoor areas.

Leightweigt

All locks the of the Titalium series are due to the special aluminum alloy real lightweights - without compromising on security.

Strong

Through the use of innovative Titalium material, the products are extremely robust and are characterized by a strong and tough lock body.



Innovative

On the basis of intensive materials research Titalium was developed – an innovative material for a new generation of padlocks.

Mature

Years of research ensure an optimum product and production quality of each Titalium padlock.

98 TITALIUM™

MONOBLOC PADLOCK WITH REVERSIBLE KEY SYSTEM

OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- To secure doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, etc.
- Ideally used with ABUS hasps No. 130

TECHNOLOGY

- Lock body made from TITALIUM™ special aluminium – high security with low weight
- 12 mm special hardened steel shackle
- High precision reversible keyway with 150,000 key differs
- Automatic locking: Locking without key by pushing the shackle
- Paracentric keyway for increased protection against manipulation



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
98TI/70	70746 9	0158	70	22	14	12	23	50	196	26424	7	6	
98TI/90	70747 6	0158	90	35	18	12	28	60	346	26424	8	3	
98TI/70 B/EFSPP	70985 2	0158	70	22	14	12	23	50	196	26424	7	6	
98TI/90 B/EFSPP	70987 6	0158	90	35	18	12	28	60	346	26424	8	3	

SURCHARGE

• KA

86 TITALIUM™

TITALIUM™ PADLOCK WHICH ACCOMMODATES DOOR HALF CYLINDERS



OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- To secure doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY

- Solid lock body made from TITALIUM™ aluminium alloy - high security with low weight
- Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance
- Customary EURO-cylinders can be integrated easily without special tools
- Double bolted shackle
- Possible to integrate into keying systems
- 86TI/55: Key retaining or automatic locking (depending on position of cam)
- 25°: Automatic locking (only for adjustable strike plates)
- 45°: Key-retaining
- 86TI/45: Key retaining



Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			Shackle width	Shackle height	Shackle diameter	Body width	Body height	Body depth					
86TI/45 (without cylinder)	27778 8	0153	45	26,5	32,5	8	27	96,5	213	7	3		
86TI/55 (without cylinder)	58500 5	0153	55	26,5	39,5	9,5	27,5	106,5	250	8	3		
86TI/45HB80 (without cylinder)	04391 8	0153	47	26	80	8	27	145	221	7	3		
86TIIB/45 (without cylinder)	27779 5	0153	45	26,5	32,5	8	27	96,5	185	8	3		
86TIIB/45HB80 (without cylinder)	04392 5	0153	47	26	80	8	27	145	221	7	3		

82 TITALIUM™

MONOBLOC PADLOCK

OPERATION AND USE

- To secure valuables/goods of medium value or at an average risk of theft
- For special applications, e.g. automats as well as gates, doors, containers, lorries, etc.
- Ideally used with ABUS hasps No. 125 and 130

TECHNOLOGY

- Solid lock body made from TITALIUM™ special aluminium – high security with low weight
- 12 mm hardened special steel shackle
- A hardened steel pin protects the narrow side of the lock body against sawing
- Precision pin tumbler cylinder with a high number of key differs
- Automatic locking: Locking without key by pushing the shackle



Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
82TI/70	24673 9	0152	70	22	13	12	20	50	194	00906	6	6	
82TI/70 B/EFSP	24670 8	0152	70	22	13	12	20	50	194	00906	6	3	

SURCHARGE

- KA

96 TITALIUM™

THE ABSOLUTE IN TECHNICAL STRENGTH WITH REVERSIBLE KEY



OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- To secure doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY

- Lock body made of TITALIUM™ special aluminium - high security with low weight
- Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance
- High precision reversible keyway with 150 000 key differs
- Automatic locking: Locking without key by pushing the shackle
- Paracentric keyway for increased protection against manipulation
- CS: shackle guard protects shackle from attack




Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
96TI/50	70872 5	0157	50	25	34	9,5	23	92	212	26424	8	6	
96TI/60	70879 4	0157	60	25	40	11	28	103	332	26424	8	6	
96TI/50 B/EFSP	70979 1	0157	50	25	34	9,5	23	92	295	26424	8	6	
96TI/60 B/EFSP	70982 1	0157	60	25	40	11	28	103	418	26424	8	6	
96CSTI/50	70263 1	0157	50	23	25	9,5	23	82	214	26424	8	6	
96CSTI/60	70262 4	0157	60	25	29	11	28	91	350	26424	8	6	
96CSTI/50 B/EFSP	70266 2	0157	50	23	25	9,5	23	82	298	26424	8	4	
96CSTI/60 B/EFSP	70267 9	0157	60	25	29	11	28	91	438	26424	8	4	

SURCHARGE

- KA

WITH ABUS PLUS LOCKING SYSTEM



OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- Ideal for use in severe weather conditions (e.g. in coastal regions or ports, to secure goods on vehicles and boats in outdoor use)
- To secure doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY

- Lock body made from solid brass
- Chromed plated lock body for a better corrosion resistance
- Double bolted
- Shackle made from hardened alloy steel
- ABUS-Plus disc cylinder: highest protection against manipulation
- Cylinder can be re-keyed to match an existing key
- Key retaining: locking only with the key (lock retains key until locked)



Kl. 1
88/40



Kl. 2
88/50

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
88/40	07238 3	0124	40	22	22,5	7	20	71,5	208	05078	8	6	
88/50	07239 0	0124	49,5	24	26	9,5	20,5	78,5	295	05078	7	6	
88/40 B/EFSP	35208 9	0124	40	22	22,5	7	20	71,5	208	05078	8	6	
88/50 B/EFSP	35210 2	0124	49,5	24	26	9,5	20,5	78,5	295	05078	7	6	
Master Key ABUS-PLUS	04325 3	0124										1	

SURCHARGE

- KA
- KA as per sample
- MK



85WY Security Card

OPERATION AND USE

- 85/20 – 85/40: To secure valuables/goods of medium value or at an average risk of theft
- 85/50 – 85/70: To secure valuables/goods of greater value or at a high risk of theft
- 85IB: Ideal for use in coastal and port areas
- To secure bags, suitcases, jewellery boxes, cash boxes, doors, gates, cupboards, lockers, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY

- Solid lock body made from brass
- Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance
- Can be made keyed alike to already existing keys/locks by the trade (Version Service)
- Double bolted (as of 30 mm)
- Automatic locking: Locking without key by pushing down the shackle
- Paracentric keyway for increased protection against manipulation
- Inner components made from rust-free high quality materials
- Precision pin cylinder with mushroom pins
- WY: With security card: Your security card is needed when ordering original ABUS extra keys and padlocks



Kl. 1
85/50

DIN EN

12320

Kl. 2
85/50



85/20HB22



85/30HB24



85/30HB65



85/40HB40



85/40HB63



85/50HB80



85/50HB127



85WY/40

Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
85/20	02355 2	0502	21	12	12	3	13	39	52	R 2700 / L 2694	4	6	
85/25	02362 0	0502	24	14	15	4	12	44	61	R 2700 / L 2694	4	6	
85/30	02369 9	0502	30	17	17	5	14	50	93	R 2701 / L 2695	5	6	
85/40	02377 4	0502	40	23	22	6,5	16	62	170	R 2702 / L 2696	6	6	
85/50	02385 9	0502	50	29	28	8	17	77	272	R 2703 / L 2697	7	6	
85/60	09048 6	0502	60	33	35	10	19	91	460	R 2703 / L 2697	7	3	
85/70	09049 3	0502	69,5	38,5	44	11,5	19,5	98	750	L 2698	8	3	
85/30 B/EFSP	35432 8	0502	30	17	17	5	14	50	93	R 2701 / L 2695	5	6	
85/40 B/EFSP	35433 5	0502	40	23	22	6,5	16	62	170	R 2702 / L 2696	6	6	
85/50 B/EFSP	35435 9	0502	50	29	28	8	17	77	272	R 2703 / L 2697	7	6	
85/60 B/EFSP	35436 6	0502	60	33	35	10	19	91	460	R 2703 / L 2697	7	6	
85/20HB22	02409 2	0502	21	12	22	4	13	48	54	R 2700 / L 2694	4	6	
85/30HB24	02410 8	0502	30	17	24	5	14	57	95	R 2701 / L 2695	5	6	
85/30HB65	02411 5	0502	30	17	65	5	14	98	113	R 2701 / L 2695	5	3	
85/40HB63	09051 6	0502	40	22	62,5	6,5	16	103	193	R 2702 / L 2696	6	3	
85/40HB40	09050 9	0502	40	22	39	6,5	16	79	172	R 2702 / L 2696	6	3	
85/40HB40	02412 2	0502	40	23	40	6,5	16	79	172	R 2702 / L 2696	6	3	
85/40HB63	02416 0	0502	40	23	63	6,5	15	102	193	R 2702 / L 2696	6	3	
85/50HB80	02417 7	0502	50	29	80	8	17	128	315	R 2703 / L 2697	7	3	
85/50HB127	02418 4	0502	50	29	127	8	17	175	351	R 2703 / L 2697	7	3	
85/50HB200	02420 7	0502	50	29	200	8	17	248	418	R 2703 / L 2697	7	3	
85/40HB63 B/EFSP	35434 2	0502	40	23	63	6,5	15	102	193	R 2702 / L 2696	6	6	
85IB/30	04794 7	0502	30	17	17	5	14	50	93	R 2701 / L 2695	5	6	
85IB/40	04803 6	0502	40	23	22	6,5	16	62	170	R 2702 / L 2696	6	6	
85IB/50	04814 2	0502	50	29	28	8	17	77	272	R 2703 / L 2697	7	6	
85IB/60	04823 4	0502	60	35	37	10	20	93	460	R 2703 / L 2697	7	3	
85IB/40HB40	04900 2	0502	40	23	40	6,5	16	79	172	R 2702 / L 2696	6	3	
85IB/40HB63	12511 9	0502	40	23	63	6,5	15	102	193	R 2702 / L 2696	6	3	
85WY/40	79653 1	0502	40	23	22	6,5	16	62	180	79683	6	6	

85 | 85WY

THE SERVICE LOCK


Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Key Blank	Level	PU	Gross Price €
85WY/40HB40	83134 8	0502	40	23	40	6,5	16	79	187	79683	6	3	
85WY/40HB63	83135 5	0502	40	23	63	6,5	15	102	198	79683	6	3	
85WY/50	79655 5	0502	50	29	28	8	17	77	294	79684	7	6	
85WY/50HB80	83136 2	0502	50	29	80	8	17	129	330	79684	7	3	
85WYIB/40	82716 7	0502	40	23	22	6,5	16	62	174	79683	6	6	
85WYIB/40HB40	82749 5	0502	40	23	40	6,5	16	79	183	79683	6	3	
85WYIB/40HB63	82750 1	0502	40	23	63	6,5	15	102	194	79683	6	3	
85WYIB/50	82735 8	0502	50	29	28	8	17	77	282	79684	7	6	
85/20 Lock-Tag	80619 3	0502	21	12	12	3	13	39	52	R 2700 / L 2694	4	6	
85/25 Lock-Tag	80620 9	0502	24	14	15	4	12	44	61	R 2700 / L 2694	4	6	
85/30 Lock-Tag	80629 2	0502	30	17	17	5	14	50	93	R 2701 / L 2695	5	6	
85/40 Lock-Tag	80630 8	0502	40	23	22	6,5	16	62	170	R 2702 / L 2696	6	6	
85/50 Lock-Tag	80631 5	0502	50	29	28	8	17	77	272	R 2703 / L 2697			
85/60 Lock-Tag	80632 2	0502	60	33	35	10	19	91	460	R 2703 / L 2697			
85/70 Lock-Tag	80633 9	0502	69,5	38,5	44	11,5	19,5	98	750	L 2698			
85/40HB40 Lock-Tag	80634 6	0502	40	22	39	6,5	16	79	172	R 2702 / L 2696	6	3	
85/40HB63 Lock-Tag	80636 0	0502	40	23	63	6,5	15	102	193	R 2702 / L 2696	6	3	
Master Key	43813 4	05										1	
Master Key 85WY	82531 6	05										1	

SURCHARGE

- KA
- KA as per sample
 - up to 20 pcs
 - as of 21 pcs
- MK

751B

NEVER RUST - WITH REVERSIBLE KEY




OPERATION AND USE

- For medium-security requirements under extreme weather and environmental conditions
- Ideal for securing vehicles and boats in outdoor use

TECHNOLOGY

- Solid lock body made from brass with nickel pearl coating
- Shackle made from stainless steel
- Highly precise reversible key locking system with up to 150 000 key variations
- 751B/40 + 751B/50: Key-retaining
- 751B/30: self-locking



Kl. 1
751B/40
751B/50

DIN EN

12320

Kl. 2
751B/40
751B/50


Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
751B/30	28635 3	1304	30	16	17	5	13,5	53,5	110	26423	5	12	
751B/40	28638 4	1304	40	19,5	23	6,5	16	64	179	26423	6	12	
751B/50	28643 8	1304	50	28	29	8	18	76,5	288	26424	7	6	

SURCHARGE

- KA

65 | 65CS

SOLID BRASS PADLOCK



OPERATION AND USE

- 65MB/15 - 65/25: To secure valuables / goods of lesser value or at a low risk of theft
- 65/30 - 60: To secure valuables / goods of medium value or at an average risk of theft
- 15 - 25 mm: To secure bags, suitcases, jewellery boxes, cash boxes, etc.
- 30 - 60 mm: To secure chains, doors, gates, cupboards, lockers, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY

- Solid lock body made from brass
- Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance
- Inner components made from non-corrosive materials
- Precision pin tumbler cylinder
- Shackles available in different lengths (HB)
- CS: shackle guard protects shackle from attack



Kl. 1
65IB/40

DIN EN

12320

Kl. 2
65IB/40



Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
65/20	02318 7	1301	20	9	11	4	10	34	36	11405	3	12	
65/25	02324 8	1301	25	13	13	4	12	42	63	11406	3	12	
65/30	02330 9	1301	30	15	17	5	14	50	92	12021	4	12	
65/35	02833 5	1301	35	20	19	6	15	55	118	12021	4	12	
65/40	02337 8	1301	40	22	22	6,5	15	62	160	12022	5	12	
65/45	02787 1	1301	45	25	24	7	16	68	201	12022	5	6	
65/50	02344 6	1301	50	28	29	8	18	77	293	12023	6	6	
65/60	08751 6	1301	60	34	35	10	19	91	433	12023	6	6	
65MB/15	09325 8	1301	16	8	12	3	10	32	26	R 09329 / L 09328	3	12	
65/30 B/EFSP	09850 5	1301	30	15	17	5	14	50	92	12021	4	6	
65/35 B/EFSP	09851 2	1301	35	20	19	6	15	55	118	12021	4	6	
65/40 B/EFSP	09852 9	1301	40	22	22	6,5	15	62	160	12022	5	6	
65/45 B/EFSP	09853 6	1301	45	25	24	7	16	68	201	12022	5	6	
65/50 B/EFSP	09854 3	1301	50	28	29	8	18	77	293	12023	6	6	
65/30HB60	12294 1	1301	30	16	60	5	14	93	110	12021	4	12	
65/40HB40	04775 6	1301	40	22	40	6,5	15	77	171	12022	5	12	
65/40HB63	04778 7	1301	40	22	63	6,5	15	103	183	12022	5	12	
65/50HB80	04781 7	1301	50	28	80	8	18	129	323	12023	6	6	
65/40HB40 B/EFSP	09856 7	1301	40	22	40	6,5	15	77	171	12022	5	6	
65/40HB63 B/EFSP	09857 4	1301	40	22	63	6,5	15	103	183	12022	5	6	
65/50HB80 B/EFSP	09858 1	1301	50	28	80	8	18	129	323	12023	6	6	
65/30 Twins B/EFSP	21730 2	1301	30	15	17	5	14	50	92	12021	4	6	
65/40 Twins B/EFSP	09859 8	1301	40	22	22	6,5	15	62	160	12022	3	6	
65/50 Twins C/EFSP	54258 9	1301	50	28	29	8	18	77	293	12023	6	6	
65IB/40	10756 6	1301	40	22	22	6,5	15	62	178	12022	5	6	
65IB/40 B/EFSP	11854 8	1301	40	22	22	6,5	15	62	178	12022	5	6	
65IB/40 Twins B/EFSP	11855 5	1301	40	22	22	6,5	15	62	178	12022	5	6	
65CS/40 B/EFSP	35829 6	1301	40	14	18	7	15	60	216	12022	5	6	
65CS/50 B/EFSP	35830 2	1301	50	19	21	8	18	77	363	12023	5	6	

SURCHARGE

• KA



OPERATION AND USE

- 841B/30: To secure valuables/goods of lesser value or at a low risk of theft
- 841B/40-841B/50: To secure valuables/goods of medium value or at an average risk of theft
- Depending on the size: bags, suitcases, jewellery boxes, cash boxes, chains, tool boxes, lockers, sheds, etc.

TECHNOLOGY

- Lock body made from solid brass
- Inner components made from rustfree, high quality materials
- Shackle made from stainless steel
- Precision pin cylinder
- Self-locking: locking without key by pushing down the shackle



30HB30



40HB40



50HB50

Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
841B/30	20387 9	1302	29	14,5	14,5	5	13	49,5	90	00682	3	6	
841B/40	20392 3	1302	38	20,5	21	6	13	60,5	130	08365	4	6	
841B/50	20395 4	1302	48	25,5	24,5	7	13,5	69	222	08364	5	6	
841B/30 B/EFSP	35179 2	1302	29	14,5	14,5	5	13	49,5	90	00682	3	6	
841B/40 B/EFSP	32184 9	1302	40	20,5	21	6	13	60,5	130	08365	4	6	
841B/50 B/EFSP	32186 3	1302	48	25,5	24,5	7	13,5	69	190	08364	5	6	
841B/30HB30	23430 9	1302	29	14	30	5	13	64	84	00682	3	6	
841B/40HB40	23431 6	1302	40	20,5	40	6	13	78,5	140	08365	4	6	
841B/50HB50	23432 3	1302	48	25,5	50	7	13,5	94	208	08364	5	6	
841B/30HB30 B/EFSP	35182 2	1302	29	14	30	5	13	64	84	00682	3	6	
841B/40HB40 B/EFSP	35187 7	1302	40	20,5	40	6	13	78,5	140	08365	4	6	
841B/50HB50 B/EFSP	32187 0	1302	48	25,5	50	7	13,5	94	208	08364	5	6	
841B/40 Twins B/EFSP	37713 6	1302	38	20,5	21	6	13	60,5	130	08365	4	6	

SURCHARGE

• KA

72 | 72IB TITALIUM™

ANODIZED ALUMINIUM PADLOCKS



OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft
- To secure doors, gates, cupboards, lockers, tool boxes, cellar windows, sheds, switchboards, barriers, etc.

TECHNOLOGY

- Lock body made from TITALIUM™ special aluminium – high security with low weight
- Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance
- ABUS precision 6-pin cylinder, can be rekeyed to match an existing key
- Double-bolted
- Self-locking: locking without key by pushing down the shackle
- Coloured aluminium lock body - corrosion-resistant
- IB: shackle made from stainless steel
- Incl. two keys



72/40 yellow



72/40 green



72/40 purple



72/40 orange



72/40 red



72/40 black



72/40HB40 blue

Ref. No.	EAN	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
72/40 blue	43599 7	0134	39	20	27	6,5	19	74	132	20066	6	6	
72/40 yellow	43603 1	0134	39	20	27	6,5	19	74	132	20066	6	6	
72/40 green	43600 0	0134	39	20	27	6,5	19	74	132	20066	6	6	
72/40 purple	43598 0	0134	39	20	27	6,5	19	74	132	20066	6	6	
72/40 orange	43601 7	0134	39	20	27	6,5	19	74	132	20066	6	6	
72/40 red	43602 4	0134	39	20	27	6,5	19	74	132	20066	6	6	
72/40 black	43959 9	0134	39	20	27	6,5	19	74	132	20066	6	6	
72/40 blue B/EFSP	46771 4	0134	39	20	27	6,5	19	74	153	20066	6	6	
72/40 yellow B/EFSP	46773 8	0134	39	20	27	6,5	19	74	153	20066	6	6	
72/40 green B/EFSP	46775 2	0134	39	20	27	6,5	19	74	153	20066	6	6	
72/40 purple B/EFSP	46776 9	0134	39	20	27	6,5	19	74	153	20066	6	6	
72/40 orange B/EFSP	46778 3	0134	39	20	27	6,5	19	74	153	20066	6	6	
72/40 red B/EFSP	46777 6	0134	39	20	27	6,5	19	74	153	20066	6	6	
72/40 black B/EFSP	46779 0	0134	39	20	27	6,5	19	74	153	20066	6	6	
72/40HB40 blue	43605 5	0134	39	20	39	6,5	19	86	141	20066	6	3	
72/40HB40 yellow	43609 3	0134	39	20	39	6,5	19	86	141	20066	6	3	
72/40HB40 green	43606 2	0134	39	20	39	6,5	19	86	141	20066	6	3	
72/40HB40 purple	43604 8	0134	39	20	39	6,5	19	86	141	20066	6	3	
72/40HB40 orange	43607 9	0134	39	20	39	6,5	19	86	141	20066	6	3	
72/40HB40 red	43608 6	0134	39	20	39	6,5	19	86	141	20066	6	3	
72/40HB40 black	43960 5	0134	39	20	39	6,5	19	86	141	20066	6	3	
72/40HB40 blue B/EFSP	46781 3	0134	39	20	39	6,5	19	86	160	20066	6	6	
72/40HB40 yellow B/EFSP	46782 0	0134	39	20	39	6,5	19	86	160	20066	6	6	
72/40HB40 green B/EFSP	46783 7	0134	39	20	39	6,5	19	86	160	20066	6	6	
72/40HB40 purple B/EFSP	46785 1	0134	39	20	39	6,5	19	86	160	20066	6	6	
72/40HB40 orange B/EFSP	46784 4	0134	39	20	39	6,5	19	86	160	20066	6	6	
72/40HB40 red B/EFSP	46780 6	0134	39	20	39	6,5	19	86	160	20066	6	6	
72/40HB40 black B/EFSP	46786 8	0134	39	20	39	6,5	19	86	160	20066	6	6	
72/40HB75 blue	70555 7	0134	39	20	75	6	19	121	155	20066	6	6	

72 | 72IB TITALIUM™

ANODIZED ALUMINIUM PADLOCKS


Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Key Blank	Level	PU	Gross Price €
72/40HB75 green	70556 4	0134	39	20	75	6	19	121	155	20066	6	6	
72/40HB75 yellow	18692 9	0134	39	20	75	6	19	121	155	20066	6	6	
72/40HB75 black	70554 0	0134	39	20	75	6	19	121	155	20066	6	6	
72/40HB75 red	18691 2	0134	39	20	75	6	19	121	155	20066	6	6	
72/40 blue vs. Lock-Tag	80292 8	0117	39	20	27	6,5	19	74	132	20066	6	6	
72/40 brown vs. Lock-Tag	80298 0	0117	39	20	27	6,5	19	74	132	20066	6	6	
72/40 yellow vs. Lock-Tag	80294 2	0117	39	20	27	6,5	19	74	132	20066	6	6	
72/40 green vs. Lock-Tag	80295 9	0117	39	20	27	6,5	19	74	132	20066	6	6	
72/40 purple vs. Lock-Tag	80297 3	0117	39	20	27	6,5	19	74	132	20066	6	6	
72/40 red vs. Lock-Tag	80293 5	0117	39	20	27	6,5	19	74	132	20066	6	6	
72IB/40 blue	45790 6	0134	39	20	27	6,5	19	74	132	20066	6	6	
72IB/40 yellow	45792 0	0134	39	20	27	6,5	19	74	132	20066	6	6	
72IB/40 green	45787 6	0134	39	20	27	6,5	19	74	132	20066	6	6	
72IB/40 purple	45789 0	0134	39	20	27	6,5	19	74	132	20066	6	6	
72IB/40 orange	45791 3	0134	39	20	27	6,5	19	74	132	20066	6	6	
72IB/40 red	45788 3	0134	39	20	27	6,5	19	74	132	20066	6	6	
72IB/40 black	45786 9	0134	39	20	27	6,5	19	74	132	20066	6	6	
72IB/40HB40 blue	45797 5	0134	39	20	39	6,5	19	86	156	20066	6	6	
72IB/40HB40 yellow	45799 9	0134	39	20	39	6,5	19	86	156	20066	6	6	
72IB/40HB40 green	45794 4	0134	39	20	39	6,5	19	86	156	20066	6	6	
72IB/40HB40 purple	45796 8	0134	39	20	39	6,5	19	86	156	20066	6	6	
72IB/40HB40 orange	45798 2	0134	39	20	39	6,5	19	86	156	20066	6	6	
72IB/40HB40 red	45795 1	0134	39	20	39	6,5	19	86	156	20066	6	6	
72IB/40HB40 black	45793 7	0134	39	20	39	6,5	19	86	156	20066	6	6	

SURCHARGE

- KA
- KA as per sample
- MK

T65AL

THIS IS MYLOCK



OPERATION AND USE

- To secure valuables/goods of medium value or at an average risk of theft
- Also ideal to individually secure lockers and wardrobes (e.g. in fitness centres), for cellar sheds, tool boxes, etc.

TECHNOLOGY

- Lock body made from aluminium
- Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance
- Double bolted
- Individual inscriptions possible for easy identification
- Self-locking: Locking without key by pushing down the shackle
- Paracentric keyway for increased protection against manipulation
- Precision 5-pin tumbler cylinder
- Supplied with two keys



T65AL/40 red



T65AL/40 yellow



T65AL/40 purple




T65AL/40 black



T65AL/40 white

Ref. No.	EAN 4003318	Family							Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
T65AL/40 blue	50867 7	0103	43	22	23	6,5	18	62	102	12022	5	12	
T65AL/40 yellow	50868 4	0103	43	22	23	6,5	18	62	102	12022	5	12	
T65AL/40 purple	50869 1	0103	43	22	23	6,5	18	62	102	12022	5	12	
T65AL/40 red	50870 7	0103	43	22	23	6,5	18	62	102	12022	5	12	
T65AL/40 black	50871 4	0103	43	22	23	6,5	18	62	102	12022	5	12	
T65AL/40 white	50872 1	0103	43	22	23	6,5	18	62	102	12022	5	12	
T65AL/40 blue B/EFSP	50008 4	0103	43	22	23	6,5	18	62	133	12022	5	6	
T65AL/40 yellow B/EFSP	50032 9	0103	43	22	23	6,5	18	62	133	12022	5	6	
T65AL/40 purple B/EFSP	50023 7	0103	43	22	23	6,5	18	62	133	12022	5	6	
T65AL/40 red B/EFSP	50012 1	0103	43	22	23	6,5	18	62	133	12022	5	6	
T65AL/40 black B/EFSP	50036 7	0103	43	22	23	6,5	18	62	133	12022	5	6	
T65AL/40 white B/EFSP	50723 6	0103	43	22	23	6,5	18	62	133	12022	5	6	



Love Locks – The romantic way to declare your love

Love Locks are padlocks engraved with the names of a couple and often a specific date. These can also be written on with a marker pen.

Attaching a Love Lock to a bridge railing, lamppost, fence or other public object allows happy couples to declare their love for each other to the world. As a symbol of the eternal bond between the lovers, the couple attaches the Love Lock before throwing the key into the river to make sure that it can never be reopened.

Love Locks make for a perfect gift for weddings and Valentine's Days. Available together with an engraving service, ABUS Love Locks are a simple way to create added value for distributors and consumers.



72/40 LOVE LOCK

A PADLOCK AS A SYMBOL OF LOVE



OPERATION AND USE

- For attaching to bridges or fences as a symbol of love!
- Ideal for: engagements, weddings, wedding anniversaries, Valentine's Day, birthdays and Christmas, as a symbol of eternal friendship or simply to say "thank you" to a special person.
- Also ideal to individually secure lockers and wardrobes (e.g. in fitness centres), for cellar sheds, tool boxes, etc.

TECHNOLOGY

- Coloured aluminium lock body - corrosion-resistant
- Hardened steel shackle with NANO PROTECT™ plating for extreme corrosion resistance
- One side of the body without coating for large engraving space
- Double bolted
- Self-locking: lock without the key by pushing down the shackle
- Includes two keys



72/40 red Love Lock 1



72/40 red Love Lock 2



72/40 red Love Lock 3



72/40 red Love Lock 4



72/40 red Love Lock 5

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
72/40 red Love Lock 1	09722 5	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 2	09737 9	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 3	09743 0	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 4	09746 1	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 5	09748 5	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 6	09750 8	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 color Love Lock red B/EFSP	09666 2	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 1 Lock-Tag	80299 7	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 2 Lock-Tag	80300 0	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 3 Lock-Tag	80301 7	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 4 Lock-Tag	80302 4	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 5 Lock-Tag	80303 1	0117	39	20	27	6,5	19	74	143	20066	6	6	
72/40 red Love Lock 6 Lock-Tag	80304 8	0117	39	20	27	6,5	19	74	143	20066	6	6	

72LL/40 LOVE LOCK

THE PERFECT LOVELOCK



OPERATION AND USE

- For mounting on bridges or fences as a symbol of love
- Ideal for: engagement, wedding, wedding anniversary, Valentine's Day, birthday, Christmas, as a symbol of eternal friendship or to say a special person just „thank you“

TECHNOLOGY

- Aluminium lock body and shackle for 100% corrosion resistance
- One side of the body without coining for large engraving space
- 10 vivid colours
- 1 key to seal the love
- Double bolted
- Key retaining



Ref. No.	EAN 4003318	Family	Dimensions						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
72LL/40 red	10068 0	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 blue	10083 3	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 green	10067 3	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 yellow	10085 7	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 purple	10082 6	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 pink	10087 1	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 light green	10088 8	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 turquoise	10086 4	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 orange	10084 0	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 black	10048 2	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 red Lock-Tag	81261 3	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 blue Lock-Tag	81265 1	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 green Lock-Tag	81260 6	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 yellow Lock-Tag	81268 2	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 purple Lock-Tag	81264 4	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 pink Lock-Tag	81270 5	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 light green Lock-Tag	81271 2	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 turquoise Lock-Tag	81269 9	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 orange Lock-Tag	81267 5	0117	38	20	27	6,5	19	72	105	20066	4	6	
72LL/40 black Lock-Tag	81259 0	0117	38	20	27	6,5	19	72	105	20066	4	6	

T65AL

IT'S MYLOVE



OPERATION AND USE

- To secure valuables/goods of medium value or at an average risk of theft
- Also ideal to individually secure lockers and wardrobes (e.g. in fitness centres), for cellar sheds, tool boxes, etc.

TECHNOLOGY

- High-quality printed vinyl casing to prevent damage
- Individual inscriptions possible for easy identification
- Inner components made from non-corrosive materials
- Special alloy steel shackle with NANO PROTECT™ coating
- Precision pin tumbler cylinder
- Vinyl casing with different casings: heart and beach
- Supplied with two keys



T65AL/40 back

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
T65AL/40 myLove B/DFNLI	19154		43	22	23	6,5	18	61,5	79	12022	6		

645TI BABY™ LOCK

A LOVE NOTE TO THE OFFSPRING



OPERATION AND USE

- Extension of the love lock tradition: parents can dedicate their newborns own lock and additionally attach this to their existing love lock
- A gift for the birth
- Also ideal to individually secure lockers and wardrobes (e.g. in fitness centres), for cellar sheds, tool boxes, etc.

TECHNOLOGY

- Anodized aluminium lock body in light blue and pink
- Back of the lock body is totally empty – enough space for engraving
- 30 mm lock body
- 5 mm hardened steel shackle
- Shackle with NANO PROTECT™ plating for ultimate corrosion resistance
- Individual box packaging (cardboard) in Love Lock Design



645TI/30 pink

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
645TI/30 light blue	26357 6	0132	30	16	17	5	10	53	63	12021	4	12	
645TI/30 pink	26356 9	0132	30	16	17	5	10	53	63	12021	4	12	

190CS/60

HEAVY DUTY COMBINATION LOCK



OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft
- To secure doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY


- 4-digit resettable code
- Stainless steel shackle
- Solid hardened steel jacket
- Precision locking mechanism with special manipulation protection
- Shackle guard protects shackle from attacks



Ref. No.	EAN	Family							Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
190CS/60 B/EFSP	51555 2	0111	62,5	22	30	11,5	35	92,5	770	8	2	

1801B

THE ALL-WEATHER LOCK WITH RESETTABLE CODE



OPERATION AND USE

- Security for items/goods of medium value or where there is an average risk of theft
- Ideal for severe weather conditions (e.g., in sea and port areas, for securing vehicles and boats in outdoor use)
- For securing doors, gates, lockers, tool boxes, cellar windows, sheds, switch boxes, cupboards, etc.

TECHNOLOGY

- Body made of solid forged brass
- Shackle made from stainless steel
- 4-digit, individually resettable code
- Inner components made of non-corrosive materials
- Precision locking mechanism with additional tampering protection



1801B/50HB63

Ref. No.	EAN	Family	Dimensions (mm)						Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
1801B/50 B/EFSP	32074 3	0110	53	25	25	8	25	75	308	5	6	
1801B/50HB63 B/EFSP	32075 0	0110	53	25	63	8	25	113	343	5	6	

COMBINATION PADLOCK WITH RESETTABLE CODE



OPERATION AND USE

- To secure valuables/goods of medium value or at an average risk of theft
- Suitable to secure doors, gates, cupboards, lockers, tool boxes, cellar windows, sheds, switchboards, etc.
- Ideally used with ABUS Hasps No. 100, 110, 300

TECHNOLOGY

- Solid zinc-die cast body
- Shackle made from hardened steel
- Double bolted shackle
- 158/40: individually resettable 3-digit code
- 158/50: individually resettable 4-digit code
- 158/65: individually resettable 5-digit code
- CS: Shackle guard protects shackle from attack



158/40



158/50



158/65



158CS/65



158CS/50

Ref. No.	EAN	Family	Dimensions (mm)						Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
158/65	20332 9	0107	63	31	40	10	26	116	455	8	6	
158/40 B/EFSP	46800 1	0107	42	24	26	6	21	72	200	4	3	
158/50 B/EFSP	35012 2	0107	51	26	32	8	23	96	307	5	3	
158/65 B/EFSP	21753 1	0107	63	31	40	10	26	116	535	8	3	
158/50HB63	83151 5	0107	52	26	67	8	23	130	290	5	14	
158/50HB/50 B/EFSP	08396 9	0107	52	26	57	8	23	120	335	5	6	
158CS/50 B/EFSP	72968 3	0107	52	23	27	8	23	96	370	6	3	
158CS/65 B/EFSP	72969 0	0107	69	25,5	35	10	26	116	656	9	3	

158KC

COMBINATION PADLOCK - WITH OVERRIDE KEY



Override key

OPERATION AND USE

- To secure valuables / goods of medium value or at an average risk of theft
- To secure doors, gates, cupboards, lockers, tool boxes, cellar windows, sheds, switchboards, etc.
- User operates with individual combination code; Administrator can override combination with master key

TECHNOLOGY

- Solid body made from zinc die-cast
- Shackle made from hardened steel
- 4-digit resettable code
- Disc cylinder - maximum protection against picking
- Lost code can be easily identified and reset by using override key
- Override key sold separately



Ref. No.	EAN 4003318	Family							Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
158KC/45 AP050	55673 9	0107	45	20	25	6	19	81	177	5	12	
158KC/45 AP051	55697 5	0107	45	20	25	6	19	81	177	5	12	
158KC/45 AP052	55698 2	0107	45	20	25	6	19	81	177	5	12	
158KC/45 AP053	55699 9	0107	45	20	25	6	19	81	177	5	12	
158KC/45 AP054	55700 2	0107	45	20	25	6	19	81	177	5	12	
Master Key AP050	55704 0	0107										1
Master Key AP051	55705 7	0107										1
Master Key AP052	55706 4	0107										1
Master Key AP053	55707 1	0107										1
Master Key AP054	55708 8	0107										1

COMBINATION PADLOCK WITH RESETTABLE CODE



OPERATION AND USE

- Security for assets and objects of medium value or where there is an average risk of theft
- Suitable for securing doors, gates, cupboards, lockers, tool boxes, etc.

TECHNOLOGY

- Lock body and shackle in exclusive high-gloss chrome plating
- Shackle made from hardened steel
- Double bolted
- 160/40: individually resettable 3-digit code
- 160/50: individually resettable 4-digit code



160/40



160/50HB50

Ref. No.	EAN	Family	Dimensions						Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
160/40 B/EFSP	32933 3	0108	42	24	22	6	18	71	141	5	6	
160/50 B/EFSP	32076 7	0108	50	29	26	7,5	19	86	201	6	6	
160/50HB50 B/EFSP	35839 5	0108	50	29	50	7,5	19	110	213	6	6	

155 | 155 BLACK & WHITE

COMBINATION LOCK WITH RESETTABLE CODE



OPERATION AND USE

- 155/20 and 155/30: To secure valuables / goods of lesser value or at a low risk of theft
- 155/40: To secure valuables / goods of medium value or at an average risk of theft
- To secure bags, suitcases, jewel cases, cash boxes, lockers, etc.

TECHNOLOGY

- Strong zinc-die cast body with hardened steel shackle
- 155/20 and 155/30: individually resettable 3-digit code
- 155/40: individually resettable 4-digit code



155/20



155/30

Ref. No.	EAN	Family	Dimensions (mm)						Weight g	Level	PU	Gross Price €
			Shackle width	Shackle height	Body width	Body height	Body depth	Body thickness				
155/20	30888 8	0106	22	9	19	3	14	54	40	3	6	
155/30	30889 5	0106	34	14	19	5	16	60	70	3	6	
155/40	30890 1	0106	44	19	26	6	18	80	145	4	6	
155/20 B/EFSP	33720 8	0106	22	9	19	3	14	54	40	3	6	
155/30 B/EFSP	35003 0	0106	34	14	19	5	16	60	70	3	6	
155/40 B/EFSP	35005 4	0106	44	19	26	6	18	80	145	4	6	
155/20 B/PLCZHRUS	32426 0	0106	22	9	19	3	14	54	40	3	6	
155/30 B/PLCZHRUS	32427 7	0106	34	14	19	5	16	60	70	3	6	

148TSA

TSA-ACCEPTED LOCK FOR US ENTRY



OPERATION AND USE

- To secure valuables/goods of lower value or at a low risk of theft
- Suitable e.g. to secure luggage
- Ideal for journeys into the USA: the luggage can be opened/relocked by the US security authorities without damaging the lock

TECHNOLOGY

- Lock body made from plastic
- Cable diameter 2 mm
- Individually resettable 3-digit code
- Write-on name tag included
- Cable shackle opens by pressing the lever on the side
- Visible red indicator at shackle: lock was opened by TSA
- To reset red indicator open lock and turn shackle by 360°



Ref. No.	EAN	Family							Weight g	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm				
148TSA/30 B	53094 4	0149	30	17	37	2	12,5	93,5	40	2	6	

147TSA

TSA-ACCEPTED LOCK FOR US ENTRY



OPERATION AND USE

- To secure valuables/goods of lower value or at a low risk of theft
- Suitable e.g. to secure luggage
- Ideal for journeys to the USA: the luggage can be opened/relocked by the US security authorities without damaging the lock

TECHNOLOGY

- Lock body made from plastic
- Shackle diameter 3 mm
- Individually resettable 3-digit code
- Visible red indicator at shackle: lock was opened by TSA. To reset red indicator open lock and turn shackle by 360°



Ref. No.	EAN	Family							Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
147TSA/30 B	53093 7	0147	33	13	20	3	14	60	28	2	12	

146TSA

TSA-ACCEPTED LOCK FOR US ENTRY



OPERATION AND USE

- To secure valuables/goods of lower value or at a low risk of theft
- Suitable e.g. to secure luggage
- Ideal for journeys into the USA: the luggage can be opened/relocked by the US security authorities without damaging the lock

TECHNOLOGY

- Lock body made from plastic
- Shackle diameter 3 mm
- Individually resettable 3-digit code
- Visible red indicator at shackle: lock was opened by TSA
- To reset red indicator open lock and turn shackle by 360°



Ref. No.	EAN	Family	Dimensions						Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
146TSA/30 B	57017 9	0150	33	13	19	3	14	60,5	31	2	12	
146TSA/30 Twins B	58830 3	0150	33	13	19	3	14	60,5	31	2	6	

PADLOCKS


FOR EVERY APPLICATION




GRANIT™ 37RK
Highest security



DISKUS® 23
The classic one



64 TITALIUM™
strong | light | innovative



65
Solid security



72
Wide range of applications



165
Closing without a key



-Configurator

There are many different padlocks with even more applications. But which padlock is the right one for me? The configurator for padlocks helps you find the right padlock for your application.

Padlocks – playing it safe

There are many different padlocks with even more applications. But which padlock is the right one for me? The configurator for padlocks helps you find the right padlock for your application.

- Marine
- Outdoor
- Indoor
- Roller Shutters
- Luggage
- Tool Boxes
- Lockers
- Love Locks
- Minor Applications
- Security Hasps
- Storage Containers
- Gates
- Safety Lockout
- Vans
- Combination Locks
- Master Key Function
- Keyed Alike
- Colored Lock Body

Lock body width in mm (a)



Shackle width in mm (b)



Shackle height in mm (c)




Shackle diameter in mm (d)



Lock body thickness in mm (e)



Overall height in mm (f)



ABUS Global Protection Standard (10=highest level)


No input



1. Install QR code reader
2. Scan QR code
3. Find the right padlock

KEYGARAGE™ 787 SMART

KEY GARAGE FOR WALL MOUNTING



OPERATION AND USE

- For safely storing keys or small valuable objects for authorised persons
- Fast and easy access for groups of people that change frequently (e.g. workers, service, holiday guests, vehicle rental, multi-family homes, care services)
- Access option of generating and sharing a key code or of sending an electronic access ticket through the HomeTec Pro Bluetooth app
- For wall mounting indoors and in protected outdoor areas
- Store whole key fobs thanks to the large compartment inside


TECHNOLOGY

- Large, sturdy metal housing
- Illuminated electronic keypad for entering a 6-digit key code
- Manage and use the KeyGarage™ using the HomeTec Pro Bluetooth app
- Generate and send individual access tickets or a 6-digit code for multiple users
- View the log access history and current users
- Capacity for up to 20 keys, 3 car keys or 30 plastic cards
- Integrated key hooks for hanging up keys/key fobs
- Automatic locking
- Battery compartment for 2 x AA batteries, accessible from the outside

Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
787 SMART-BT B/	63824 4	0121	883	black-silver		1	

KEYGARAGE™ 797 SMART

SECURED KEY STORAGE



OPERATION AND USE

- For safely storing keys or small valuable objects for authorised persons
- Fast and easy access for groups of people that change frequently (e.g. workers, service, holiday guests, vehicle rental, multi-family homes, care services)
- Access option of generating and sharing a key code or of sending an electronic access ticket through the HomeTec Pro Bluetooth app
- Mounting with shackle for flexible and temporary use in indoor and protected outdoor areas (e.g. on doorknobs, railings or handles)
- Store whole key fobs thanks to the large compartment inside




TECHNOLOGY

- Large, sturdy metal housing
- Illuminated electronic keypad for entering a 6-digit key code
- Manage and use the KeyGarage™ using the HomeTec Pro Bluetooth app
- Generate and send individual access tickets or a 6-digit code for multiple users
- View the log access history and current users
- Capacity for up to 20 keys, 3 car keys or 30 plastic cards
- Integrated key hooks for hanging up keys/key fobs
- Automatic locking
- Battery compartment for 2 x AA batteries, accessible from the outside

Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
797 SMART-BT B/	63825 1	0121	888	black-silver		1	

KEYGARAGE™ 787 BIG

KEYGARAGE FOR WALL MOUNTING



OPERATION AND USE

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall fixing indoors and in protected outdoor areas
- Storage of a complete bunch of key now possible because of larger space and removable hook

TECHNOLOGY




- Very large solid metal housing and extra large storage compartment
- Locking cover made from zinc die-cast
- Individually resettable code (4-digit)
- Protective cover with sliding mechanism
- For wall mounting with screws
- Holds up to 30 cards or 50 keys
- Easily removable clip-in hooks guarantee consumer's comfort
- Flat inner mechanism makes a larger storage space possible
- Outer dimensions of housing: 83 x 120 x 62



Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
KeyGarage 787 BIG B for wall mounting	08492 8	0121	1053	black-silver		1	
KeyGarage 787 BIG LED B for wall mounting	83856 9	0121	880	black-silver		1	

KEYGARAGE™ 787

SECURED KEY STORAGE



OPERATION AND USE

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas

TECHNOLOGY


- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- For wall mounting with screws
- Can hold up to 20 keys or 14 code cards
- Outer dimensions of housing: 82 x 119 x 42
- Easily removable clip-in hooks guarantee consumer's comfort



Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
KeyGarage 787	46331 0	0121	838	black-silver		1	
KeyGarage 787 LED B for wall mounting	83854 5	0121	740	black-silver		1	

KEYGARAGE™ 797

SECURED KEY STORAGE



OPERATION AND USE

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- Fixing with shackle, e.g. on a door knob of gates and doors

TECHNOLOGY


- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- Fixing with shackle, e.g. on a door knob of gates and doors
- Can hold up to 20 keys or 14 code cards
- Outer dimensions of housing: 84 x 119 x 44
- Housing and shackle plastic coated (protects door from scratching)



Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
KeyGarage 797	46330 3	0121	914	black-silver		1	
KeyGarage 797 LED B with shackle	83855 2	0121	843	black-silver		1	

KEYGARAGE™ 707

SECURED KEY STORAGE



OPERATION AND USE

- For safely storing keys or small valuable objects for authorised persons
- Fast and easy access for groups of people that change frequently (e.g. workers, service, holiday guests, vehicle rental, multi-family homes)
- Accessible by setting and sharing a number code
- For wall mounting indoors and in protected outdoor areas

TECHNOLOGY




- Sturdy aluminium housing
- Aluminium cover flap with number wheels
- Resettable 4-digit code
- Safety flap with sliding mechanism
- Mounts on wall with screw fittings
- Capacity for up to 7 keys or 4 plastic cards
- Exterior housing dimensions: 88 x 129 x 39
- Self-adhesive keys - plastic hooks for attaching individually
- Protective cover with sliding mechanism
- For wall mounting with screws
- Outer dimensions of housing: 87,5 x 120 x 39



Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
707 B/ for wall mounting	40264 7	0121	502	black-silver		8	

KEYGARAGE™ 767

SECURED KEY STORAGE



OPERATION AND USE

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall fixing indoors and in protected outdoor areas

TECHNOLOGY





- Solid metal housing
- Locking cover made from zinc die-cast
- Code up to 10 digits individually resettable (the sequence of the code is irrelevant)
- Code needs to be entered in order to close the locking cover
- Plastic cover to protect against dust, dirt, etc.
- For wall fixing with screws
- Holds up to 17 cards or 20 keys
- Outer dimensions of housing: 84 x 119 x 47



Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
KeyGarage 767	4003318	53507 9 0121	811	black-silver	1		

KEYGARAGE™ 777

SECURED KEY STORAGE



OPERATION AND USE

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- Fixing with shackle, e.g. on a door knob of gates and doors

TECHNOLOGY



- Solid metal housing
- Locking cover made from zinc die-cast
- Code up to 10 digits individually resettable (the sequence of the code is irrelevant)
- Combination must also be entered for closing
- Plastic cover to protect against dust, dirt, etc.
- Fixing with shackle, e.g. on a door knob of gates and doors
- Can hold up to 20 keys or 14 code cards
- Outer dimensions of housing: 84 x 120 x 49
- Housing and shackle plastic coated (protects door from scratching)



Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
KeyGarage 777	4003318	53508 6 0121	883	black-silver	1		

KEYGARAGE™ MINI 727

SECURED KEY STORAGE



OPERATION AND USE

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For indoors and in protected outdoor areas
- Fixing with shackle, e.g. on loops in backpacks, lockers, etc.

TECHNOLOGY



- Solid metal housing
- Locking cover made from zinc die-cast with plastic dials
- Individually resettable code (4-digit)
- Plastic cover protects against moisture and dirt
- Fixing with shackle, e.g. on door knob
- Compact size with capacity up to 8 keys
- Outer dimensions of housing: 97 x 65 x 38
- Housing and shackle plastic coated (protects door from scratching)



Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
KeyGarage 737	77454 6	0121	539	black-silver		1	

KEYGARAGE™ 737

SECURED KEY STORAGE



OPERATION AND USE

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For indoors and in protected outdoor areas
- For wall mounting

TECHNOLOGY

- Locking cover made from zinc die-cast with plastic dials
- Individually resettable code (4-digit)
- Plastic cover protects against moisture and dirt
- For wall mounting with screws
- Compact size with capacity up to 8 keys
- Outer dimensions of housing: 97 x 65 x 40



Ref. No.	EAN	Family	Weight g	Colour	Level	PU	Gross Price €
727 KeyGarage Mini B	77455 3	0121	483	black-silver		1	

725TI

THE ABSOLUTE IN TECHNICAL STRENGTH



OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- To secure doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, etc.
- Technology
- Solid lock body made from TITALIUM™ aluminium alloy - higher security, less weight
- Hardened steel shackle with NANO PROTECT™ plating
- 6-pin precision cylinder with paracentric keyway
- Double bolted
- Chrome-plated cylinder plugs
- Large tulip-shaped key head
- Automatic locking: Locking without key by pushing the shackle
- incl. two keys




Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			Shackle width	Shackle height	Body width	Body height	Body depth	Body thickness					
725TI/40HB40	56586 1	0133	40	20	40	7	19	88	160	10034	5	6	
725TI/40HB63	56587 8	0133	40	20	63	7	19	113	176	10034	5	6	
725TI/40 B/PLCZHRUS	56585 4	0133	40	20	25	7	19	75	150	10034	5	6	
725TI/45 B/PLCZHRUS	56588 5	0133	45	20	29	8	21	82	183	10034	6	6	
725TI/50 B/PLCZHRUS	56589 2	0133	50	25	35	9,5	23	93	243	10034	7	6	

SURCHARGE

• KA

727TI

LIGHT AND YET ROBUST



OPERATION AND USE

- 727TI/20-30: To secure valuables/goods of lower value or at a low risk of theft
- 727TI/40-60: To secure valuables/goods of medium value or at an average risk of theft

TECHNOLOGY

- Solid lock body made from TITALIUM™ aluminium alloy
- Hardened steel shackle with NANO PROTECT™ plating
- Double bolted
- Automatic locking: Locking without key by pushing the shackle
- incl. two keys



272TI/20



272TI/25



272TI/30



272TI/30HB60



272TI/40



272TI/40HB40



272TI/40HB63



272TI/45



272TI/50



272TI/50HB80



272TI/60

Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			U	H	L	B	S	D					
727TI/20 Twins	56424 6	0132	20	9,5	11,5	3,5	10	34,5	40	11405	2	6	
727TI/30HB60	56427 7	0132	30	16	60	5	13	93	80	12021	3	6	
727TI/30 Twins	56428 4	0132	30	16	17	5	13	49,5	120	12021	3	6	
727TI/40HB40	56431 4	0132	40	22	40	6,5	14,5	78	96	12022	4	6	
727TI/40HB63	56432 1	0132	40	22	63	6,5	14,5	101	108	12022	4	6	
727TI/40 Twins	56433 8	0132	40	22	23	6,5	14,5	62	200	12022	4	6	
727TI/40 Triples	56434 5	0132	40	22	23	6,5	14,5	62	280	12022	4	6	
727TI/40+HB63 Tripl.	56435 2	0132	40	22	63	6,5	14,5	101	108	12022	4	4	
727TI/40 Quads	56436 9	0132	40	22	23	6,5	14,5	62	325	12022	4	4	
727TI/50HB80	56439 0	0132	50	29	80	8	17	128,5	200	12023	5	6	
727TI/20 B/PLCZHRUS	56422 2	0132	20	9,5	11,5	3,5	10	34,5	22	11405	2	6	
727TI/25 B/PLCZHRUS	56425 3	0132	25	13	13,5	4	12	41,5	31	11406	2	6	
727TI/30 B/PLCZHRUS	56426 0	0132	30	16	17	5	13	49,5	80	12021	3	6	
727TI/35 B/PLCZHRUS	56429 1	0132	35	18,5	20	5,5	14	55	80	12021	3	6	
727TI/40 B/PLCZHRUS	56430 7	0132	40	22	23	6,5	14,5	62	88	12022	4	6	
727TI/45 B/PLCZHRUS	56437 6	0132	45	25,5	24	7	15	68	110	12022	4	6	
727TI/50 B/PLCZHRUS	56438 3	0132	50	29	29	8	17	77	157	12023	5	6	
727TI/60 B/PLCZHRUS	56440 6	0132	60	33,5	34	9,5	19	90,5	260	12023	5	6	

SURCHARGE

• KA

726TI

SECURITY FROM ABUS - MADE EASY



OPERATION AND USE

- To secure valuables/goods of lesser value or at a low risk of theft
- To secure doors, gates, cupboards, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY

- Solid lock body made from TITANIUM™ aluminium alloy
- Hardened steel shackle
- Double bolted
- Automatic locking: Locking without key by pushing the shackle
- incl. two keys



726TI/30



726TI/35



726TI/40



726TI/40HB63



726TI/50

Ref. No.	EAN 4003318	Family							Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
726TI/40HB63	56465 9	0131	40	20	63	6,5	13	99	120	02882	3	6	
726TI/40 Triples	56467 3	0131	40	20	21	6,5	13	60,5	196	02882	3	6	
726TI/30 B/PLCZHRUS	56462 8	0131	30	14,5	14	5	13	45	60	02880	2	6	
726TI/35 B/PLCZHRUS	56463 5	0131	35	18,5	16,5	5	13	48	60	02880	2	6	
726TI/40 B/PLCZHRUS	56464 2	0131	40	20	21	6,5	13	60,5	69	02882	3	6	
726TI/50 B/PLCZHRUS	56468 0	0131	50	25	24,5	7	14	68	125	02884	4	6	

SURCHARGE

- KA

MONOBLOCK PADLOCK WITH STEEL JACKET

OPERATION AND USE

- To secure valuables / goods of greater value or at a high risk of theft
- For particular operations, e.g. automats, roller-shutters, gates, doors, container, trucks etc.
- Ideal in combination with ABUS chain 8KS

TECHNOLOGY

- Lock body made from solid brass with steel jacket
- Hardened steel shackle with NANO PROTECT™ plating
- Precision pin tumbler cylinder
- Key retaining: locking only with the key (lock retains key until locked)



Ref. No.	EAN	Family								Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm	mm					
723/80 B	44927 7	0119	78	37	17	12	29,5	65		814	02703	7	4	

SURCHARGE

• KA

OPERATION AND USE

- 722/63 & 722/70: To secure valuables/goods of medium value or at an average risk of theft
- 722/90: To secure valuables/goods of greater value or at a high risk of theft
- For special applications, e.g. automats as well as gates, doors, containers, lorries, etc.
- Ideally used with ABUS hasps No. 125 and 130

TECHNOLOGY

- Hardened steel shackle
- Inner components made from rustfree materials
- Precision pin cylinder
- A hardened steel pin protects the narrow side of the lock body against sawing
- Automatic locking: Locking without key by pushing down the shackle
- Incl. two keys



722/63

722/70

722/90

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
722/63 B	44237 7	0505	64	19	14	10	18,5	45	303	00906	5	6	
722/70 B	44238 4	0505	70,5	22	13	12	20	50	426	00906	5	6	
722/90 B	44239 1	0505	90	35	18	12	22,5	61	725	02703	6	4	

SURCHARGE

• KA

720

BRASS PADLOCK



OPERATION AND USE

- 720/30 & 720/40: To secure valuables/goods of medium value or at an average risk of theft
- 720/50: To secure valuables/goods of greater value or at a high risk of theft
- To secure doors, gates, cupboards, lockers, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY

- High precision reversible keyway with up to 150 000 key differs
- Body made from solid brass
- Inner components made from non-corrosive materials
- Double bolted
- Hardened steel shackle
- Hardened steel shackle with NANO PROTECT™ plating
- Paracentric keyway for increased protection against manipulation



720/30



720/40



720/40HB63



720/50



720/60

Ref. No.	EAN 4003318	Family							Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
720/30 B	44231 5	1309	30	16	17	5	14	54	107	26423	4	6	
720/40 B	44232 2	1309	39	22	23	6	16	62	160	26423	5	6	
720/40HB63 B	44233 9	1309	39	22	63	6	16	102	200	26423	5	6	
720/50 B	44234 6	1309	50	28	29	8	17	78	280	26424	5	6	
720/60 B	44928 4	1309	60	34	35	9	19	91	409	26424	6	6	

SURCHARGE

• KA



OPERATION AND USE

- 719/15-30: To secure valuables/goods of lower value or at a low risk of theft
- 719/40-60: To secure valuables/goods of medium value or at an average risk of theft
- To secure bags, suitcases, jewellery boxes, cash boxes as well as doors, gates, cupboards, lockers, tool boxes, cellar windows, sheds, switchboards, etc.

TECHNOLOGY

- Lock body made from solid brass
- Hardened steel shackle
- Inner components made from non-corrosive materials
- Precision pin cylinder
- Double bolted from 30 mm
- incl. two keys
- Self-locking: locking without key by pushing down the shackle



719/15



719/20



719/25



719/30



719/30HB65



719/40



719/40HB40



719/40HB63



719/50



719/50HB50



719/60

Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			U	H	B	L	T	D					
719/15 B	44216 2	1406	16	8	12	3	10	32	24	68188	1	6	
719/20 B	44217 9	1406	20	9	10	3,5	10	33,5	32	R 20108 L 20107	2	6	
719/25 B	44218 6	1406	25	13	14	4	12	42	44	R 20108 L 20107	2	6	
719/30 B	44219 3	1406	29	14,6	13,4	4,75	12,5	43,5	100	R 08367 L 08366	2	6	
719/30HB65 B	44220 9	1406	29	14,5	65	5	12,5	98	120	00681	2	6	
719/40 B	44221 6	1406	39	20,4	21	6,5	13,5	59,5	142	R 00681 L 00682	3	6	
719/40HB40 B	44222 3	1406	39	22	40	6,5	16	78	148	R 00681 L 00682	3	6	
719/40HB63 B	44224 7	1406	39	22	63	6,5	13,5	101	161	08365	3	6	
719/50 B	44225 4	1406	48	25,4	24,4	7	15,5	67,8	220	R 08365 L 08364	4	6	
719/60 B	44226 1	1406	58	32,1	31,4	7,94	16,5	82,6	400	R 08365 L 08364	5	6	
719/50HB50 B	44240 7	1406	50	28	50	7	17,5	92,5	232	R 08365 L 08364	4	6	
719/40 Tr. B	45840 8	1406	39	20,4	21	6,35	13,5	59,5	142	R 00681 L 00682	3	6	
719/20 Tw. B	49855 8	1406	20	9	10	3,5	10	33,5	60	R 20108 L 20107	2	6	
719/30 Tw. B	49856 5	1406	29	14,6	13,4	4,75	12,5	43,5	100	R 08367 L 08366	2	6	
719/40 Tw. B	49857 2	1406	39	20,4	21	6,35	13,5	59,5	300	R 00681 L 00682	3	6	

SURCHARGE

- KA

BRASS PADLOCK



OPERATION AND USE

- 713/15-30: To secure valuables/goods of lower value or at a low risk of theft
- 713/40-60: To secure valuables/goods of medium value or at an average risk of theft

TECHNOLOGY

- Lock body made from brass
- Steel shackle
- Automatic locking: Locking without key by pushing down the shackle



713/20



713/30



713/40



713/40HB40



713/50

Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Key Blank	Level	PU	Gross Price €
713/20 B	49966 1	1405	20	12	11	4	10	34	35	52723 4	1	6	
713/30 B	49967 8	1405	30	14,5	14	5	12	45	68	40822 9	2	6	
713/40 B	49968 5	1405	20	12	11	4	10	38	119	52725 8	3	6	
713/40HB40 B	52766 1	1405	40	20,5	40	6,5	13	76	140	52725 8	3	6	
713/50 B	49970 8	1405	48	25	24,5	7,5	13,5	67	187	52726 5	4	6	

SURCHARGE

- KA

SOLID BRASS PADLOCK - VINYL ENCASED



OPERATION AND USE

- Ideal for strong weather conditions (e.g. in sea and harbour areas, for securing on vehicles and boats in outdoor use).
- To secure cupboards, lockers, bags, suitcases, jewel boxes, cash boxes etc.

TECHNOLOGY

- Shackle and body made from solid brass
- Precision pin tumbler cylinder
- Incl. two keys



718/20



718/30



718/40


Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			Shackle width	Shackle height	Body width	Body height	Body depth	Body thickness					
718/20 B	44213 1	1308	22	10	11	4	12	34	32	R 20108 L 20107	1	6	
718/30 B	44214 8	1308	32	14,5	14	5	16	45	100	R 08367 L 08366	2	6	
718/40 B	44215 5	1308	43	20	21	6	17	60	133	R 00681 L 00682	3	6	
718/30 Trip. B	45020 4	1308	33	14,5	14	5	16	45	221	R 08367 L 08366	2	6	
718/40 Twins B	45021 1	1308	44	20,5	21	6,5	17	60	300	R 00681 L 00682	3	6	
718/40 Trip. C	47297 8	1308	43	20	21	6	17	60	420	R 00681 L 00682	3	6	

SURCHARGE

- KA

717 | 717IB

THE PERFECT LOCK FOR OUTDOOR USE



OPERATION AND USE

- To secure valuables/goods of medium value or at an average risk of theft
- Ideal for use in severe weather conditions (e.g. in coastal regions or ports, to secure goods on vehicles and boats in outdoor use)

TECHNOLOGY

- Lock body made of solid brass
- Sealed lock body with drainage channels and cover to protect the cylinder against water and dirt
- Shock absorbing vinyl casing prevents sensitive surfaces from damage
- Hardened steel shackle with vinyl jacket
- Inner components made from rustfree materials
- Double bolted
- Precision pin cylinder
- Self-locking: locking without key by pushing down the shackle
- Paracentric keyway for increased protection against manipulation
- IB Aqua Safe: stainless steel shackle



Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
717/45 B	44227 8	1307	49	20	25	8	28	74	193	12022	4	6	
717/45HB63 B	44228 5	1307	49	20	63	8	28	74	210	12022	5	6	
717/50 B	44241 4	1307	55	23,5	27	9	31	81	218	12022	5	6	
717IB/45 B	44229 2	1307	49	21	63	8	28	112	200	12022	4	6	
717IB/45HB63 B	44230 8	1307	49	21	63	8	28	112	200	12022	4	6	

SURCHARGE

- KA

717AL

ALUMINIUM PADLOCK WITH VINYL COATING



OPERATION AND USE

- To secure valuable/goods of medium value or at an average risk of theft
- Ideal to secure objects in various areas of application
- Signal Yellow: at construction sites and in the building trade
- Outdoor Green: outdoor use, unobstrusive look for forests, garden and forest work
- Life Vest Orange: eye-catching, to warn or attract attention
- Machine Silver: for use around machines and buildings

TECHNOLOGY

- Solid aluminium lock body
- Encapsulated lock body with special cover and drainage channels to protect the locking mechanism from water and dirt
- Tough vinyl jacket protects sensitive surfaces
- Hardened steel shackle with vinyl jacket
- Inner components made from rustfree material
- Double bolted
- Precision pin cylinder
- Paracentric keyway for increased protection against manipulation
- Self-locking by pushing down the shackle, no key needed



717AL/45
Outdoor Green



717AL/45
Life Vest Orange



717AL/45
Signal Yellow



717AL/45
Machine Silver

Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Key Blank	Level	PU	Gross Price €
717AL/45 green B	52701 2	0130	55	20	25	8	28	73	165	12022	4	6	
717AL/45 orange B	52702 9	0130	55	20	25	8	28	73	165	12022	4	6	
717AL/45 yellow B	52703 6	0130	55	20	25	8	28	73	165	12022	4	6	
717AL/45 silver B	52704 3	0130	55	20	25	8	28	73	165	12022	4	6	

SURCHARGE

• KA

716

BRASS COMBINATION LOCK WITH RESETTABLE CODE



OPERATION AND USE

- 716/20 & 716/30: To secure valuables / goods of lesser value or at a low risk of theft
- 716/40: To secure valuables / goods of medium value or at an average risk of theft
- To secure bags, suitcases, jewel boxes, cash boxes, cupboards, lockers, tool boxes, basement windows, switchboards, etc.

TECHNOLOGY

- Brass lock body
- Steel shackle
- 716/20 and 716/30: individually resettable 3-digit code
- 716/40: individually resettable 4-digit code
- Spring-loaded shackle to simplify the code setting



716/20



716/30



716/40

Ref. No.	EAN	Family	Dimensions (mm)						Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
716/20 B	44210 0	0129	23	9	22	3	13,5	52,5	43	2	12	
716/30 B	44211 7	0129	30,5	14	24,5	5	15	65	126	2	12	
716/40 B	44212 4	0129	40	21,5	26	6	16	90	243	3	6	

SURCHARGE

• KA



OPERATION AND USE

- To secure valuables/goods of medium value or at an average risk of theft

TECHNOLOGY

- Hardened steel shackle
- High protection against manipulation
- KTL-coating for better corrosion protection
- Handy operation without a key e.g. for lockers, cabinets etc. in schools, companies and so on

Ref. No.	EAN	Family							Weight g	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm				
721/50 B	44235 3	0118	48	21	21,5	7	33	75	190	2	6	

SURCHARGE

- KA

ALUMINIUM COMBINATION LOCK WITH RESETTABLE CODE



OPERATION AND USE

- 724/20 & 724/30: To secure valuables/goods of lesser value or at a low risk of theft
- 724/40: To secure valuables / goods of medium value or at an average risk of theft
- To secure bags, suitcases, jewel boxes, cash boxes, cupboards, lockers, tool boxes, basement windows, switchboards, etc.

TECHNOLOGY

- Solid aluminium lock body with anodized coating – corrosion resistant
- 724/20 and 724/30: Individually resettable 3-digit code
- 724/40: individually resettable 4-digit code
- Handy operation without key, low weight
- High value of recognition by intensive colours
- Spring-loaded shackle to simplify the code setting



Ref. No.	EAN	Family	Dimensions						Weight g	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm				
724/20 Color Rainbow	51687 0	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/30 Color Rainbow	51691 7	0120	31,5	14	26	5	15,5	65	55	2	12	
724/20 Color Metal B	51692 4	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/30 Color Metal B	51693 1	0120	31,5	14	26	5	15,5	65	55	2	12	
724/20 titanium B	52674 9	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/20 silver B	52675 6	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/20 brown B	52676 3	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/20 yellow B	52677 0	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/20 orange B	52678 7	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/20 red B	52679 4	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/20 purple B	52680 0	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/20 blue B	52681 7	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/20 green B	52682 4	0120	22,5	9	22	3	13,5	52,5	25	2	12	
724/30 titanium B	52683 1	0120	31,5	14	26	5	15,5	65	55	2	12	
724/30 silver B	52684 8	0120	31,5	14	26	5	15,5	65	55	2	12	
724/30 brown B	52685 5	0120	31,5	14	26	5	15,5	65	55	2	12	
724/30 yellow B	52686 2	0120	31,5	14	26	5	15,5	65	55	2	12	
724/30 orange B	52687 9	0120	31,5	14	26	5	15,5	65	55	2	12	
724/30 red B	52688 6	0120	31,5	14	26	5	15,5	65	55	2	12	
724/30 purple B	52689 3	0120	31,5	14	26	5	15,5	65	55	2	12	
724/30 blue B	52690 9	0120	31,5	14	26	5	15,5	65	55	2	12	
724/30 green B	52691 6	0120	31,5	14	26	5	15,5	65	55	2	12	
724/40 titanium B	52692 3	0120	41,5	21,5	26	6	17,5	77	110	3	6	
724/40 silver B	52693 0	0120	41,5	21,5	26	6	17,5	77	110	3	6	
724/40 brown B	52694 7	0120	41,5	21,5	26	6	17,5	77	110	3	6	
724/40 yellow B	52695 4	0120	41,5	21,5	26	6	17,5	77	110	3	6	
724/40 orange B	52696 1	0120	41,5	21,5	26	6	17,5	77	110	3	6	
724/40 red B	52697 8	0120	41,5	21,5	26	6	17,5	77	110	3	6	
724/40 purple B	52698 5	0120	41,5	21,5	26	6	17,5	77	110	3	6	

ALUMINIUM COMBINATION LOCK WITH RESETTABLE CODE

Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	 mm	 mm	 mm	Weight g	Level	PU	Gross Price €
724/40 blue B	52699 2	0120	41,5	21,5	26	6	17,5	77	110	3	6	
724/40 green B	52700 5	0120	41,5	21,5	26	6	17,5	77	110	3	6	

SURCHARGE

• KA

ABUS IRON PADLOCK MONOBLOC

OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft

TECHNOLOGY

- Lock body made from solid iron
- Shackle made from hardened steel
- Reversible key locking mechanism
- Tulip-shaped key head
- incl. five keys
- Drill protection



888/85

Ref. No.	EAN	Family								Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm	mm					
888/85 vs.	86510 7	0160	84	36,5	17	14	29	70	995			6		
888/95 vs.	86511 4	0160	94	40	17,5	14	29	70	1110			6		

ABUS IRON PADLOCK MONOBLOC

OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft

TECHNOLOGY

- Lock body made from solid iron with plastic sleeve
- Shackle made from hardened steel
- Disk cylinder
- Key with plastic head
- incl. four keys



878/70

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
878/70 B	86508 4	0160	70	22	18	12	25	60	450			6	
878/80 B	86509 1	0160	80	29,5	18,5	12	25	60	490			6	

ABUS IRON PADLOCK MONOBLOC

OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft

TECHNOLOGY

- Lock body made from solid iron with plastic sleeve
- Shackle made from hardened steel
- Reversible key locking mechanism
- Tulip-shaped key head
- incl. three keys



Ref. No.	EAN	Family								Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm	mm					
868/70 B	86505 3	0160	70	22	18	12	25	60	450			6		
868/80 B	86507 7	0160	80	29,5	18,5	12	25	60	490			6		

ABUS IRON PADLOCK

OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft

TECHNOLOGY

- Solid lock body made from iron
- Shackle made from hardened steel
- Disk cylinder
- Key with plastic head
- incl. four keys



858/50

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
			mm	mm	mm	mm	mm	mm					
858/50 B	86503 9	0160	48	21	29,5	10	22	80,5	300		6		
858/60 B	86504 6	0160	57	27	35	11	24	98	478		6		

ABUS IRON PADLOCK



OPERATION AND USE

- 40 - 50: To secure items/goods of medium value or where there is an average risk of theft
- 60 - 70: To secure valuables/goods of greater value or at a high risk of theft

TECHNOLOGY

- Solid lock body made from iron
- Shackle made from hardened steel
- Disk cylinder
- Key with plastic head
- incl. four keys



838CS



Ref. No.	EAN 4003318	Family	Dimensions (mm)						Weight g	Key Blank	Level	PU	Gross Price €
			U	H	D	L	B	T					
838/40 B	86496 4	0160	40	20	24	7,5	20	63,5	185		6		
838/50 B	86497 1	0160	50	23	28	10	20	76	290		6		
838/60 B	86498 8	0160	60	27	32	10	20	84	395		6		
838/70 B	86499 5	0160	68	30,5	39,5	13,5	24	101	650		6		
838CS/40 B	86500 8	0160	40	18,5	22	7,5	20	61,5	220		6		
838CS/50 B	86501 5	0160	50	21,5	28	10	20	76	340		6		
838CS/60 B	86502 2	0160	60	27	34	11	20	90	458		6		

ABUS IRON PADLOCK

OPERATION AND USE

- To secure items/goods of medium value or where there is an average risk of theft

TECHNOLOGY

- Lock body made from iron
- Shackle made from hardened steel
- Reversible key locking mechanism
- Tulip-shaped key head
- incl. three keys




818/45



818/40

Ref. No.	EAN	Family							Weight g	Key Blank	Level	PU	Gross Price €
	4003318		mm	mm	mm	mm	mm	mm					
818/40 B	86490 2	0160	38	19,5	19,5	6,5	17	60	145		6		
818/45 B	86491 9	0160	45	22	23	7	18	70,5	203		6		
818/50 B	86492 6	0160	49	26	27	8,5	22	78,5	285		6		



DISKUS® INTEGRAL



D1141
Page 94

DISKUS® HASP



140
Page 95

HINGED HASP



110
Page 96

STANDARD HASP



100
Page 97

200
Page 98

LOCKING BRACKET



115
Page 99

DI141 DISKUS® INTEGRAL

MULTI PURPOSE HASP FOR VANS AND FLUSH DOORS

OPERATION AND USE

- Universal hasp with integrated Diskus® padlock to secure doors and gates without rebate
- Will fit on most common transport and storage containers
- Also ideal for use on double wing doors (transporters, box waggons)
- Only for 70-mm Diskus padlock



TECHNOLOGY

- Universal hasp with integrated Diskus® padlock (70 mm) for doors and gates without rebate
- Easy to operate with one hand due to handy frontal cylinder access
- Extremely corrosion resistant cylinder
- Solid metal locking case almost completely prevents successful attacks on the integrated padlock
- Interchangeable Diskus® lock
- Fixing material (screws, drilling template and spacers up to 5 mm height levelling) and Diskus® lock are included
- Corrosion protected



141/200 black



20/70



23/70



25/70



26/70

Ref. No.	EAN 4003318	Family				Weight g	Level	PU	Gross Price €
			mm	mm	mm				
141/200 white	50656 7	0200	222	87,3	13,4	1270	8	1	
141/200 black	51439 5	0200	222	87,3	13,4	1270	8	1	
141/200+23/70 white B	51522 4	0200	222	87,3	13,4	1570	8	1	
141/200+23/70 black B	51963 5	0200	222	87,3	13,4	1570	8	1	
141/200+25/70 white B	53827 8	0200	222	87,3	13,4	1570	8	1	
141/200+25/70 black B	53826 1	0200	222	87,3	13,4	1570	8	1	
141/200+26/70 white B	50655 0	0200	222	87,3	13,4	1570	8	1	
141/200+26/70 black B	51440 1	0200	222	87,3	13,4	1570	8	1	
141/200+20/70 white B	77365 5	0200	222	87,3	13,4	1570	8	1	

OPERATION AND USE

- To secure valuables/goods of greater value or at a high risk of theft
- Diskus® padlock and hasp for high protection and extreme corrosion resistance
- To be used with a padlock, ideally a Diskus® padlock (60mm – 80mm)

TECHNOLOGY

- Hasp and hinge pins made of stainless steel
- Tough construction
- Hinge pins protected against attack
- Hardened staple
- Ideal in combination with Diskus® padlocks
- Hidden screws



Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	Weight g	Level	PU	Gross Price €
140/120	05312 2	0200	120	56	12,5	355	8	6	
140/190	05315 3	0200	190	56	12,5	463	8	6	
Eyelet 140/120 + 140/190	09429 3	0200				76		1	

110

HINGED HASP

OPERATION AND USE

- Hinged hasp for corner solutions, e.g. boxes, cabinets
- Suitable for doors not closing flush, i.e. door leaf and door frame are not level
- To be used with a padlock

TECHNOLOGY

- Tough steel construction
- Hinge pins protected against attack
- Hardened staple
- Hidden screws



Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	Weight g	Level	PU	Gross Price €
110/155	01475 8	0200	155	45	12,2	277	8	6	
110/195	01479 6	0200	195	45	12,2	340	8	6	
110/230	01483 3	0200	230	45	12,2	413	8	6	
Eyelet 110/155+195+230	09426 2	0200				62		1	

OPERATION AND USE

- Designed for doors closing flush, i.e. door leaf and door frame are level
- 'DG' versions: with double joint – designed for doors not closing flush, i.e. door leaf and door frame are not level, and corner solutions
- To be used with a padlock

TECHNOLOGY

- Corrosion protected
- As of size 80 hardened staple
- Concealed hinge pin
- Hidden screws



Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	Weight g	Level	PU	Gross Price €
100/60	01434 5	0200	60	20	7	19	4	12	
100/80	01438 3	0200	80	27	9	63	4	12	
100/100	01448 2	0200	100	35	10	128	4	6	
100/80 DG	01443 7	0200	125	27	9	89	4	6	
100/100 DG	01453 6	0200	160	35	10	188	4	6	
Eyelet 100/60	09423 1	0200				2		1	
Eyelet 100/80	09424 8	0200				17		1	
Eyelet 100/100	09425 5	0200				33		1	

STANDARD HASP

OPERATION AND USE

- Designed for doors closing flush, i.e. door leaf and door frame are level
- To be used with a padlock

TECHNOLOGY

- Corrosion protected
- Steel construction
- Hidden screws



Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	Weight g	Level	PU	Gross Price €
200/75	01607 3	0200	75	29	9	60	2	12	
200/95	01613 4	0200	95	39	13,4	121	2	12	
200/115	01619 6	0200	115	47	13,4	176	2	12	
200/135	01625 7	0200	135	47	13,4	199	2	6	
200/155	01629 5	0200	155	47	13,4	323	2	6	
200/75 B/PLCZHRUS	32394 2	0200	75	29	9	60	2	6	
200/95 B/PLCZHRUS	32395 9	0200	95	39	13,4	121	2	6	
200/115 B/PLCZHRUS	32392 8	0200	115	47	13,4	176	2	6	

LOCKING BRACKET

OPERATION AND USE

- Suitable for doors closing flush, i.e. door leaf and door frame are level
- Also ideal for securing roller-shutters
- To be used with a padlock with up to 12 mm bolt

TECHNOLOGY

- Corrosion protected
- Made of 5 mm hardened steel
- Install with cup head square neck bolts according to DIN 603 (carriage bolts)



Ref. No.	EAN 4003318	Family	 mm	 mm	 mm	Weight g	Level	PU	Gross Price €
115/100 (Double Pack)	09676 1	0200	100	45	14	258	6	6	

DOOR CYLINDERS



DOOR CYLINDERS

XP20S



Page 103

D15



Page 109

D10PS



Page 111

D6PS



Page 114

E60



Page 117

A93



Page 119

E50



Page 121

T114



Page 123

T112



Page 125

D45



Page 127

E45



Page 129

B5LT



Page 131

DOOR CYLINDERS

	XP20S	D15	D10PS	D6PS	E60	A93	E50	T114	T112	D45	E45	B5LT
Double cylinder	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Half cylinder	yes	-	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
Knob cylinder	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes
Short cylinder	yes	-	-	-	-	yes	yes	yes	yes	yes	yes	-
Exterior cylinder	yes	-	yes	-	-	yes	-	-	-	-	-	-
(Service) cylinder 0-bitted	for contract customers	-	-	-	yes	yes	-	yes	yes	-	-	-
Type of packing	Individual box / Carded	Individual box (H-Box)	Individual box (H-Box)	Individual box / Carded	Individual box / Carded	Individual box	Individual box / Carded	Individual box	Individual box / Carded	Individual box / Carded	Individual box / Carded	Individual box
Security card / Code card	Security card	Code card	Code card	Code card	-	-	-	-	-	-	-	-
Manufactured according to Standards	EN 1303 DIN 18252 ISO 9001:2008	DIN EN1303 DIN 18252 ISO 9001:2008	EN 1303 ISO 9001:2008	EN 1303 ISO 9001:2008	EN 1303 ISO 9001:2008	EN 1303	EN 1303	EN 1303 ISO 9001:2008				
Certified for use in fire doors	yes	-	-	yes	-	yes	-	-	-	-	-	-
Approved by SKG	SKG**	-	SKG**	-	SKG**	-	-	-	-	-	-	-
Key system	Reversible dimple key	Reversible dimple key	Reversible dimple key	Reversible dimple key	Conventional key system	Conventional key system	Conventional key system	Conventional key system	Conventional key system	Conventional key system	Reversible dimple key	Conventional key system
Number of pins	12	10	10	6	6	5	5	5	5	5	5	5
Levels of pins	3	2	2	1	1	1	1	1	1	1	1	1
Emergency feature	yes	-	yes	-	yes	yes	-	yes	-	-	-	-
Anti-drill protection	yes	yes	yes	yes	yes	yes	-	-	-	yes	-	-
Anti-Bumping protection	yes	-	-	-	-	-	-	-	-	-	-	-
Number of keys	3	5	5	5	3	3	3	3	3	5	3	3
Colour	nickel plated	nickel pearl	nickel pearl	satın nickel plated	nickel pearl	nickel pearl	nickel plated	silver	silver	nickel plated	nickel plated	lacquered Titanium

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
XP20SN 35/70	73734 3	1704	Double cylinder	Nickel	9	5	
XP20SN 35/75	73735 0	1704	Double cylinder	Nickel	9	5	
XP20SN 40/40	73736 7	1704	Double cylinder	Nickel	9	5	
XP20SN 40/45	73737 4	1704	Double cylinder	Nickel	9	5	
XP20SN 40/50	73738 1	1704	Double cylinder	Nickel	9	5	
XP20SN 40/55	73739 8	1704	Double cylinder	Nickel	9	5	
XP20SN 40/60	73740 4	1704	Double cylinder	Nickel	9	5	
XP20SN 40/65	73741 1	1704	Double cylinder	Nickel	9	5	
XP20SN 40/70	73742 8	1704	Double cylinder	Nickel	9	5	
XP20SN 45/45	73743 5	1704	Double cylinder	Nickel	9	5	
XP20SN 45/50	73744 2	1704	Double cylinder	Nickel	9	5	
XP20SN 45/55	73745 9	1704	Double cylinder	Nickel	9	5	
XP20SN 45/60	73746 6	1704	Double cylinder	Nickel	9	5	
XP20SN 45/65	73747 3	1704	Double cylinder	Nickel	9	5	
XP20SN 45/70	73748 0	1704	Double cylinder	Nickel	9	5	
XP20SN 50/50	73749 7	1704	Double cylinder	Nickel	9	5	
XP20SN 50/55	73750 3	1704	Double cylinder	Nickel	9	5	
XP20SN 50/60	73751 0	1704	Double cylinder	Nickel	9	5	
XP20SN 50/65	73752 7	1704	Double cylinder	Nickel	9	5	
XP20SN 50/70	73753 4	1704	Double cylinder	Nickel	9	5	
XP20SN 55/55	73754 1	1704	Double cylinder	Nickel	9	5	
XP20SN 55/60	73755 8	1704	Double cylinder	Nickel	9	5	
XP20SN 55/65	73756 5	1704	Double cylinder	Nickel	9	5	
XP20SN 60/60	73757 2	1704	Double cylinder	Nickel	9	5	
XP20SN 65/65	73758 9	1704	Double cylinder	Nickel	9	5	
XP20SN 70/70	73759 6	1704	Double cylinder	Nickel	9	5	
KXP20SN Z30/K30	73937 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K35	73938 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K40	73939 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K45	73940 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K50	73941 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K55	73942 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K60	73943 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K30	73944 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K35	73945 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K40	73946 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K45	73947 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K50	73948 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K55	73949 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K60	73950 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K30	73951 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K35	73952 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K40	73953 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K45	73954 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K50	73955 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K55	73956 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K60	73957 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K30	73958 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K35	73959 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K40	73960 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K45	73961 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K50	73962 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K55	73963 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K60	73964 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K30	73965 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K35	73966 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K40	73967 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K45	73968 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K50	73969 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K55	73970 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K60	73971 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K30	73972 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K35	73973 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K40	73974 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K45	73975 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K50	73976 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K55	73977 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K60	73978 1	1704	Knob cylinder	Nickel	9	10	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
KXP20SN Z60/K30	73979 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K35	73980 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K40	73981 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K45	73982 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K50	73983 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K55	73984 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K60	73985 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K30	73986 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K35	73987 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K40	73988 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K45	73989 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K50	73990 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K55	73991 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K30	73992 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K35	73993 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K40	73994 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K45	73995 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K50	73996 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z75/K30	73997 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z75/K35	73998 9	1704	Knob cylinder	Nickel	9	10	
XP20CR N	73709 1	1704	Rim cylinder	Nickel	9	10	
XP20SN 10/30 B/DFNLI	85216 9	1704	Half cylinder	Nickel	9	3	
XP20SN 28/34 B/DFNLI	85217 6	1704	Double cylinder	Nickel	9	3	
XP20SN 30/30 B/DFNLI	85218 3	1704	Double cylinder	Nickel	9	3	
XP20SN 30/35 B/DFNLI	85219 0	1704	Double cylinder	Nickel	9	3	
XP20SN 30/40 B/DFNLI	85220 6	1704	Double cylinder	Nickel	9	3	
XP20SN 30/45 B/DFNLI	85444 6	1704	Double cylinder	Nickel	9	3	
XP20SN 30/50 B/DFNLI	85445 3	1704	Double cylinder	Nickel	9	3	
XP20SN 30/60 B/DFNLI	85446 0	1704	Double cylinder	Nickel	9	3	
XP20SN 35/35 B/DFNLI	85221 3	1704	Double cylinder	Nickel	9	3	
XP20SN 35/40 B/DFNLI	85222 0	1704	Double cylinder	Nickel	9	3	
XP20SN 35/45 B/DFNLI	85447 7	1704	Double cylinder	Nickel	9	3	
XP20SN 35/50 B/DFNLI	85448 4	1704	Double cylinder	Nickel	9	3	
XP20SN 35/55 B/DFNLI	85449 1	1704	Double cylinder	Nickel	9	3	
XP20SN 40/40 B/DFNLI	85223 7	1704	Double cylinder	Nickel	9	3	
XP20SN 40/45 B/DFNLI	85224 4	1704	Double cylinder	Nickel	9	3	
XP20SN 40/50 B/DFNLI	85450 7	1704	Double cylinder	Nickel	9	3	
XP20SN 45/45 B/DFNLI	85451 4	1704	Double cylinder	Nickel	9	3	
XP20SN 10/30 333333	73862 3	1704	Half cylinder	Nickel	9	5	
XP20SN 10/35 333333	73863 0	1704	Half cylinder	Nickel	9	5	
XP20SN 10/40 333333	73864 7	1704	Half cylinder	Nickel	9	5	
XP20SN 10/45 333333	73865 4	1704	Half cylinder	Nickel	9	5	
XP20SN 10/50 333333	73866 1	1704	Half cylinder	Nickel	9	5	
XP20SN 28/34 333333	73867 8	1704	Double cylinder	Nickel	9	5	
XP20SN 30/30 333333	73869 2	1704	Double cylinder	Nickel	9	5	
XP20SN 30/35 333333	73870 8	1704	Double cylinder	Nickel	9	5	
XP20SN 30/40 333333	73871 5	1704	Double cylinder	Nickel	9	5	
XP20SN 30/45 333333	73872 2	1704	Double cylinder	Nickel	9	5	
XP20SN 30/50 333333	73873 9	1704	Double cylinder	Nickel	9	5	
XP20SN 30/55 333333	73874 6	1704	Double cylinder	Nickel	9	5	
XP20SN 30/60 333333	73875 3	1704	Double cylinder	Nickel	9	5	
XP20SN 30/65 333333	73876 0	1704	Double cylinder	Nickel	9	5	
XP20SN 30/70 333333	73877 7	1704	Double cylinder	Nickel	9	5	
XP20SN 30/75 333333	73878 4	1704	Double cylinder	Nickel	9	5	
XP20SN 30/80 333333	73879 1	1704	Double cylinder	Nickel	9	5	
XP20SN 30/90 333333	73880 7	1704	Double cylinder	Nickel	9	5	
XP20SN 30/100 333333	73868 5	1704	Double cylinder	Nickel	9	5	
XP20SN 35/35 333333	73881 4	1704	Double cylinder	Nickel	9	5	
XP20SN 35/40 333333	73882 1	1704	Double cylinder	Nickel	9	5	
XP20SN 35/45 333333	73883 8	1704	Double cylinder	Nickel	9	5	
XP20SN 35/50 333333	73884 5	1704	Double cylinder	Nickel	9	5	
XP20SN 35/55 333333	73885 2	1704	Double cylinder	Nickel	9	5	
XP20SN 35/60 333333	73886 9	1704	Double cylinder	Nickel	9	5	
XP20SN 35/65 333333	73887 6	1704	Double cylinder	Nickel	9	5	
XP20SN 35/70 333333	73888 3	1704	Double cylinder	Nickel	9	5	
XP20SN 35/75 333333	73889 0	1704	Double cylinder	Nickel	9	5	
XP20SN 40/40 333333	73890 6	1704	Double cylinder	Nickel	9	5	
XP20SN 40/45 333333	73891 3	1704	Double cylinder	Nickel	9	5	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
XP20SN 40/50 333333	73892 0	1704	Double cylinder	Nickel	9	5	
XP20SN 40/55 333333	73893 7	1704	Double cylinder	Nickel	9	5	
XP20SN 40/60 333333	73894 4	1704	Double cylinder	Nickel	9	5	
XP20SN 40/65 333333	73895 1	1704	Double cylinder	Nickel	9	5	
XP20SN 40/70 333333	73896 8	1704	Double cylinder	Nickel	9	5	
XP20SN 45/45 333333	73897 5	1704	Double cylinder	Nickel	9	5	
XP20SN 45/50 333333	73898 2	1704	Double cylinder	Nickel	9	5	
XP20SN 45/55 333333	73899 9	1704	Double cylinder	Nickel	9	5	
XP20SN 45/60 333333	73900 2	1704	Double cylinder	Nickel	9	5	
XP20SN 45/65 333333	73901 9	1704	Double cylinder	Nickel	9	5	
XP20SN 45/70 333333	73902 6	1704	Double cylinder	Nickel	9	5	
XP20SN 50/50 333333	73903 3	1704	Double cylinder	Nickel	9	5	
XP20SN 50/55 333333	73904 0	1704	Double cylinder	Nickel	9	5	
XP20SN 50/60 333333	73905 7	1704	Double cylinder	Nickel	9	5	
XP20SN 50/65 333333	73906 4	1704	Double cylinder	Nickel	9	5	
XP20SN 50/70 333333	73907 1	1704	Double cylinder	Nickel	9	5	
XP20SN 55/55 333333	73908 8	1704	Double cylinder	Nickel	9	5	
XP20SN 55/60 333333	73909 5	1704	Double cylinder	Nickel	9	5	
XP20SN 55/65 333333	73910 1	1704	Double cylinder	Nickel	9	5	
XP20SN 60/60 333333	73911 8	1704	Double cylinder	Nickel	9	5	
XP20SN 65/65 333333	73912 5	1704	Double cylinder	Nickel	9	5	
XP20SN 70/70 333333	73913 2	1704	Double cylinder	Nickel	9	5	
KXP20SN Z30/K30 333333	74123 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K35 333333	74124 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K40 333333	74125 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K45 333333	74126 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K50 333333	74127 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K55 333333	74128 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z30/K60 333333	74129 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K30 333333	74130 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K35 333333	74131 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K40 333333	74132 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K45 333333	74133 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K50 333333	74134 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K55 333333	74135 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z35/K60 333333	74136 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K30 333333	74137 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K35 333333	74138 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K40 333333	74139 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K45 333333	74140 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K50 333333	74141 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K55 333333	74142 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z40/K60 333333	74143 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K30 333333	74144 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K35 333333	74145 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K40 333333	74146 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K45 333333	74147 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K50 333333	74148 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K55 333333	74149 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z45/K60 333333	74150 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K30 333333	74151 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K35 333333	74152 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K40 333333	74153 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K45 333333	74154 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K50 333333	74155 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K55 333333	74156 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z50/K60 333333	74157 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K30 333333	74158 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K35 333333	74159 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K40 333333	74160 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K45 333333	74161 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K50 333333	74162 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K55 333333	74163 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z55/K60 333333	74164 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K30 333333	74165 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K35 333333	74166 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K40 333333	74167 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K45 333333	74168 5	1704	Knob cylinder	Nickel	9	10	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
KXP20SN Z60/K50 333333	74169 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K55 333333	74170 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z60/K60 333333	74171 5	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K30 333333	74172 2	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K35 333333	74173 9	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K40 333333	74174 6	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K45 333333	74175 3	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K50 333333	74176 0	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z65/K55 333333	74177 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K30 333333	74178 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K35 333333	74179 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K40 333333	74180 7	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K45 333333	74181 4	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z70/K50 333333	74182 1	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z75/K30 333333	74183 8	1704	Knob cylinder	Nickel	9	10	
KXP20SN Z75/K35 333333	74184 5	1704	Knob cylinder	Nickel	9	10	
XP20CR N 333333	76555 1	1704	Rim cylinder	Nickel	9	10	
Replacement security card	29998 8	0003					net
Extra Charge:							
Extension 5 mm							net
Extension per 10 mm up to 100mm							net
Extension per 10 mm as of 105mm							net
keyed alike Double cylinder							net
keyed alike Half cylinder							net
keyed alike Double cylinder as sample							net
keyed alike Half cylinder as sample							net

ADDITIONAL KEY

02684 3

EXTRA CUT KEY AS PER SAMPLE

27330 8

KEY BLANKS

10023 9

Surcharge for keyed alike Double cylinders.

Surcharge for keyed alike Half cylinders.

Additional keys:	EAN 4003318	Family	Variants	Finish	PU
Additional key No.01 ruby red	72479 4	0000		ruby red	1
Additional key No.02 strawberry red	77666 3	0000		strawberry red	1
Additional key No.03 violet	77667 0	0000		violet	1
Additional key No.04 purple	77668 7	0000		purple	1
Additional key No.05 zinc yellow	77669 4	0000		zinc yellow	1
Additional key No.06 orange	77670 0	0000		orange	1
Additional key No.07 sapphire blue	77671 7	0000		sapphire blue	1
Additional key No.08 light blue	77672 4	0000		light blue	1
Additional key No.09 turquoise blue	77673 1	0000		turquoise blue	1
Additional key No.10 black	77674 8	0000		black	1
Additional key No.11 reseda green	77676 2	0000		reseda green	1
Additional key No.12 umbra grey	77678 6	0000	Standard execution	umbra grey	1

Spare Key:	EAN 4003318	Family	Variants	Finish	PU
Spare key No.01 ruby red	76616 9	0000		ruby red	1
Spare key No.02 strawberry red	76617 6	0000		strawberry red	1
Spare key No.03 violet	76618 3	0000		violet	1
Spare key No.04 purple	76619 0	0000		purple	1
Spare key No.05 zinc yellow	76620 6	0000		zinc yellow	1
Spare key No.06 orange	76621 3	0000		orange	1
Spare key No.07 sapphire blue	76623 7	0000		sapphire blue	1
Spare key No.08 light blue	76624 4	0000		light blue	1
Spare key No.09 turquoise blue	76625 1	0000		turquoise blue	1
Spare key No.10 black	76627 5	0000		black	1
Spare key No.11 reseda green	76628 2	0000		reseda green	1
Spare key No.12 umbra grey	72478 7	0000	Standard execution	umbra grey	1

Optional accessories:	EAN 4003318	Family	Variants	Finish	PU
Design-Clip No.01 ruby red	76637 4	0000	2 clips per key	ruby red	50
Design-Clip No.02 strawberry red	76631 2	0000	2 clips per key	strawberry red	50
Design-Clip No.03 violet	76632 9	0000	2 clips per key	violet	50
Design-Clip No.04 purple	76633 6	0000	2 clips per key	purple	50
Design-Clip No.05 zinc yellow	76634 3	0000	2 clips per key	zinc yellow	50
Design-Clip No.06 orange	76638 1	0000	2 clips per key	orange	50
Design-Clip No.07 sapphire blue	76635 0	0000	2 clips per key	sapphire blue	50
Design-Clip No.08 light blue	76636 7	0000	2 clips per key	light blue	50
Design-Clip No.09 turquoise blue	76630 5	0000	2 clips per key	turquoise blue	50
Design-Clip No.10 black	76639 8	0000	2 clips per key	black	50
Design-Clip No.11 reseda green	76640 4	0000	2 clips per key	reseda green	50
Design-Clip No.12 umbra grey	76641 1	0000	2 clips per key	umbra grey	50
Assortment box Design Clip	77578 9	0000			1
Knob assembly set KXP20S 30mm	76655 8	0003	for knob side 30, 45, 50, 60mm	Nickel	1
Knob assembly set KXP20S 35mm	76656 5	0003	for knob side 35, 55mm	Nickel	1
Knob assembly set KXP20S 40mm	76657 2	0003	for knob side 40mm	Nickel	1



ruby red



strawberry red



violet



purple



zinc yellow



orange



sapphire blue



light blue



turquoise blue



black




reseda green



umbra grey

D15

DOOR CYLINDER WITH ANTI-BREAK FEATURE, CODE CARD AND REVERSIBLE KEY



OPERATION AND USE

- Main entrance doors, apartment doors

TECHNOLOGY

- Manufactured according to DIN EN 1303, DIN 18252, ISO 9001:2008
- 10 locking elements in 2 independent rows of pins
- Anti-drill protection by hardened steel pins
- Dimple / Reversible key, no sharp edges and can be inserted either way up
- Anti-break feature
- Code Card: additional cylinders and spare keys can be produced according to their respective code number
- Incl. five coded keys
- ABUS Global Protection Standard (GPS) 8




Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
D15NP 30/30 H-BOX	84089 0	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 30/35 H-BOX	12499 0	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 30/40 H-BOX	84294 8	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 30/45 H-BOX	18711 7	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 30/50 H-BOX	18712 4	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 35/35 H-BOX	84300 6	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 35/40 H-BOX	18713 1	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 35/45 H-BOX	18706 3	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 35/50 H-BOX	18707 0	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 35/60 H-BOX	68788 4	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 40/40 H-BOX	12594 2	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 40/45 H-BOX	18708 7	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 40/50 H-BOX	18709 4	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 45/45 H-BOX	18710 0	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 45/50 H-BOX	18714 8	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 45/55 H-BOX	81488 4	1207	Double cylinder	Nickel Pearl	8	5	
D15NP 50/50 H-BOX	12759 5	1207	Double cylinder	Nickel Pearl	8	5	
KD15NP Z30/K30 H-BOX	12772 4	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z30/K35 H-BOX	19160 2	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z30/K40 H-BOX	12775 5	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z30/K45 H-BOX	19161 9	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z30/K50 H-BOX	19162 6	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z35/K30 H-BOX	12777 9	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z35/K35 H-BOX	12778 6	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z35/K40 H-BOX	19163 3	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z35/K45 H-BOX	12779 3	1207	Knob cylinder	Nickel Pearl	8	5	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
KD15NP Z35/K50 H-BOX	19164 0	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z35/K55 H-BOX	68786 0	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z40/K30 H-BOX	12780 9	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z40/K35 H-BOX	19165 7	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z40/K40 H-BOX	12784 7	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z40/K50 H-BOX	12785 4	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z40/K55 H-BOX	81487 7	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z45/K30 H-BOX	81486 0	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z45/K35 H-BOX	12786 1	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z45/K45 H-BOX	12794 6	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z45/K50 H-BOX	12801 1	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z45/K55 H-BOX	687877	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z50/K40 H-BOX	12797 7	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z50/K45 H-BOX	12802 8	1207	Knob cylinder	Nickel Pearl	8	5	
KD15NP Z50/K50 H-BOX	12803 5	1207	Knob cylinder	Nickel Pearl	8	5	
D15MM 30/30 H-BOX	84058 6	1207	Double cylinder	Matt Brass	8	5	
D15MM 30/35 H-BOX	18715 5	1207	Double cylinder	Matt Brass	8	5	
D15MM 30/40 H-BOX	84065 4	1207	Double cylinder	Matt Brass	8	5	
D15MM 30/45 H-BOX	18716 2	1207	Double cylinder	Matt Brass	8	5	
D15MM 30/50 H-BOX	18717 9	1207	Double cylinder	Matt Brass	8	5	
D15MM 35/35 H-BOX	84072 2	1207	Double cylinder	Matt Brass	8	5	
D15MM 35/40 H-BOX	18718 6	1207	Double cylinder	Matt Brass	8	5	
D15MM 40/40 H-BOX	12607 9	1207	Double cylinder	Matt Brass	8	5	
D15MM 40/50 H-BOX	18719 3	1207	Double cylinder	Matt Brass	8	5	
D15MM 45/45 H-BOX	73045 0	1207	Double cylinder	Matt Brass	8	5	
D15MM 45/50 H-BOX	18720 9	1207	Double cylinder	Matt Brass	8	5	
D15MM 50/50 H-BOX	71630 0	1207	Double cylinder	Matt Brass	8	5	
KD15MM Z30/K30 H-BOX	71631 7	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z30/K35 H-BOX	12771 7	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z30/K40 H-BOX	18721 6	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z35/K35 H-BOX	71633 1	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z40/K30 H-BOX	18722 3	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z40/K40 H-BOX	71634 8	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z40/K50 H-BOX	18723 0	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z45/K45 H-BOX	73044 3	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z50/K40 H-BOX	18724 7	1207	Knob cylinder	Matt Brass	8	5	
KD15MM Z50/K50 H-BOX	71635 5	1207	Knob cylinder	Matt Brass	8	5	

D10PS

DOOR CYLINDER WITH PREDETERMINED BREAKING POINT (PRE-SNAP), EMERGENCY FEATURE AND REVERSIBLE KEY




OPERATION AND USE

- Main entrance doors, apartment doors

TECHNOLOGY

- Manufactured according to DIN EN 1303, DIN18252, ISO 9001:2008
- Emergency feature: The cylinder can be operated from the outside even when a key is already inserted on the inside
- Pre-snap feature (predetermined breaking point)
- 10 locking elements in 2 independent rows of pins
- Anti-drill protection as per SKG** standards
- Anti-picking pins
- Dimple / Reversible key, no sharp edges and can be inserted either way up
- Code Card: additional cylinders and spare keys can be produced according to their respective code number
- Incl. five coded keys
- ABUS Global Protection Standard (GPS) 7





Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
	4003318						
D10PSNP 10/30 H-BOX long key neck	56261 7	1203	Half cylinder	Nickel Pearl	7	5	
D10PSNP 10/35 H-BOX long key neck	50643 7	1203	Half cylinder	Nickel Pearl	7	5	
D10PSNP 10/40 H-BOX long key neck	50644 4	1203	Half cylinder	Nickel Pearl	7	5	
D10PSNP 10/55 H-BOX long key neck	19425 2	1203	Half cylinder	Nickel Pearl	7	5	
D10PSNP 28/34 H-BOX long key neck	85215 2	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/30 H-BOX long key neck	56262 4	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/35 H-BOX long key neck	56263 1	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/40 H-BOX long key neck	56264 8	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/45 H-BOX long key neck	56757 5	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/50 H-BOX long key neck	57979 0	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/55 H-BOX long key neck	57980 6	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/60 H-BOX long key neck	56265 5	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/65 H-BOX long key neck	84472 0	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/70 H-BOX long key neck	84077 7	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 30/80 H-BOX long key neck	84078 4	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 35/35 H-BOX long key neck	56266 2	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 35/40 H-BOX long key neck	56841 1	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 35/45 H-BOX long key neck	56267 9	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 35/50 H-BOX long key neck	56268 6	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 35/55 H-BOX long key neck	56269 3	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 35/60 H-BOX long key neck	81489 1	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 35/65 H-BOX long key neck	71050 6	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 35/70 H-BOX long key neck	40667 6	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 40/40 H-BOX long key neck	56270 9	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 40/45 H-BOX long key neck	58868 6	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 40/50 H-BOX long key neck	56271 6	1203	Double cylinder	Nickel Pearl	7	5	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
D10PSNP 40/55 H-BOX long key neck	18681 3	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 40/60 H-BOX long key neck	21275 8	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 40/65 H-BOX long key neck	84081 4	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 40/70 H-BOX long key neck	84082 1	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 45/45 H-BOX long key neck	58634 7	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 45/50 H-BOX long key neck	56272 3	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 45/55 H-BOX long key neck	70041 5	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 45/60 H-BOX long key neck	73366 6	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 45/65 H-BOX long key neck	84084 5	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 45/70 H-BOX long key neck	81444 0	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 45/75 H-BOX long key neck	84085 2	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 50/50 H-BOX long key neck	57981 3	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 50/55 H-BOX long key neck	70973 9	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 50/60 H-BOX long key neck	21299 4	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 55/55 H-BOX long key neck	21282 6	1203	Double cylinder	Nickel Pearl	7	5	
D10PSNP 55/60 H-BOX long key neck	40668 3	1203	Double cylinder	Nickel Pearl	7	5	
KD10PSNP Z30/K30 H-BOX long key neck	56288 4	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z30/K35 H-BOX long key neck	56289 1	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z30/K40 H-BOX long key neck	56290 7	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z30/K45 H-BOX long key neck	56291 4	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z30/K50 H-BOX long key neck	56538 0	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z30/K55 H-BOX long key neck	66863 0	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z30/K65 H-BOX long key neck	83445 5	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z35/K30 H-BOX long key neck	56758 2	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z35/K35 H-BOX long key neck	57983 7	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z35/K40 H-BOX long key neck	58638 5	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z35/K45 H-BOX long key neck	56292 1	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z35/K50 H-BOX long key neck	56293 8	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z35/K55 H-BOX long key neck	56539 7	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z40/K30 H-BOX long key neck	56294 5	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z40/K35 H-BOX long key neck	85208 4	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z40/K40 H-BOX long key neck	56540 3	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z40/K45 H-BOX long key neck	56295 2	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z40/K50 H-BOX long key neck	56296 9	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z40/K55 H-BOX long key neck	34681 1	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z45/K30 H-BOX long key neck	56845 9	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z45/K35 H-BOX long key neck	56297 6	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z45/K40 H-BOX long key neck	58639 2	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z45/K45 H-BOX long key neck	56298 3	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z45/K50 H-BOX long key neck	40863 2	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z50/K30 H-BOX long key neck	56299 0	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z50/K35 H-BOX long key neck	58640 8	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z50/K40 H-BOX long key neck	56300 3	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z50/K45 H-BOX long key neck	65842 6	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z50/K50 H-BOX long key neck	61473 6	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z50/K60 H-BOX long key neck	68895 9	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z55/K30 H-BOX long key neck	56759 9	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z55/K35 H-BOX long key neck	56760 5	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z55/K40 H-BOX long key neck	34682 8	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z55/K45 H-BOX long key neck	85541 2	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z55/K55 H-BOX long key neck	68785 3	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z60/K30 H-BOX long key neck	57194 7	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z60/K35 H-BOX long key neck	40669 0	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z60/K40 H-BOX long key neck	85540 5	1203	Knob cylinder	Nickel Pearl	7	5	
KD10PSNP Z60/K45 H-BOX long key neck	88261 6	1203	Knob cylinder	Nickel Pearl	7	5	
D10CRNP	64076 6	1203	rim cylinder	Nickel Pearl	7	10	
D10PSMM 30/35 H-BOX long key neck	56750 6	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 30/40 H-BOX long key neck	56251 8	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 30/45 H-BOX long key neck	56252 5	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 30/50 H-BOX long key neck	56253 2	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 30/60 H-BOX long key neck	56525 0	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 35/35 H-BOX long key neck	56254 9	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 35/40 H-BOX long key neck	56751 3	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 35/45 H-BOX long key neck	56526 7	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 35/50 H-BOX long key neck	56752 0	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 35/55 H-BOX long key neck	56255 6	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 35/60 H-BOX long key neck	19007 0	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 35/65 H-BOX long key neck	19009 4	1203	Double cylinder	Matt Brass	7	5	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
D10PSMM 35/75 H-BOX long key neck	19008 7	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 40/40 H-BOX long key neck	56256 3	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 40/45 H-BOX long key neck	56257 0	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 40/50 H-BOX long key neck	56258 7	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 40/55 H-BOX long key neck	18680 6	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 40/60 H-BOX long key neck	19010 0	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 40/70 H-BOX long key neck	19011 7	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 45/45 H-BOX long key neck	56527 4	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 45/50 H-BOX long key neck	56259 4	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 45/55 H-BOX long key neck	19013 1	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 45/60 H-BOX long key neck	19012 4	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 50/50 H-BOX long key neck	56260 0	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 50/60 H-BOX long key neck	19014 8	1203	Double cylinder	Matt Brass	7	5	
D10PSMM 55/55 H-BOX long key neck	19015 5	1203	Double cylinder	Matt Brass	7	5	
KD10PSMM Z30/K30 H-BOX long key neck	56277 8	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z30/K35 H-BOX long key neck	56278 5	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z30/K40 H-BOX long key neck	56280 8	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z30/K45 H-BOX long key neck	56282 2	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z30/K50 H-BOX long key neck	56530 4	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z30/K55 H-BOX long key neck	58637 8	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z35/K30 H-BOX long key neck	56531 1	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z35/K35 H-BOX long key neck	56283 9	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z35/K40 H-BOX long key neck	59619 3	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z35/K45 H-BOX long key neck	56753 7	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z35/K50 H-BOX long key neck	56532 8	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z35/K55 H-BOX long key neck	56754 4	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z40/K30 H-BOX long key neck	56284 6	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z40/K35 H-BOX long key neck	32849 7	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z40/K40 H-BOX long key neck	56533 5	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z40/K45 H-BOX long key neck	79017 1	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z40/K50 H-BOX long key neck	56285 3	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z40/K55 H-BOX long key neck	34684 2	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z40/K60 H-BOX long key neck	20327 5	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z45/K30 H-BOX long key neck	56534 2	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z45/K35 H-BOX long key neck	56535 9	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z45/K40 H-BOX long key neck	56536 6	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z45/K45 H-BOX long key neck	56537 3	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z45/K50 H-BOX long key neck	72190 8	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z50/K30 H-BOX long key neck	56755 1	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z50/K35 H-BOX long key neck	57982 0	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z50/K40 H-BOX long key neck	56286 0	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z50/K45 H-BOX long key neck	13398 5	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z50/K50 H-BOX long key neck	42028 3	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z55/K30 H-BOX long key neck	56756 8	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z55/K35 H-BOX long key neck	56287 7	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z55/K40 H-BOX long key neck	34683 5	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z60/K30 H-BOX long key neck	57193 0	1203	Knob cylinder	Matt Brass	7	5	
KD10PSMM Z60/K40 H-BOX long key neck	20984 0	1203	Knob cylinder	Matt Brass	7	5	

D6PS

DOOR CYLINDER WITH PREDETERMINED BREAKING POINT (PRE-SNAP) AND REVERSIBLE KEY




OPERATION AND USE

- Main entrance doors, apartment doors
- Double, half and knob cylinders fulfil the requirements as per DIN EN 1303:2015-08 suffix A, Class B and are therefore suitable for the use in fire doors

TECHNOLOGY

- Manufactured according to DIN EN 1303, DIN 18252, ISO 9001:2008
- Pre-snap feature (predetermined breaking point)
- Anti-picking pins
- Anti-drill protection by hardened steel pins
- Dimple / Reversible key, no sharp edges and can be inserted either way up
- 6-pin cylinder
- Code Card: additional cylinders and spare keys can be produced according to their respective code number
- Incl. five coded keys
- ABUS Global Protection Standard (GPS) 6



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
D6PSN 10/30 B	78740 9	1208	Half cylinder	Satin Nickel	6	5	
D6PSN 30/30 B	78741 6	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/30 Twins B	78742 3	1208	Double cylinder	Satin Nickel	6	4	
D6PSN 30/35 B	78743 0	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/40 B	78842 0	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 35/35 B	78843 7	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 35/40 B	78844 4	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 35/45 B	78845 1	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 40/40 B	78846 8	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 40/45 B	79489 6	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 40/50 B	78847 5	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 45/45 B	78848 2	1208	Double cylinder	Satin Nickel	6	5	
KD6PSN Z30/K30 B	78852 9	1208	Knob cylinder	Satin Nickel	6	5	
KD6PSN Z30/K35 B	78853 6	1208	Knob cylinder	Satin Nickel	6	5	
KD6PSN Z30/K40 B	78854 3	1208	Knob cylinder	Satin Nickel	6	5	
KD6PSN Z40/K40 B	78855 0	1208	Knob cylinder	Satin Nickel	6	6	
D6PSN 10/30 B long key neck	45028 0	1208	Half cylinder	Satin Nickel	6	5	
D6PSN 30/30 B long key neck	39158 3	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/35 B long key neck	45011 2	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/40 B long key neck	39233 7	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/45 B long key neck	45035 8	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/50 B long key neck	45042 6	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/55 B long key neck	49491 8	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/60 B long key neck	17568 8	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 30/70 B long key neck	52101 0	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 30/75 B long key neck	39261 0	1208	Double cylinder	Satin Nickel	6	6	


Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
D6PSN 30/80 B long key neck	52118 8	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 30/90 B long key neck	39102 6	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 35/35 B long key neck	39223 8	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 35/40 B long key neck	56635 6	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 35/45 B long key neck	60687 8	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 35/50 B long key neck	66276 8	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 35/55 B long key neck	68973 4	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 35/60 B long key neck	87271 6	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 35/65 B long key neck	87288 4	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 35/75 B long key neck	81458 7	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 40/40 B long key neck	39224 5	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 40/45 B long key neck	69505 6	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 40/50 B long key neck	72161 8	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 40/55 B long key neck	73311 6	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 40/60 B long key neck	93371 4	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 40/65 B long key neck	39269 6	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 40/70 B long key neck	96587 6	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 45/45 B long key neck	79603 6	1208	Double cylinder	Satin Nickel	6	5	
D6PSN 45/50 B long key neck	81903 2	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 45/55 B long key neck	17567 1	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 45/60 B long key neck	39103 3	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 45/65 B long key neck	97249 2	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 45/70 B long key neck	39104 0	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 45/75 B long key neck	39105 7	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 50/50 B long key neck	37412 8	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 50/55 B long key neck	37511 8	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 50/60 B long key neck	39262 7	1208	Double cylinder	Satin Nickel	6	6	
D6PSN 50/70 B long key neck	39263 4	1208	Double cylinder	Satin Nickel	6	6	
KD6PSN Z30/K30 B long key neck	83877 4	1208	Knob cylinder	Satin Nickel	6	5	
KD6PSN Z30/K35 B long key neck	87035 4	1208	Knob cylinder	Satin Nickel	6	5	
KD6PSN Z30/K40 B long key neck	10135 9	1208	Knob cylinder	Satin Nickel	6	5	
KD6PSN Z30/K50 B long key neck	39142 2	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z35/K35 B long key neck	10335 3	1208	Knob cylinder	Satin Nickel	6	5	
KD6PSN Z35/K45 B long key neck	12380 1	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z35/K55 B long key neck	12105 0	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z40/K30 B long key neck	10343 8	1208	Knob cylinder	Satin Nickel	6	5	
KD6PSN Z40/K40 B long key neck	97232 4	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z45/K45 B long key neck	11178 5	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z50/K30 B long key neck	81368 9	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z50/K40 B long key neck	44892 8	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z55/K40 B long key neck	44915 4	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z55/K45 B long key neck	39264 1	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z60/K30 B long key neck	44960 4	1208	Knob cylinder	Satin Nickel	6	6	
KD6PSN Z60/K50 B long key neck	39265 8	1208	Knob cylinder	Satin Nickel	6	6	
D6PSN 10/30 long key neck	39236 8	1208	Half cylinder	Satin Nickel	6	10	
D6PSN 10/35 long key neck	82007 6	1208	Half cylinder	Satin Nickel	6	10	
D6PSN 10/40 long key neck	39171 2	1208	Half cylinder	Satin Nickel	6	10	
D6PSN 30/30 long key neck	39172 9	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 30/35 long key neck	39173 6	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 30/40 long key neck	39183 5	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 30/45 long key neck	39267 2	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 30/50 long key neck	39193 4	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 30/55 long key neck	39266 5	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 30/60 long key neck	39207 8	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 30/70 long key neck	39242 9	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 35/35 long key neck	39174 3	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 35/40 long key neck	39094 4	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 35/45 long key neck	39196 5	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 35/55 long key neck	39259 7	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 35/60 long key neck	39227 6	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 35/65 long key neck	39228 3	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 40/40 long key neck	39197 2	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 40/45 long key neck	39194 1	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 40/50 long key neck	39195 8	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 40/55 long key neck	44991 8	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 40/60 long key neck	39208 5	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 40/65 long key neck	89898 3	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 40/70 long key neck	39098 2	1208	Double cylinder	Satin Nickel	6	10	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
D6PSN 45/45 long key neck	39099 9	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 45/50 long key neck	39184 2	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 45/55 long key neck	39120 0	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 45/60 long key neck	39159 0	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 45/65 long key neck	44984 0	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 50/50 long key neck	39241 2	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 50/55 long key neck	39243 6	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 50/60 long key neck	39204 7	1208	Double cylinder	Satin Nickel	6	10	
D6PSN 55/55 long key neck	87641 7	1208	Double cylinder	Satin Nickel	6	10	
KD6PSN Z30/K30 long key neck	39218 4	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z30/K35 long key neck	87771 1	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z30/K40 long key neck	39212 2	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z30/K45 long key neck	40476 4	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z35/K30 long key neck	89912 6	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z35/K35 long key neck	39210 8	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z35/K50 long key neck	40477 1	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z40/K30 long key neck	39214 6	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z40/K40 long key neck	39217 7	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z40/K50 long key neck	39168 2	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z40/K55 long key neck	89899 0	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z40/K60 long key neck	89487 9	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z40/K65 long key neck	89489 3	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z45/K35 long key neck	39151 4	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z45/K40 long key neck	40478 8	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z45/K45 long key neck	39260 3	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z45/K55 long key neck	82862 1	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z45/K60 long key neck	89526 5	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z45/K65 long key neck	89527 2	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z50/K30 long key neck	39161 3	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z50/K40 long key neck	39256 6	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z50/K45 long key neck	39160 6	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z50/K50 long key neck	60010 4	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z55/K35 long key neck	40047 6	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z55/K40 long key neck	39225 2	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z55/K45 long key neck	39170 5	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z60/K30 long key neck	39113 2	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z60/K35 long key neck	40479 5	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z60/K40 long key neck	404801	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z60/K45 long key neck	45004 4	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z65/K35 long key neck	90253 6	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z65/K45 long key neck	89900 3	1208	Knob cylinder	Satin Nickel	6	10	
KD6PSN Z70/K30 long key neck	39162 0	1208	Knob cylinder	Satin Nickel	6	10	

Knob sets and additional accessories for the conversion of double cylinders into knob cylinders available on request.

E60

DOOR CYLINDER WITH ANTI-DRILL PROTECTION, EMERGENCY FEATURE AND CONVENTIONAL KEY




OPERATION AND USE

- Main entrance doors, apartment doors
- Keyed alike and can be combined with ABUS reinforced door bars and padlocks, e.g. 83 and 86T

TECHNOLOGY

- Manufactured according to DIN EN 1303, DIN 18252, ISO 9001-2008
- Emergency feature: The cylinder can be operated from the outside even when a key is already inserted on the inside
- Anti-picking pins for high resistance against picking and manipulation
- With anti-drill protection as per SKG** standards
- 6-pin cylinder
- Incl. three coded keys
- ABUS Global Protection Standard (GPS) 7



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
E60NP 10/30	53822 3	0615	Half cylinder	Nickel Pearl	7	10	
E60NP 10/35	54140 7	0615	Half cylinder	Nickel Pearl	7	10	
E60NP 10/40	54142 1	0615	Half cylinder	Nickel Pearl	7	10	
E60NP 10/45	54144 5	0615	Half cylinder	Nickel Pearl	7	10	
E60NP 10/50	54145 2	0615	Half cylinder	Nickel Pearl	7	10	
E60NP 30/30	53823 0	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 30/35	54146 9	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 30/40	54148 3	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 30/45	54150 6	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 30/50	54152 0	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 30/55	54159 9	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 30/60	54160 5	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 35/35	54161 2	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 35/40	53824 7	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 35/45	53825 4	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 35/50	54163 6	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 40/40	54164 3	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 40/45	54166 7	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 40/50	54168 1	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 40/60	58116 8	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 45/45	54170 4	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 45/50	54172 8	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 45/55	54173 5	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 50/50	54175 9	0615	Double cylinder	Nickel Pearl	7	10	
E60NP 50/55	57086 5	0615	Double cylinder	Nickel Pearl	7	10	
KE60NP 210/K30	54429 3	0615	Knob cylinder	Nickel Pearl	7	10	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
KE60NP Z30/K30	54425 5	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z30/K35	54430 9	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z30/K45	54432 3	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z35/K35	54434 7	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z40/K40	54436 1	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z40/K60	12436 5	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z45/K30	54440 8	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z45/K45	12411 2	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z45/K55	54442 2	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z50/K40	12409 9	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z50/K50	58856 3	0615	Knob cylinder	Nickel Pearl	7	10	
KE60NP Z60/K40	12440 2	0615	Knob cylinder	Nickel Pearl	7	10	
E60NP 10/30 B/DFNLIESP	55008 9	0615	Half cylinder	Nickel Pearl	7	5	
E60NP 10/35 B/DFNLIESP	54864 2	0615	Half cylinder	Nickel Pearl	7	5	
E60NP 30/30 B/DFNLIESP	55009 6	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 30/35 B/DFNLIESP	55010 2	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 30/40 B/DFNLIESP	57219 7	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 30/45 B/DFNLIESP	55011 9	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 30/50 B/DFNLIESP	57220 3	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 35/35 B/DFNLIESP	54865 9	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 35/40 B/DFNLIESP	57221 0	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 35/45 B/DFNLIESP	54866 6	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 40/40 B/DFNLIESP	54867 3	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 40/45 B/DFNLIESP	57222 7	0615	Double cylinder	Nickel Pearl	7	5	
E60NP 40/50 B/DFNLIESP	54868 0	0615	Double cylinder	Nickel Pearl	7	5	
KE60NP Z30/K30 B/DFNLIESP	55012 6	0615	Knob cylinder	Nickel Pearl	7	5	
KE60NP Z35/K35 B/DFNLIESP	54907 6	0615	Knob cylinder	Nickel Pearl	7	5	
KE60NP Z40/K40 B/DFNLIESP	54908 3	0615	Knob cylinder	Nickel Pearl	7	5	
KE60NP Z40/K50 B/DFNLIESP	54909 0	0615	Knob cylinder	Nickel Pearl	7	5	
KE60NP Z45/K30 B/DFNLIESP	89613 2	0615	Knob cylinder	Nickel Pearl	7	6	
KE60NP Z45/K55 B/DFNLIESP	54910 6	0615	Knob cylinder	Nickel Pearl	7	5	

ADDITIONAL KEY

02684 3

EXTRA CUT KEY AS PER SAMPLE


27330 8

KEY BLANKS

10023 9

Surcharge for keyed alike Double cylinders.

Surcharge for keyed alike Half cylinders.



OPERATION AND USE

- Main entrance doors, apartment doors
- Available keyed alike with ABUS door bars, rim locks and padlocks, e.g. 86TI
- Double, half and knob cylinders fulfil the requirements as per DIN EN 1303:2015-08 suffix A, Class B and are therefore suitable for the use in fire doors

TECHNOLOGY

- DIN EN 1303 and DIN18252 tested; ISO 9001:2008
- Emergency feature (The cylinder can be operated from the outside even when a key is already inserted on the inside)
- Free-turning function (suitable for FZG tested doors)
- Tested application in RC2 doors (in combination with a suitable door fitting)
- Anti-drill protection by hardened steel pins
- 5 pin cylinder
- 11mm long key neck (perfect for door fittings with pulling protection)
- Incl. three coded keys
- ABUS Global Protection Standard (GPS) 6



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
A93NP 10/30 vs.	86149 9	0627	Half cylinder	Nickel Pearl	6	10	
A93NP 10/45 vs.	86152 9	0627	Half cylinder	Nickel Pearl	6	10	
A93NP 10/55 vs.	86154 3	0627	Half cylinder	Nickel Pearl	6	10	
A93NP 10/60 vs.	86155 0	0627	Half cylinder	Nickel Pearl	6	10	
A93NP NG 28/34 vs.	86162 8	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 28/40 vs.	86164 2	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 28/45 vs.	88317 0	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/30 vs.	86145 1	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/35 vs.	86147 5	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/40 vs.	86148 2	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/45 vs.	86176 5	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/50 vs.	86178 9	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/55 vs.	86181 9	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/60 vs.	86184 0	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/65 vs.	86188 8	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 30/70 vs.	86193 2	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/35 vs.	86175 8	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/40 vs.	86177 2	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/45 vs.	86179 6	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/50 vs.	861826	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/55 vs.	86185 7	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/60 vs.	86189 5	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/65 vs.	86194 9	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/70 vs.	86199 4	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/75 vs.	86204 5	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 35/80 vs.	86210 6	0626	Double cylinder	Nickel Pearl	6	10	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
A93NP NG 35/85 vs.	87995 1	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/40 vs.	86180 2	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/45 vs.	86183 3	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/50 vs.	86186 4	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/55 vs.	86191 8	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/60 vs.	86195 6	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/65 vs.	86200 7	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/70 vs.	86205 2	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/75 vs.	86211 3	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 40/80 vs.	86216 8	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/45 vs.	86187 1	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/50 vs.	86192 5	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/55 vs.	86196 3	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/60 vs.	86201 4	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/65 vs.	86206 9	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/70 vs.	86212 0	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/75 vs.	86217 5	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/80 vs.	86221 2	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/85 vs.	88004 9	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 45/90 vs.	88005 6	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 50/50 vs.	86197 0	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 50/55 vs.	86202 1	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 50/60 vs.	86207 6	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 50/65 vs.	86213 7	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 50/70 vs.	86218 2	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 55/55 vs.	86208 3	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 55/60 vs.	86214 4	0626	Double cylinder	Nickel Pearl	6	10	
A93NP NG 60/60 vs.	86220 5	0626	Double cylinder	Nickel Pearl	6	10	
A93KNP Z30/K30 vs.	86309 7	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z30/K35 vs.	86310 3	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z30/K40 vs.	86311 0	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z40/K55 vs.	86335 6	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z45/K35 vs.	86340 0	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z50/K35 vs.	86349 3	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z55/K40 vs.	86359 2	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z55/K55 vs.	86362 2	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z60/K30 vs.	86377 6	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z60/K35 vs.	86378 3	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z60/K45 vs.	86380 6	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z60/K50 vs.	86381 3	0626	Knob cylinder	Nickel Pearl	6	1	
A93KNP Z70/K35 vs.	86395 0	0626	Knob cylinder	Nickel Pearl	6	1	
Knob assembly set A93K 30mm	87625 7	0626		Nickel Pearl		10	
Knob assembly set A93K 34mm	88222 7	0626		Nickel Pearl		10	
Knob assembly set A93K 35mm	87626 4	0626		Nickel Pearl		10	
Knob assembly set A93K 40mm	87627 1	0626		Nickel Pearl		10	
Knob assembly set A93K 45mm	87628 8	0626		Nickel Pearl		10	
Knob assembly set A93K 50mm	87629 5	0626		Nickel Pearl		10	

ADDITIONAL KEY

02684 3

EXTRA CUT KEY AS PER SAMPLE

27330 8

KEY BLANKS


10023 9

Surcharge for keyed alike Double cylinders.

Surcharge for keyed alike Half cylinders.

E50

DOOR CYLINDER WITH CONVENTIONAL KEY



OPERATION AND USE

- Main entrance doors, apartment doors

TECHNOLOGY


- Manufactured according to DIN EN 1303, ISO 9001-2008
- Paracentric keyway for better picking resistance
- Inner components rustfree
- 5 pin cylinder
- Incl. three keys
- ABUS Global Protection Standard (GPS) 4



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
E50N 10/30	48419 3	0614	Half cylinder	Nickel	4	10	
E50N 10/35	48420 9	0614	Half cylinder	Nickel	4	10	
E50N 28/34	48404 9	0614	Double cylinder	Nickel	4	10	
E50N 30/30	47133 9	0614	Double cylinder	Nickel	4	10	
E50N 30/30 Twins B	21209 3	0614	Double cylinder	Nickel	4	4	
E50N 30/30 Triples B	21216 1	0614	Double cylinder	Nickel	4	2	
E50N 30/30 Quads B	21463 9	0614	Double cylinder	Nickel	4	2	
E50N 30/35	47134 6	0614	Double cylinder	Nickel	4	10	
E50N 30/40	48406 3	0614	Double cylinder	Nickel	4	10	
E50N 30/45	47135 3	0614	Double cylinder	Nickel	4	10	
E50N 30/50	48408 7	0614	Double cylinder	Nickel	4	10	
E50N 35/35	47136 0	0614	Double cylinder	Nickel	4	10	
E50N 35/40	48410 0	0614	Double cylinder	Nickel	4	10	
E50N 35/45	48411 7	0614	Double cylinder	Nickel	4	10	
E50N 35/50	48412 4	0614	Double cylinder	Nickel	4	10	
E50N 35/55	48413 1	0614	Double cylinder	Nickel	4	10	
E50N 40/40	48414 8	0614	Double cylinder	Nickel	4	10	
E50N 40/45	48415 5	0614	Double cylinder	Nickel	4	10	
E50N 40/50	48416 2	0614	Double cylinder	Nickel	4	10	
E50N 45/45	48417 9	0614	Double cylinder	Nickel	4	10	
E50N 45/50	48418 6	0614	Double cylinder	Nickel	4	10	
KE50N Z30/K30	53567 3	0614	Knob cylinder	Nickel	4	10	
KE50N Z35/K35	53932 9	0614	Knob cylinder	Nickel	4	10	
E50N 10/30 B	00750 7	0614	Half cylinder	Nickel	4	6	
E50N 28/34 B	00755 2	0614	Double cylinder	Nickel	4	6	
E50N 30/30 B	53747 9	0614	Double cylinder	Nickel	4	6	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
E50N 30/35 B	52618 3	0614	Double cylinder	Nickel	4	6	
E50N 30/40 B	52619 0	0614	Double cylinder	Nickel	4	6	
E50N 30/50 B	00782 8	0614	Double cylinder	Nickel	4	6	
E50N 35/35 B	52620 6	0614	Double cylinder	Nickel	4	6	
E50N 35/40 B	53368 6	0614	Double cylinder	Nickel	4	6	
E50N 35/45 B	52621 3	0614	Double cylinder	Nickel	4	6	
E50N 35/50 B	00786 6	0614	Double cylinder	Nickel	4	6	
E50N 35/55 B	00787 3	0614	Double cylinder	Nickel	4	6	
E50N 40/40 B	53369 3	0614	Double cylinder	Nickel	4	6	
E50N 40/50 B	00789 7	0614	Double cylinder	Nickel	4	6	
E50N 45/45 B	54037 0	0614	Double cylinder	Nickel	4	6	
E50N 45/50 B	00596 1	0614	Double cylinder	Nickel	4	6	
KE50N Z30/K30 B	00790 3	0614	Knob cylinder	Nickel	4	6	
E50N 10/30 EW1943	48487 2	0614	Half cylinder	Nickel	4	10	
E50N 10/30 EW1967	48473 5	0614	Half cylinder	Nickel	4	10	
E50N 10/30 EW1973	48455 1	0614	Half cylinder	Nickel	4	10	
E50N 10/30 EW1986	48437 7	0614	Half cylinder	Nickel	4	10	
E50N 10/35 EW1943	48488 9	0614	Half cylinder	Nickel	4	10	
E50N 10/35 EW1967	48474 2	0614	Half cylinder	Nickel	4	10	
E50N 28/34 EW1943	48409 4	0614	Double cylinder	Nickel	4	10	
E50N 28/34 EW1967	48457 5	0614	Double cylinder	Nickel	4	10	
E50N 28/34 EW1973	48439 1	0614	Double cylinder	Nickel	4	10	
E50N 28/34 EW1986	48421 6	0614	Double cylinder	Nickel	4	10	
E50N 30/30 EW1943	48403 2	0614	Double cylinder	Nickel	4	10	
E50N 30/30 EW1967	48458 2	0614	Double cylinder	Nickel	4	10	
E50N 30/30 EW1973	48440 7	0614	Double cylinder	Nickel	4	10	
E50N 30/30 EW1986	48422 3	0614	Double cylinder	Nickel	4	10	
E50N 30/35 EW1943	48405 6	0614	Double cylinder	Nickel	4	10	
E50N 30/35 EW1967	48459 9	0614	Double cylinder	Nickel	4	10	
E50N 30/35 EW1973	48441 4	0614	Double cylinder	Nickel	4	10	
E50N 30/35 EW1986	48423 0	0614	Double cylinder	Nickel	4	10	
E50N 30/40 EW1943	48407 0	0614	Double cylinder	Nickel	4	10	
E50N 30/40 EW1967	48460 5	0614	Double cylinder	Nickel	4	10	
E50N 30/40 EW1973	48442 1	0614	Double cylinder	Nickel	4	10	
E50N 30/40 EW1986	48424 7	0614	Double cylinder	Nickel	4	10	
E50N 30/45 EW1943	48475 9	0614	Double cylinder	Nickel	4	10	
E50N 30/45 EW1967	48461 2	0614	Double cylinder	Nickel	4	10	
E50N 30/50 EW1943	48476 6	0614	Double cylinder	Nickel	4	10	
E50N 30/50 EW1967	48462 9	0614	Double cylinder	Nickel	4	10	
E50N 35/35 EW1943	48477 3	0614	Double cylinder	Nickel	4	10	
E50N 35/35 EW1967	48463 6	0614	Double cylinder	Nickel	4	10	
E50N 35/35 EW1973	48445 2	0614	Double cylinder	Nickel	4	10	
E50N 35/35 EW1986	48427 8	0614	Double cylinder	Nickel	4	10	
E50N 35/40 EW1943	48478 0	0614	Double cylinder	Nickel	4	10	
E50N 35/40 EW1967	48464 3	0614	Double cylinder	Nickel	4	10	
E50N 35/40 EW1973	48446 9	0614	Double cylinder	Nickel	4	10	
E50N 35/40 EW1986	48428 5	0614	Double cylinder	Nickel	4	10	
E50N 35/45 EW1943	48479 7	0614	Double cylinder	Nickel	4	10	
E50N 35/45 EW1967	48465 0	0614	Double cylinder	Nickel	4	10	
E50N 35/45 EW1973	48447 6	0614	Double cylinder	Nickel	4	10	
E50N 35/45 EW1986	48429 2	0614	Double cylinder	Nickel	4	10	
E50N 35/50 EW1943	48480 3	0614	Double cylinder	Nickel	4	10	
E50N 35/50 EW1967	48466 7	0614	Double cylinder	Nickel	4	10	
E50N 35/55 EW1943	48481 0	0614	Double cylinder	Nickel	4	10	
E50N 35/55 EW1967	48467 4	0614	Double cylinder	Nickel	4	10	
E50N 40/40 EW1943	48482 7	0614	Double cylinder	Nickel	4	10	
E50N 40/40 EW1967	48468 1	0614	Double cylinder	Nickel	4	10	
E50N 40/40 EW1973	48450 6	0614	Double cylinder	Nickel	4	10	
E50N 40/40 EW1986	48432 2	0614	Double cylinder	Nickel	4	10	
E50N 40/45 EW1943	48483 4	0614	Double cylinder	Nickel	4	10	
E50N 40/45 EW1967	48469 8	0614	Double cylinder	Nickel	4	10	
E50N 40/50 EW1943	48484 1	0614	Double cylinder	Nickel	4	10	
E50N 40/50 EW1967	48470 4	0614	Double cylinder	Nickel	4	10	
E50N 45/45 EW1943	48485 8	0614	Double cylinder	Nickel	4	10	
E50N 45/45 EW1967	48471 1	0614	Double cylinder	Nickel	4	10	
E50N 45/50 EW1943	48486 5	0614	Double cylinder	Nickel	4	10	
E50N 45/50 EW1967	48472 8	0614	Double cylinder	Nickel	4	10	
KE50N Z30/K30 EW1943	55735 4	0614	Knob cylinder	Nickel	4	10	
KE50N Z35/K35 EW1943	55739 2	0614	Knob cylinder	Nickel	4	10	

DOOR CYLINDER WITH EMERGENCY FEATURE AND CONVENTIONAL KEY



OPERATION AND USE

- Main entrance doors, apartment doors
- Available keyed alike with ABUS door bars and padlock 86TI

TECHNOLOGY


- Manufactured according to DIN EN 1303, ISO 9001:2008
- Emergency feature: The cylinder can be operated from the outside even when a key is already inserted on the inside
- Cylinder made of Titalium special aluminium
- 5-pin cylinder
- Incl. three keys with tulip-shaped key head
- ABUS Global Protection Standard (GPS) 4



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
TI14ST 28/34	06795 2	0660	Double cylinder	Silver	4	10	
TI14ST 30/30	06796 9	0660	Double cylinder	Silver	4	10	
TI14ST 30/35	06805 8	0660	Double cylinder	Silver	4	10	
TI14ST 30/40	06831 7	0660	Double cylinder	Silver	4	10	
TI14ST 30/45	06839 3	0660	Double cylinder	Silver	4	10	
TI14ST 30/50	06848 5	0660	Double cylinder	Silver	4	10	
TI14ST 30/55	79293 9	0660	Double cylinder	Silver	4	10	
TI14ST 30/60	79294 6	0660	Double cylinder	Silver	4	10	
TI14ST 35/35	06855 3	0660	Double cylinder	Silver	4	10	
TI14ST 35/40	06909 3	0660	Double cylinder	Silver	4	10	
TI14ST 35/45	06915 4	0660	Double cylinder	Silver	4	10	
TI14ST 35/50	06920 8	0660	Double cylinder	Silver	4	10	
TI14ST 35/55	06921 5	0660	Double cylinder	Silver	4	10	
TI14ST 35/60	79295 3	0660	Double cylinder	Silver	4	10	
TI14ST 40/40	06923 9	0660	Double cylinder	Silver	4	10	
TI14ST 40/45	06939 0	0660	Double cylinder	Silver	4	10	
TI14ST 40/50	06940 6	0660	Double cylinder	Silver	4	10	
TI14ST 40/55	79296 0	0660	Double cylinder	Silver	4	10	
TI14ST 40/60	79297 7	0660	Double cylinder	Silver	4	10	
TI14ST 45/45	06941 3	0660	Double cylinder	Silver	4	10	
TI14ST 45/50	06942 0	0660	Double cylinder	Silver	4	10	
TI14ST 45/55	79298 4	0660	Double cylinder	Silver	4	10	
TI14ST 45/60	79299 1	0660	Double cylinder	Silver	4	10	
TI14ST 28/34 gl.No.1	06497 5	0660	Double cylinder	Silver	4	10	
TI14ST 28/34 gl.No.2	06753 2	0660	Double cylinder	Silver	4	10	
TI14ST 28/34 gl.No.3	79334 9	0660	Double cylinder	Silver	4	10	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
T114ST 30/30 gl.No.1	06578 1	0660	Double cylinder	Silver	4	10	
T114ST 30/30 gl.No.2	06759 4	0660	Double cylinder	Silver	4	10	
T114ST 30/30 gl.No.3	79335 6	0660	Double cylinder	Silver	4	10	
T114ST 30/35 gl.No.1	06581 1	0660	Double cylinder	Silver	4	10	
T114ST 30/35 gl.No.2	06763 1	0660	Double cylinder	Silver	4	10	
T114ST 30/35 gl.No.3	79336 3	0660	Double cylinder	Silver	4	10	
T114ST 30/40 gl.No.1	06594 1	0660	Double cylinder	Silver	4	10	
T114ST 30/40 gl.No.2	06764 8	0660	Double cylinder	Silver	4	10	
T114ST 30/40 gl.No.3	79337 0	0660	Double cylinder	Silver	4	10	
T114ST 30/45 gl.No.1	06616 0	0660	Double cylinder	Silver	4	10	
T114ST 30/45 gl.No.2	06770 9	0660	Double cylinder	Silver	4	10	
T114ST 30/45 gl.No.3	79339 4	0660	Double cylinder	Silver	4	10	
T114ST 30/50 gl.No.1	06617 7	0660	Double cylinder	Silver	4	10	
T114ST 30/50 gl.No.2	06773 0	0660	Double cylinder	Silver	4	10	
T114ST 30/50 gl.No.3	79340 0	0660	Double cylinder	Silver	4	10	
T114ST 30/55 gl.No.1	79341 7	0660	Double cylinder	Silver	4	10	
T114ST 30/55 gl.No.2	79342 4	0660	Double cylinder	Silver	4	10	
T114ST 30/55 gl.No.3	79343 1	0660	Double cylinder	Silver	4	10	
T114ST 30/60 gl.No.1	79344 8	0660	Double cylinder	Silver	4	10	
T114ST 30/60 gl.No.2	79345 5	0660	Double cylinder	Silver	4	10	
T114ST 30/60 gl.No.3	79346 2	0660	Double cylinder	Silver	4	10	
T114ST 35/35 gl.No.1	06664 1	0660	Double cylinder	Silver	4	10	
T114ST 35/35 gl.No.2	06785 3	0660	Double cylinder	Silver	4	10	
T114ST 35/35 gl.No.3	79347 9	0660	Double cylinder	Silver	4	10	
T114ST 35/40 gl.No.1	06672 6	0660	Double cylinder	Silver	4	10	
T114ST 35/40 gl.No.2	79348 6	0660	Double cylinder	Silver	4	10	
T114ST 35/40 gl.No.3	79349 3	0660	Double cylinder	Silver	4	10	
T114ST 35/45 gl.No.1	06703 7	0660	Double cylinder	Silver	4	10	
T114ST 35/45 gl.No.2	79350 9	0660	Double cylinder	Silver	4	10	
T114ST 35/45 gl.No.3	79351 6	0660	Double cylinder	Silver	4	10	
T114ST 35/50 gl.No.1	79352 3	0660	Double cylinder	Silver	4	10	
T114ST 35/50 gl.No.2	79353 0	0660	Double cylinder	Silver	4	10	
T114ST 35/50 gl.No.3	79354 7	0660	Double cylinder	Silver	4	10	
T114ST 35/55 gl.No.1	79355 4	0660	Double cylinder	Silver	4	10	
T114ST 35/55 gl.No.2	79356 1	0660	Double cylinder	Silver	4	10	
T114ST 35/55 gl.No.3	79357 8	0660	Double cylinder	Silver	4	10	
T114ST 35/60 gl.No.1	79358 5	0660	Double cylinder	Silver	4	10	
T114ST 35/60 gl.No.2	79359 2	0660	Double cylinder	Silver	4	10	
T114ST 35/60 gl.No.3	79360 8	0660	Double cylinder	Silver	4	10	
T114ST 40/40 gl.No.1	06704 4	0660	Double cylinder	Silver	4	10	
T114ST 40/40 gl.No.2	06786 0	0660	Double cylinder	Silver	4	10	
T114ST 40/40 gl.No.3	79361 5	0660	Double cylinder	Silver	4	10	
T114ST 40/45 gl.No.1	06722 8	0660	Double cylinder	Silver	4	10	
T114ST 40/45 gl.No.2	06788 4	0660	Double cylinder	Silver	4	10	
T114ST 40/45 gl.No.3	79362 2	0660	Double cylinder	Silver	4	10	
T114ST 40/50 gl.No.1	06725 9	0660	Double cylinder	Silver	4	10	
T114ST 40/50 gl.No.2	79363 9	0660	Double cylinder	Silver	4	10	
T114ST 40/50 gl.No.3	79364 6	0660	Double cylinder	Silver	4	10	
T114ST 40/55 gl.No.1	79365 3	0660	Double cylinder	Silver	4	10	
T114ST 40/55 gl.No.2	79366 0	0660	Double cylinder	Silver	4	10	
T114ST 40/55 gl.No.3	79367 7	0660	Double cylinder	Silver	4	10	
T114ST 40/60 gl.No.1	79368 4	0660	Double cylinder	Silver	4	10	
T114ST 40/60 gl.No.2	79369 1	0660	Double cylinder	Silver	4	10	
T114ST 40/60 gl.No.3	79370 7	0660	Double cylinder	Silver	4	10	
T114ST 45/45 gl.No.1	06734 1	0660	Double cylinder	Silver	4	10	
T114ST 45/45 gl.No.2	80034 4	0660	Double cylinder	Silver	4	10	
T114ST 45/45 gl.No.3	80038 2	0660	Double cylinder	Silver	4	10	
T114ST 45/50 gl.No.1	06751 8	0660	Double cylinder	Silver	4	10	
T114ST 45/50 gl.No.2	80035 1	0660	Double cylinder	Silver	4	10	
T114ST 45/50 gl.No.3	80039 9	0660	Double cylinder	Silver	4	10	
T114ST 45/55 gl.No.1	80032 0	0660	Double cylinder	Silver	4	10	
T114ST 45/55 gl.No.2	80036 8	0660	Double cylinder	Silver	4	10	
T114ST 45/55 gl.No.3	80040 5	0660	Double cylinder	Silver	4	10	
T114ST 45/60 gl.No.1	80033 7	0660	Double cylinder	Silver	4	10	
T114ST 45/60 gl.No.2	80037 5	0660	Double cylinder	Silver	4	10	
T114ST 45/60 gl.No.3	80041 2	0660	Double cylinder	Silver	4	10	

DOOR CYLINDER WITH CONVENTIONAL KEY



OPERATION AND USE

- Main entrance doors, apartment doors
- Available keyed alike with ABUS door bars and padlock 86TI

TECHNOLOGY

- Manufactured according to DIN EN 1303, ISO 9001:2008
- Cylinder made of Titanium special aluminium
- 5-pin cylinder
- Incl. three keys with tulip-shaped key head
- ABUS Global Protection Standard (GPS) 3




Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
	4003318						
TI12ST 10/30	05522 5	0650	Half cylinder	Silver	3	10	
TI12ST 10/35	07980 1	0650	Half cylinder	Silver	3	10	
TI12ST 10/40	80903 3	0650	Half cylinder	Silver	3	10	
TI12ST 28/28	79490 2	0650	Double cylinder	Silver	3	10	
TI12ST 28/34	05524 9	0650	Double cylinder	Silver	3	10	
TI12ST 30/30	05525 6	0650	Double cylinder	Silver	3	10	
TI12ST 30/35	05827 1	0650	Double cylinder	Silver	3	10	
TI12ST 30/40	05828 8	0650	Double cylinder	Silver	3	10	
TI12ST 30/45	05829 5	0650	Double cylinder	Silver	3	10	
TI12ST 30/50	05830 1	0650	Double cylinder	Silver	3	10	
TI12ST 35/35	05891 2	0650	Double cylinder	Silver	3	10	
TI12ST 35/40	05892 9	0650	Double cylinder	Silver	3	10	
TI12ST 35/45	05895 0	0650	Double cylinder	Silver	3	10	
TI12ST 35/50	05977 3	0650	Double cylinder	Silver	3	10	
TI12ST 35/55	05978 0	0650	Double cylinder	Silver	3	10	
TI12ST 40/40	05996 4	0650	Double cylinder	Silver	3	10	
TI12ST 40/45	06010 6	0650	Double cylinder	Silver	3	10	
TI12ST 40/50	06065 6	0650	Double cylinder	Silver	3	10	
TI12ST 45/45	06071 7	0650	Double cylinder	Silver	3	10	
TI12ST 45/50	06218 6	0650	Double cylinder	Silver	3	10	
TI12ST 10/30 B	70772 8	0650	Half cylinder	Silver	3	5	
TI12ST 28/28 B	70795 7	0650	Double cylinder	Silver	3	5	
TI12ST 28/34 B	70794 0	0650	Double cylinder	Silver	3	5	
TI12ST 30/30 B	70773 5	0650	Double cylinder	Silver	3	5	
TI12ST 30/35 B	70774 2	0650	Double cylinder	Silver	3	5	
TI12ST 30/40 B	70789 6	0650	Double cylinder	Silver	3	5	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
TI12ST 30/45 B	70790 2	0650	Double cylinder	Silver	3	5	
TI12ST 35/35 B	70775 9	0650	Double cylinder	Silver	3	5	
TI12ST 35/40 B	70791 9	0650	Double cylinder	Silver	3	5	
TI12ST 35/45 B	70793 3	0650	Double cylinder	Silver	3	3	
TI12ST 40/40 B	70792 6	0650	Double cylinder	Silver	3	3	
TI12ST 40/45 B	72931 7	0650	Double cylinder	Silver	3	3	
TI12ST 10/30 gl.No.1	06493 7	0650	Half cylinder	Silver	3	10	
TI12ST 10/30 gl.No.2	06752 5	0650	Half cylinder	Silver	3	10	
TI12ST 10/30 gl.No.3	79329 5	0650	Half cylinder	Silver	3	10	
TI12ST 10/35 gl.No.1	79330 1	0650	Half cylinder	Silver	3	10	
TI12ST 10/35 gl.No.2	79331 8	0650	Half cylinder	Silver	3	10	
TI12ST 10/35 gl.No.3	79333 2	0650	Half cylinder	Silver	3	10	

D45

DOOR CYLINDER WITH ANTI-DRILL PROTECTION AND REVERSIBLE KEY



OPERATION AND USE

- Main entrance doors, apartment doors

TECHNOLOGY

- Manufactured according to DIN EN 1303
- Anti-drill protection by hardened steel pins
- Reversible key
- 5-pin cylinder
- Incl. five keys
- ABUS Global Protection Standard (GPS) 4




Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
D45N 10/30 H B	90511 7	0621	Half cylinder	Nickel	4	6	
D45N 25/25 H B	79434 6	0621	Double cylinder	Nickel	4	6	
D45N 28/36 H B	90512 4	0621	Double cylinder	Nickel	4	6	
D45N 30/30 H B	79435 3	0621	Double cylinder	Nickel	4	6	
D45N 30/35 H B	79436 0	0621	Double cylinder	Nickel	4	6	
D45N 30/40 H B	79437 7	0621	Double cylinder	Nickel	4	6	
D45N 30/45 H B	79438 4	0621	Double cylinder	Nickel	4	6	
D45N 30/50 H B	79439 1	0621	Double cylinder	Nickel	4	6	
D45N 35/35 H B	79440 7	0621	Double cylinder	Nickel	4	6	
D45N 35/40 H B	79441 4	0621	Double cylinder	Nickel	4	6	
D45N 35/45 H B	79442 1	0621	Double cylinder	Nickel	4	6	
D45N 35/50 H B	79443 8	0621	Double cylinder	Nickel	4	6	
D45N 35/55 H B	79444 5	0621	Double cylinder	Nickel	4	6	
D45N 35/60 H B	79445 2	0621	Double cylinder	Nickel	4	6	
D45N 40/40 H B	79446 9	0621	Double cylinder	Nickel	4	6	
D45N 40/45 H B	79447 6	0621	Double cylinder	Nickel	4	6	
D45N 40/50 H B	78841 3	0621	Double cylinder	Nickel	4	6	
D45N 40/55 H B	79448 3	0621	Double cylinder	Nickel	4	6	
D45N 40/60 H B	79449 0	0621	Double cylinder	Nickel	4	6	
D45N 45/45 H B	79450 6	0621	Double cylinder	Nickel	4	6	
D45N 45/50 H B	79451 3	0621	Double cylinder	Nickel	4	6	
D45N 45/55 H B	79452 0	0621	Double cylinder	Nickel	4	6	
D45N 45/60 H B	79453 7	0621	Double cylinder	Nickel	4	6	
D45N 45/65 H B	79454 4	0621	Double cylinder	Nickel	4	6	
D45N 50/50 H B	79455 1	0621	Double cylinder	Nickel	4	6	
D45N 50/55 H B	79456 8	0621	Double cylinder	Nickel	4	6	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
D45N 50/60 H B	79457 5	0621	Double cylinder	Nickel	4	6	
KD45N Z30/K30 H B	79459 9	0621	Knob cylinder	Nickel	4	6	
KD45N Z30/K35 H B	79460 5	0621	Knob cylinder	Nickel	4	6	
KD45N Z30/K40 H B	79461 2	0621	Knob cylinder	Nickel	4	6	
KD45N Z40/K40 H B	79462 9	0621	Knob cylinder	Nickel	4	6	
KD45N Z28/K36 H B	90506 3	0621	Knob cylinder	Nickel	4	6	
KD45N Z35/K30 H B	90507 0	0621	Knob cylinder	Nickel	4	6	
KD45N Z40/K30 H B	90508 7	0621	Knob cylinder	Nickel	4	6	
KD45N Z30/K50 H B	90509 4	0621	Knob cylinder	Nickel	4	6	
KD45N Z45/K35 H B	90510 0	0621	Knob cylinder	Nickel	4	6	

E45

DOOR CYLINDER WITH CONVENTIONAL KEY



OPERATION AND USE

- Main entrance doors, apartment doors
- Available keyed alike with ABUS door bars and padlock 86TI

TECHNOLOGY

- Manufactured according to DIN EN 1303
- Paracentric keyway for better picking resistance
- 5 pin cylinder
- Incl. three keys
- ABUS Global Protection Standard (GPS) 4




Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
E45N 10/30 H B	70590 8	0620	Half cylinder	Nickel	4	6	
E45N 25/25 H B	70591 5	0620	Double cylinder	Nickel	4	6	
E45N 28/36 H B	79502 2	0620	Double cylinder	Nickel	4	6	
E45N 30/30 H B	70592 2	0620	Double cylinder	Nickel	4	6	
E45N 30/35 H B	70593 9	0620	Double cylinder	Nickel	4	6	
E45N 30/40 H B	70594 6	0620	Double cylinder	Nickel	4	6	
E45N 30/45 H B	79249 6	0620	Double cylinder	Nickel	4	6	
E45N 30/50 H B	79254 0	0620	Double cylinder	Nickel	4	6	
E45N 35/35 H B	79250 2	0620	Double cylinder	Nickel	4	6	
E45N 35/40 H B	79252 6	0620	Double cylinder	Nickel	4	6	
E45N 35/45 H B	70595 3	0620	Double cylinder	Nickel	4	6	
E45N 35/50 H B	79255 7	0620	Double cylinder	Nickel	4	6	
E45N 35/55 H B	79251 9	0620	Double cylinder	Nickel	4	6	
E45N 40/40 H B	79253 3	0620	Double cylinder	Nickel	4	6	
E45N 40/45 H B	79257 1	0620	Double cylinder	Nickel	4	6	
E45N 40/50 H B	70596 0	0620	Double cylinder	Nickel	4	6	
E45N 45/45 H B	79256 4	0620	Double cylinder	Nickel	4	6	
E45N 45/50 H B	79699 9	0620	Double cylinder	Nickel	4	6	
E45N 40/55 H B	79717 0	0620	Double cylinder	Nickel	4	6	
KE45N Z28/K36 H B	79506 0	0620	Knob cylinder	Nickel	4	6	
KE45N Z30/K30 H B	70597 7	0620	Knob cylinder	Nickel	4	6	
KE45N Z30/K35 H B	79259 5	0620	Knob cylinder	Nickel	4	6	
KE45N Z30/K40 H B	70598 4	0620	Knob cylinder	Nickel	4	6	
KE45N Z30/K50 H B	79284 7	0620	Knob cylinder	Nickel	4	6	
KE45N Z35/K30 H B	79258 8	0620	Knob cylinder	Nickel	4	6	
KE45N Z40/K30 H B	70599 1	0620	Knob cylinder	Nickel	4	6	

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
KE45N Z40/K40 H B	67180 7	0620	Knob cylinder	Nickel	4	6	
KE45N Z50/K30 H B	79285 4	0620	Knob cylinder	Nickel	4	6	
E45MM 10/30 H B	70600 4	0620	Half cylinder	Matt Brass	4	6	
E45MM 25/25 H B	70601 1	0620	Double cylinder	Matt Brass	4	6	
E45MM 28/36 H B	79727 9	0620	Double cylinder	Matt Brass	4	6	
E45MM 30/30 H B	70602 8	0620	Double cylinder	Matt Brass	4	6	
E45MM 30/35 H B	70603 5	0620	Double cylinder	Matt Brass	4	6	
E45MM 30/40 H B	706042	0620	Double cylinder	Matt Brass	4	6	
E45MM 35/35 H B	87769 8	0620	Double cylinder	Matt Brass	4	6	
E45MM 35/45 H B	70605 9	0620	Double cylinder	Matt Brass	4	6	
E45MM 40/50 H B	70606 6	0620	Double cylinder	Matt Brass	4	6	
KE45MM Z30/K30 H B	70607 3	0620	Knob cylinder	Matt Brass	4	6	
KE45MM Z30/K40 H B	70608 0	0620	Knob cylinder	Matt Brass	4	6	
KE45MM Z40/K30 H B	70609 7	0620	Knob cylinder	Matt Brass	4	6	
KE45MM Z30/K35 H B	79260 1	0620	Knob cylinder	Matt Brass	4	6	
KE45MM Z35/K30 H B	79261 8	0620	Knob cylinder	Matt Brass	4	6	
E45N 10/30 H	70570 0	0620	Half cylinder	Nickel	4	10	
E45N 25/25 H	70571 7	0620	Double cylinder	Nickel	4	10	
E45N 30/30 H	70572 4	0620	Double cylinder	Nickel	4	10	
E45N 30/35 H	70573 1	0620	Double cylinder	Nickel	4	10	
E45N 30/40 H	70574 8	0620	Double cylinder	Nickel	4	10	
E45N 35/45 H	70575 5	0620	Double cylinder	Nickel	4	10	
E45N 30/45 H	71556 3	0620	Double cylinder	Nickel	4	10	
E45N 30/50 H	71557 0	0620	Double cylinder	Nickel	4	10	
E45N 30/55 H	71558 7	0620	Double cylinder	Nickel	4	10	
E45N 35/35 H	71559 4	0620	Double cylinder	Nickel	4	10	
E45N 35/40 H	71560 0	0620	Double cylinder	Nickel	4	10	
E45N 35/50 H	71561 7	0620	Double cylinder	Nickel	4	10	
E45N 35/55 H	71562 4	0620	Double cylinder	Nickel	4	10	
E45N 40/40 H	71563 1	0620	Double cylinder	Nickel	4	10	
E45N 40/45 H	71564 8	0620	Double cylinder	Nickel	4	10	
E45N 40/50 H	70576 2	0620	Double cylinder	Nickel	4	10	
E45N 40/55 H	87636 3	0620	Double cylinder	Nickel	4	10	
E45N 40/60 H	87637 0	0620	Double cylinder	Nickel	4	10	
E45N 40/70 H	87638 7	0620	Double cylinder	Nickel	4	10	
E45N 45/45 H	71565 5	0620	Double cylinder	Nickel	4	10	
E45N 45/50 H	71566 2	0620	Double cylinder	Nickel	4	10	
E45N 45/55 H	88051 3	0620	Double cylinder	Nickel	4	10	
E45N 45/60 H	88052 0	0620	Double cylinder	Nickel	4	10	
E45N 50/50 H	88053 7	0620	Double cylinder	Nickel	4	10	
E45N 55/65 H	87639 4	0620	Double cylinder	Nickel	4	10	
KE45N Z30/K30 H	70577 9	0620	Knob cylinder	Nickel	4	10	
KE45N Z30/K40 H	70578 6	0620	Knob cylinder	Nickel	4	10	
KE45N Z40/K30 H	70579 3	0620	Knob cylinder	Nickel	4	10	
E45MM 10/30 H	70580 9	0620	Half cylinder	Matt Brass	4	10	
E45MM 25/25 H	70581 6	0620	Double cylinder	Matt Brass	4	10	
E45MM 30/30 H	70582 3	0620	Double cylinder	Matt Brass	4	10	
E45MM 30/35 H	70583 0	0620	Double cylinder	Matt Brass	4	10	
E45MM 30/40 H	70584 7	0620	Double cylinder	Matt Brass	4	10	
E45MM 35/45 H	70585 4	0620	Double cylinder	Matt Brass	4	10	
E45MM 40/40 H	88270 8	0620	Double cylinder	Matt Brass	4	10	
E45MM 40/50 H	70586 1	0620	Double cylinder	Matt Brass	4	10	
KE45MM Z30/K30 H	70587 8	0620	Knob cylinder	Matt Brass	4	10	
KE45MM Z30/K40 H	70588 5	0620	Knob cylinder	Matt Brass	4	10	
KE45MM Z40/K30 H	70589 2	0620	Knob cylinder	Matt Brass	4	10	
KE45MM Z40/K30 H	70589 2	0620	Knob cylinder	Matt Brass	4	10	

B5LT

DOOR CYLINDER WITH CONVENTIONAL KEY



OPERATION AND USE

- Main entrance doors, apartment doors

TECHNOLOGY

- Manufactured according to EIN EN 1303, ISO 9001:2008
- Cylinder made of Titalium special aluminium
- Paracentric keyway for better picking resistance
- 5-pin cylinder
- Incl. three keys



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
B5LT 10/35 vs.	87028 6	0651	Half cylinder	Lacquered Titalium		10	
B5LT 28/34 vs.	87042 2	0651	Double cylinder	Lacquered Titalium		10	
B5LT 30/30 vs.	87066 8	0651	Double cylinder	Lacquered Titalium		10	
B5LT 30/35 vs.	87073 6	0651	Double cylinder	Lacquered Titalium		10	
B5LT 30/45 vs.	87097 2	0651	Double cylinder	Lacquered Titalium		10	
B5LT 30/50 vs.	87103 0	0651	Double cylinder	Lacquered Titalium		10	
B5LT 35/35 vs.	87127 6	0651	Double cylinder	Lacquered Titalium		10	
B5LT 35/40 vs.	87141 2	0651	Double cylinder	Lacquered Titalium		10	
B5LT 35/45 vs.	87158 0	0651	Double cylinder	Lacquered Titalium		10	
B5LT 35/50 vs.	87165 8	0651	Double cylinder	Lacquered Titalium		10	
B5LT 40/40 vs.	87189 4	0651	Double cylinder	Lacquered Titalium		10	
B5LT 40/45 vs.	87196 2	0651	Double cylinder	Lacquered Titalium		10	
B5LT 40/50 vs.	87202 0	0651	Double cylinder	Lacquered Titalium		10	
B5LT 45/45 vs.	87219 8	0651	Double cylinder	Lacquered Titalium		10	



DOOR SECURITY

MULTI-POINT DOOR LOCK



TSS550
Page 134

RIM LOCKS



2130
Page 135

2110
Page 136

DOOR HINGE LOCKS



TAS112
Page 137



TAS102
Page 138



TAS82
Page 138

DOOR CHAINS



SK99
Page 139



SK89
Page 139



SK79
Page 140



SK78
Page 140



SK66
Page 141



SK69
Page 141

DOOR VIEWERS



1200
Page 142

DOOR CLOSERS



DC10223
Page 144



DC13023
Page 144



2603
Page 145



AC4100
Page 145

MORTICE LOCKS



ESHT PZ Round
Page 146



ESHT PZ Square
Page 146



ES TGL PZ
Page 147



TK40
Page 147



EFS65
Page 148




ES WC Round
Page 148



ES WC Square
Page 149

TSS550

MULTI-POINT DOOR LOCK




OPERATION AND USE

- To make the lockable sides of front doors more secure (tip: add separate locks to the hinges!)
- Solution for doors with ornamental battens and/or cassettes in historic buildings
- Key operation from inside and outside
- Full-height door lock
- Standard finish for door heights up to 2.75 m
- For door leaf thicknesses ranging from 33 to 104 mm

TECHNOLOGY

- VdS-approved in conjunction with VdS Class A or better door cylinder
- Proven cavity catch bolt technology with hardened saw-proof plugs
- Including sturdy outer rosette with pull-guard and bars
- Universal DIN R / L usability
- Individually adjustable bar length
- 28 mm shoot bolt
- Solid metal housing
- DIN tested





Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
TSS550 S EK with EC550	00212 0	0908	incl. Bar set S 135/135 cm	silver	10	1	
TSS550 S EK (without cylinder)	00215 1	0908	incl. Bar set S 135/135 cm	silver	10	1	
TSS550 B with EC550	00286 1	0908	incl. Bar set B 135/135 cm	brown	10	1	
TSS550 B (without cylinder)	00290 8	0908	incl. Bar set B 135/135 cm	brown	10	1	
TSS550 W EK with EC550	00222 9	0908	incl. Bar set W 135/135 cm	white	10	1	
TSS550 W EK (without cylinder)	00223 6	0908	incl. Bar set W 135/135 cm	white	10	1	
TSS550 WS EK with EC550	00234 2	0908	incl. Bar set W 135/135 cm	white/ outside silver	10	1	
TSS550 WS EK (without cylinder)	00235 9	0908	incl. Bar set W 135/135 cm	white/ outside silver	10	1	
Lock casing TSS550 W	55523 7	0908	for rebated doors	white	10	1	
Lock casing TSS550 S	55525 1	0908	for rebated doors	silver	10	1	
BHS550 Ground socket	59071 9	0908		silver	10	1	
Bar set 2,0m / 2,0m W	59072 6	0908	for door heights from 2,75 m	white	10	1	
Bar set 1,35 m/1,35 m B	50623 9	0908		brown		1	
Bar set 1,35 m/1,35 m S	08377 8	0908		silver		1	
Bar set 1,35 m/1,35 m W	08376 1	0908		white		1	
External escutcheon brown	03465 7	0908		brown		1	
External escutcheon white	19482 5	0908		white		1	
External escutcheon Stainless steel look	19485 6	0908		Stainless steel look		1	
External escutcheon Brass look	19484 9	0908		brass		1	

VARIANTS TSS550

TSS550	for door thickness in mm	Cylinder length in mm	Screw length straight fitting in mm
TSS550	33-43	30/60	M8 x 40
TSS550	43-53	30/70	M8 x 50
TSS550	53-63	30/80	M8 x 60
TSS550	63-73	30/90	M8 x 70
TSS550	73-83	30/100	M8 x 80
TSS550	83-93	30/110	M8 x 90
TSS550	93-103	30/120	M8 x 100

2130

DOOR RIM LOCK WITH DOOR GUARD



2130 B

2130 S

OPERATION AND USE

- For entrance doors to secure the locking side
- Operated with a key on the outside and a knob on the inside
- Adjustable to DIN left and right doors

TECHNOLOGY



- Secure mounting
- Stable door guard for partial opening of the door
- Precision 5-pin-tumbler cylinder
- Locks with two turns
- With knob on the inside
- Incl. two keys



Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
	4003318						
2130 B CL/DFNLI	56034 7	0908	with door guard and turning knob	brown	6	1	
2130 S CL/DFNLI	56036 1	0908	with door guard and turning knob	silver	6	1	
2130 W CL/DFNLI	56035 4	0908	with door guard and turning knob	white	6	1	

2110

ELEGANT DOOR RIM LOCK



2110 B

2110 S

OPERATION AND USE

- For entrance doors to secure the locking side
- Operated with a key on the outside and a knob on the inside
- Adjustable to DIN left and right doors

TECHNOLOGY


- Secure mounting
- Locks with two turns
- Precision 5-pin-tumbler cylinder
- With knob on the inside
- Incl. two keys



Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
	4003318						
2110 B CL/DFNLI	78777 5	0908	Without door guard / inside turning knob / outside cylinder	brown	5	1	
2110 S CL/DFNLI	79112 3	0908	Without door guard / inside turning knob / outside cylinder	silver	5	1	
2110 W CL/DFNLI	78778 2	0908	Without door guard / inside turning knob / outside cylinder	white	5	1	

TAS112

SOLID PROTECTION FOR THE HINGE SIDE OF DOORS



TAS112 B



OPERATION AND USE

- For main entrance doors and flat entrance doors
- Can also be used on windows and patio doors with turning sash
- Device is always engaged automatically

TECHNOLOGY




- VdS and DIN certified
- Resists more than one ton load
- Special claw bolts
- For rebates of 0-30 mm
- Door can be opened 90° max.
- Drill template included
- Drill template included



Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
	4003318						
TAS112 B EK	26115 2	0909		brown	10	1	
TAS112 W EK	26116 9	0909		white	10	1	

TAS102

PROTECTION FOR THE HINGE SIDE OF DOORS



OPERATION AND USE

- For main entrance doors and apartment doors
- Device automatically engaged
- Device automatically engaged

TECHNOLOGY



- Covered, in closed position invisible installation
- Two solid steel bolts with claw bolts
- Firmly fixed with door and frame



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
TAS102 EK	24535 0	0909		stainless steel	6	1	

TAS82

PROTECTION FOR THE HINGE SIDE OF DOORS



OPERATION AND USE

- The „invisible“ protection for wooden doors
- Easy to fit into the door blade and frame
- Always supplied and fitted in pairs

TECHNOLOGY


- Automatic function
- Always supplied and fitted in pairs



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
TAS82 CL/DFNLI	00624 1	0909	Twin pack	nickel-plated	3	6	

SK99

LOCKABLE DOOR FITTING CHAIN



OPERATION AND USE

- For main entrance doors and apartment doors
- Also for doors with glass panels, narrow aluminium or PVC frames
- Internal and external locking
- The securing ring is hung over the door handle

TECHNOLOGY


- Hardened chain
- Child-proof safety catch: only a key will operate the lock
- No need to drill panel or even frame
- High quality, rotating precision pin tumbler cylinder
- Integrated chain support
- Visible chain length: 26.5 cm



Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
SK99 S CL/DFNLI	4003318 83604 6	0909		silver	5	3	

SK89

DOOR FITTING CHAIN



OPERATION AND USE

- For main entrance doors and apartment doors
- The securing ring is hung over the door handle

TECHNOLOGY


- No need to drill panel or even frame
- Hardened chain
- Integrated chain support
- Visible chain length: 27 cm



Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
SK89 S CL/DFNLI	4003318 78747 8	0909		silver	5	3	

SK79

LOCKABLE DOOR CHAIN



SK79 S

OPERATION AND USE

- Main entrance doors and flat entrance doors
- A high security Door Chain, specially designed for doors with glass panels, narrow aluminium or PVC frames
- Internal and external locking

TECHNOLOGY


- Hardened chain
- Child-proof safety catch: Only a key will operate the lock
- Rotating quality 4-pin tumbler cylinder
- Visible chain length: 15 cm
- Incl. two keys
- Easy to use



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
SK79 S CL/DFNLI	83599 5	0909		silver	6	3	
SK79 W CL/DFNLI	83600 8	0909		white	6	3	

SK78

LOCKABLE DOOR CHAIN



SK78 B

SK78 S

OPERATION AND USE

- Main entrance doors and flat entrance doors
- A secure Door Chain which, when the door is opened with the chain in position, can be unlocked from the outside.

TECHNOLOGY

- Hardened chain
- Child-proof safety catch: The built-in spring within the slide rail prevents accidental opening by children
- Quality 4-pin tumbler cylinder
- Visible chain length: 15.5 cm
- Incl. two keys
- Rotating cylinder ensures easy operation



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
SK78 B CL/DFNLI	83601 5	0909		brown	6	3	
SK78 S CL/DFNLI	83602 2	0909		silver	6	3	
SK78 W CL/DFNLI	83603 9	0909		white	6	3	

SK66


ELEGANT DOOR CHAIN

OPERATION AND USE

- Main entrance doors and flat entrance doors

TECHNOLOGY

- Hardened chain
- Childproof lock: the bar is equipped with a spring-loaded lock
- Chain support prevents damage to paintwork



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
SK66 N CL/DFNLI	01357 7	0909		nickel-plated	4	3	
SK66 M CL/DFNLI	83606 0	0909		brass colored	4	3	
SK66 B CL/DFNLI	83605 3	0909		brown	4	3	
SK66 W CL/DFNLI	83607 7	0909		white	4	3	
SK66 N B/PLCZHRUS	32431 4	0909		nickel-plated	4	3	

SK69


TRADITIONAL DOOR CHAIN

OPERATION AND USE

- For main entrance doors and apartment doors

TECHNOLOGY


- Welded steel chain
- Childproof lock: spring-loaded bolt
- Integrated chain support



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
SK69 N CL/DFNLI	83609 1	0909		nickel-plated	2	3	
SK69 M B/DFNLI	01386 7	0909		brass colored	2	3	

1200

DOOR VIEWER



OPERATION AND USE

- For house entrance doors and flat entrance doors
- Easy to look through

TECHNOLOGY

- Wide angle lens: approx. 160°
- Adjustable, for door thicknesses between 35 - 59 mm
- Brass casing
- Easy to fit
- Plastic lens



1200 G



Ref. No.	EAN 4003318	Family	Ø mm	Variants	Finish	Level	PU	Gross Price €
1200 G CL/DFNLI	31581 7	09	27		brass colored	3	10	
1200 S CL/DFNLI	32906 7	09	27		nickel-plated	3	10	

ABUS DOOR CLOSERS IN COMPARISON

	DC10223	DC13023	2603	AC4100
For use on	Room doors, Light apartment entrance doors	Front doors, Apartment entrance doors	Light room doors	Light room doors
Max. door width	up to 950 mm	up to 1.100 mm	-	-
Adjustable closing force	yes	yes	yes	-
EN power size	2, 3	2-3 (EN 4 < 105°)	-	-
Adjustable closing speed	yes	yes	-	yes
Suitable for fire doors	-	yes	-	-
Hydraulic opening Buffer	-	-	-	-
Mounting plate	-	optional 77170 5	-	-
Slide arm	-	optional (76690 9)	-	-
Hold Open (arm)	-	optional (77175 0)	-	-
Colour	Silver	Silver	Silver, White	Silver, White

DC10223

DOOR CLOSER



OPERATION AND USE

- For room doors up to 60 kg


TECHNOLOGY

- Suitable for a door weight of 40 up to 60 kg
- Max. door width 850 up to 950 mm
- Adjustable closing speeds
- EN power size 2 - 3

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
DC10223 S PLCZHRO	83314 4		fixed closing size EN 2,3 ; max. 60 kg	silver	1	

DC13023

DOOR CLOSER



OPERATION AND USE

- For office doors and front doors to flats and entrance doors
- Suitable for fire protection doors


TECHNOLOGY

- Suitable for a door weight of 40 up to 80 kg
- Max. door width 850 up to 1100 mm
- Adjustable closing speeds
- EN power size 2 - 4 (< 105°)
- Certified according to EN 1154 and EN 1634
- Fixing arm optionally available

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
DC13023 S PLCZHRO	83315 1		fixed closing size 3, sliding rail, up to 60 kg	silver	1	

2603

DOOR CLOSER



OPERATION AND USE

- For light interior doors
- Suitable for a door weight of up to maximum 20 kg
- Can be used DIN R / DIN L
- Stops draught and saves heating costs
- Only fits on rebated doors



TECHNOLOGY

- Closing speed adjustable in 3 steps
- Can be taken off anytime
- No drilling, no screwing
- For rebates up to 16 mm

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
2603 S CL/DFNLIESPP	44182 0	15	Closing force adjustable in 3 levels	silver	5	
2603 W CL/DFNLIESPP	46891 9	15	Closing force adjustable in 3 levels	white	5	

AC4100

DOOR CLOSER



OPERATION AND USE

- For lightweight room doors up to 40 kg

TECHNOLOGY

- Suitable for a door weight of up to maximum 40 kg
- Can be used DIN left and DIN right
- Easy assembly without drilling





Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
AC4100 S B/DEFSPNL	73345 1	1500	adjustable closing force, max. 40 kg	silver	1	
AC4100 W B/ DEFSPNL	73344 4	1500	adjustable closing force, max. 40 kg	white	1	

ESHT PZ ROUND FOREND

NEW

MORTISE LOCK FOR FRONT DOORS



OPERATION AND USE

- Mortise lock for front doors

TECHNOLOGY



- Load and durability correspond to DIN class 3
- Steel wing nut (10 mm), made of steel, zinc-coated
- Latch and bolt made of metal, nickel plated
- Distance measure 92 mm
- Backset 65 mm
- Forend 20 x 280 mm (round)
- Lock case 184 x 98 mm
- Lock case closed on all sides, zinc-coated
- When the door is pulled shut, only the latch will be engaged
Latch throw 10 mm
- The bolt will be locked when the door is closed
Bolt throw 10/20 mm (two turns)
- Available in DIN left and DIN right version

Ref. No.	EAN 4003318	Family	Distance measure mm	Forend mm	Backset mm	Nut mm	Colour	Level	PU	Packaging	Gross Price €
ESHT PZ L G 65 92 20	61735 5	1801	92	20	65	10	gold	8	3	bulk packed, with EAN code	
ESHT PZ R G 65 92 20	61736 2	1801	92	20	65	10	gold	8	3	bulk packed, with EAN code	
ESHT PZ L G 65 92 20	61733 1	1801	92	20	65	10	gold	8	1	retail box	
ESHT PZ R G 65 92 20	61811 6	1801	92	20	65	10	gold	8	1	retail box	
ESHT PZ L S 65 92 20	61737 9	1801	92	20	65	10	silver	8	3	bulk packed, with EAN code	
ESHT PZ R S 65 92 20	61742 3	1801	92	20	65	10	silver	8	3	bulk packed, with EAN code	
ESHT PZ L S 65 92 20	61812 3	1801	92	20	65	10	silver	8	1	retail box	
ESHT PZ R S 65 92 20	61734 8	1801	92	20	65	10	silver	8	1	retail box	

ESHT PZ SQUARE FOREND

NEW

MORTISE LOCK FOR FRONT DOORS



OPERATION AND USE



- Mortise lock for front doors

TECHNOLOGY

- Also suitable for use on non-rebated doors
- Load and durability correspond to DIN class 3
- Steel wing nut (10mm), made of steel, zinc-coated
- Latch and bolt made of metal, nickel plated
- Distance measure 92mm
- Backset 65mm
- Forend 24 x 280mm (square)
- Lock case 184 x 98mm
- Lock case closed on all sides, zinc-coated
- When the door is pulled shut, only the latch will be engaged
Latch throw 10mm
- The bolt will be locked when the door is closed
Bolt throw 10/20mm (two turns)
- Available in DIN left and DIN right version

Ref. No.	EAN 4003318	Family	Distance measure mm	Forend mm	Backset mm	Nut mm	Colour	Level	PU	Packaging	Gross Price €
ESHT PZ L S 65 92 24	61743 0	1801	92	24	65	10	silver	8	3	bulk packed, with EAN code	
ESHT PZ R S 65 92 24	61744 7	1801	92	24	65	10	silver	8	3	bulk packed, with EAN code	

MORTISE LOCK FOR FLAT ENTRANCE DOORS



OPERATION AND USE

- Mortise lock for flat entrance doors



TECHNOLOGY

- Conforms with TGL Standard (formerly DDR Norm)
- Steel wing nut (8 mm), in high-quality plastic bearing shells
- Latch and bolt made of metal, nickel plated
- Distance measure 72 mm
- Backset 55 mm
- Forend 18 x 220 mm (round)
- Lock case 160 x 83 mm
- Lock case closed on all sides, zinc-coated
- When the door is pulled shut, only the latch will be engaged Latch throw 11mm
- The bolt will be locked when the door is closed Bolt throw 10/20mm (two turns)
- Available in DIN left and DIN right version

Ref. No.	EAN 4003318	Family	Distance measure mm	Forend mm	Backset mm	Nut mm	Colour	Level	PU	Packaging	Gross Price €
ES TGL PZ L G 55 72	61732 4	1801	72	18	55	8	gold	7	6	bulk packed, with EAN code	
ES TGL PZ R G 55 72	61731 7	1801	72	18	55	8	gold	7	6	bulk packed, with EAN code	
ES TGL PZ L G 55 72	61724 9	1801	72	18	55	8	gold	7	1	retail box	
ES TGL PZ R G 55 72	61723 2	1801	72	18	55	8	gold	7	1	retail box	

TKZ40

AUTOM. LOCKING MORTISE LOCK FOR FLAT ENTRANCE DOORS



OPERATION AND USE

- Mortise lock for flat entrance doors, automatically locking



TECHNOLOGY

- Nut (8mm) made of metal
- Latch made of brass (nickel plated)
- Bolt made of metal in sandwich design
- Distance measure 72mm
- Backset 55mm
- Forend made of stainless steel 20 x 235mm (round), also available in 24 x 235mm (round)
- Lock case 155 x 85mm
- Lock case closed on all sides, zinc-coated
- When the door is pulled shut, only the latch will be engaged Latch throw 11mm
- Self locking
- When the door is closed, the bolt will be locked with two turns by means of the auxiliary latch (21.5mm)
- Anti-panic function
- The locked door can be opened from the inside by engaging the door lever
- For standard door cylinder (no freewheel function required)
- Suitable for DIN left and DIN right thanks to rotatable latch and forend

Ref. No.	EAN 4003318	Family	Distance measure mm	Forend mm	Backset mm	Nut mm	Colour	Level	PU	Packaging	Gross Price €
TKZ40/20 R/L ER PZ	45551 3	18	72	20	55	8	Stain- less steel	9	3	cuff	
TKZ40/24 R/L ER PZ	04136 5	18	72	24	55	8	Stain- less steel	9	3	cuff	

EFS65

MORTISE LOCK FOR FIRE DOORS



OPERATION AND USE

- Mortise lock for fire doors
- According to DIN 12209:2004 for fire and/or smoke protection doors
- MPA-tested and approved

TECHNOLOGY



- Nut (9 mm) made of metal
- Latch made of metal, zinc-coated
- Double bolt made of metal, zinc-coated
- Distance measure 72 mm
- Backset 65 mm
- Forend 24 x 235 mm (round), zinc-coated
- Lock case 186 x 84.5 mm
- Lock case closed on all sides, zinc-coated
- When the door is pulled shut, only the latch will be engaged
Latch throw 12.5 mm
- The bolt will be locked when the door is closed
Bolt throw 14.5 mm
- Suitable for DIN left and DIN right

Ref. No.	EAN 4003318	Family	Distance measure mm	Forend mm	Backset mm	Nut mm	Colour	Level	PU	Packaging	Gross Price €
EFS65	21511 7	18	72	24	65	9	zinc-coated	6	3	cuff	
EFS65	88981 3	18	72	24	65	9	zinc-coated	6	3	bulk packed, with EAN code	

ES WC ROUND FOREND

NEW

MORTISE LOCK FOR WC DOORS



OPERATION AND USE



- Mortise lock for WC doors

TECHNOLOGY

- According to DIN 18251-1, class 1
- Integrated lock bag reinforcement stabilises the lock bag
- Nut (8 mm) made of high-quality polyamide
- Latch and bolt made of PVC
- Distance measure 78 mm
- Backset 55 mm
- Forend 20 x 235 mm (round)
- Lock case 145 x 80 mm
- Lock case closed on all sides, zinc-coated
- When the door is pulled shut, only the latch will be engaged
Latch throw 10 mm
- The bolt will be locked when the door is closed
Bolt throw 10 mm
- Available in DIN left and DIN right version

Ref. No.	EAN 4003318	Family	Distance measure mm	Forend mm	Backset mm	Nut mm	Colour	Level	PU	Packaging	Gross Price €
ES WC L G 55 78 20	61773 7	1801	78	20	55	8	gold	3	6	bulk packed, with EAN code	
ES WC R G 55 78 20	61779 9	1801	78	20	55	8	gold	3	6	bulk packed, with EAN code	
ES WC L G 55 78 20	61769 0	1801	78	20	55	8	gold	3	1	retail box	
ES WC R G 55 78 20	61771 3	1801	78	20	55	8	gold	3	1	retail box	
ES WC L S 55 78 20	61778 2	1801	78	20	55	8	silver	3	6	bulk packed, with EAN code	
ES WC R S 55 78 20	61780 5	1801	78	20	55	8	silver	3	6	bulk packed, with EAN code	
ES WC L S 55 78 20	61770 6	1801	78	20	55	8	silver	3	1	retail box	
ES WC R S 55 78 20	61772 0	1801	78	20	55	8	silver	3	1	retail box	

MORTISE LOCK FOR WC DOORS



OPERATION AND USE

- Mortise lock for WC doors

TECHNOLOGY

- According to DIN 18251-1, class 2
- Also suitable for use on non-rebated doors
- Integrated lock bag reinforcement stabilises the lock bag
- Nut (8 mm) made of high-quality polyamide
- Latch and bolt made of metal, nickel plated
- Distance measure 78 mm
- Backset 55 mm
- Forend 24 x 235 mm (square)
- Lock case 144 x 84mm
- Lock case closed on all sides, zinc-coated
- When the door is pulled shut, only the latch will be engaged
- Latch throw 10 mm
- The bolt will be locked when the door is closed
- Bolt throw 10 mm
- Available in DIN left and DIN right version

Ref. No.	EAN 4003318	Family	Distance measure mm	Forend mm	Backset mm	Nut mm	Colour	Level	PU	Packaging	Gross Price €
ES WC L S 55 78 24	61781 2	1801	78	24	55	8	silver	4	6	bulk packed, with EAN code	
ES WC R S 55 78 24	61782 9	1801	78	24	55	8	silver	4	6	bulk packed, with EAN code	
ES WC L S 55 78 24	61767 6	1801	78	24	55	8	silver	4	1	retail box	
ES WC R S 55 78 24	61768 3	1801	78	24	55	8	silver	4	1	retail box	



MULTIPLE POINT WINDOW LOCK



F0S550
Page 152

WINDOW LOCKS



F0500N
Page 153



F0400A
Page 154



F0400N
Page 155



FTS206
Page 156



FTS96
Page 157



FTS88
Page 158



FTS3002
Page 159



FTS3003
Page 160



3010
Page 161



SW20
Page 162



SW10
Page 162



SW2
Page 163



SW1
Page 163

WINDOW HINGE LOCKS



FAS101
Page 164



FAS97
Page 165

FOS550

MULTIPLE POINT WINDOW LOCK WITH ALARME



OPERATION AND USE

- Two-point locking for inward opening windows and patio doors
- Modular construction system up to 3.10 m, if handle is centred on the frame
- Also for double windows with or without a rebate, with 7 mm square bolt
- Dead bolting with quality push-button cylinder
- Unlocking with the key only necessary after dead bolting
- Can be supplied keyed alike with a variety of other ABUS products
- Suitable for all surface materials, such as wood, PVC and aluminium
- Universal DIN-right and DIN-left mounting

TECHNOLOGY

- VdS and DIN-certified
- Resists more than one ton static load per securing point
- Two locking points (top and bottom)
- The system and the window is locked by the window handle
- Appropriate bar sets have to be ordered separately
- Incl. two keys



FOS550 B



FOS550 S



BH550



Drill template FOS550



6N001





N 2007 207

Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
FOS550 B EK	11922 4	0903		brown	10	1	
FOS550 W EK	11911 8	0903		white	10	1	
FOS550 S EK	71241 8	0903		silver	10	1	
Bar set FOS550 1B	12027 5	0903	0,75/0,75m	brown	10	1	
Bar set FOS550 2B	12028 2	0903	0,75/1,18m	brown	10	1	
Bar set FOS550 3B	12029 9	0903	1,18/1,18m	brown	10	1	
Bar set FOS550 4B	12630 7	0903	1,50/1,50m	brown	10	1	
Bar set FOS550 1W	12024 4	0903	0,75/0,75m	white	10	1	
Bar set FOS550 2W	12025 1	0903	0,75/1,18m	white	10	1	
Bar set FOS550 3W	12026 8	0903	1,18/1,18m	white	10	1	
Bar set FOS550 4W	12629 1	0903	1,50/1,50m	white	10	1	
Bar set FOS550/650 1S	71243 2	0903	0,75/0,75m	silver	10	1	
Bar set FOS550/650 2S	71244 9	0903	0,75/1,18m	silver	10	1	
Bar set FOS550/650 3S	71245 6	0903	1,18/1,18m	silver	10	1	
Bar set FOS550/650 4S	71246 3	0903	1,50/1,50m	silver	10	1	
BSB550	12647 5	0903	Floor strike plate			1	
DSB550 B	20212 4	0903	Double strike plate	brown		1	
DSB550 W	20211 7	0903	Double strike plate	white		1	
DSB550/650 S	71242 5	0903	Double strike plate	silver		1	
BH550 Ground socket FOS/FSA	81040 4	0903				1	
Drill template FOS550	12649 9	08				1	

F0500N

SECURE LOCKABLE WINDOW HANDLE



OPERATION AND USE

- Sturdy additional window lock in place of window handle for inward opening windows
- Lock and window closed via the handle
- Total locking provided by pressure cylinder
- Key only required for opening after total locking
- Available as keyed alike with other ABUS window locks
- Suitable for all surface materials, such as wood, PVC and aluminium

TECHNOLOGY

- VdS and DIN-certified
- Resists more than one ton load
- Claw bolt
- Hardened guard: protects in both tilt and closed position
- Solid wall anchor: fixings included
- Incl. two keys
- Backset 30 mm



F0550N B



Drill template
F0500



6N012



N 2007 207



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
F0500N B AL0089	71322 4	0903		brown	10	1	
F0500N B AL0125	71323 1	0903		brown	10	1	
F0500N B AL0145	71324 8	0903		brown	10	1	
F0500N B AAL0006	71320 0	0903		brown	10	1	
F0500N B AAL0054	71321 7	0903		brown	10	1	
F0500N W AL0089	71328 6	0903		white	10	1	
F0500N W AL0125	71329 3	0903		white	10	1	
F0500N W AL0145	71330 9	0903		white	10	1	
F0500N W AAL0006	71326 2	0903		white	10	1	
F0500N W AAL0054	71327 9	0903		white	10	1	
Drill template F0500	08225 2	08				1	

F0400A

WINDOW HANDLE LOCK WITH ALARM



OPERATION AND USE

- Solid window lock for inward opening windows up to 1 m height to replace the window handle
- Electronic monitoring of windows
- Locking of the device and the window with the handle
- Complete locking with the push-button cylinder
- After complete locking unlocking with the key
- Can be used DIN L and DIN R

TECHNOLOGY

- VdS and DIN-certified (applies to mechanical part F0400A)
- Steel claw bolts, universal application due to adjustable bolt
- Resists more than 1 ton load
- 110 dBA loud (+/- 2 dBA)
- Standard alkaline batteries (AA), replaceable, battery life of up to two years
- 3D magnetic-field sensor technology - automatically calibrates on each activation.
- Adjustable backset 30 - 37 mm



F0400A B



Drill template F0400N





GBM 7300



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
F0400A B AL0089	33274 6	0903		brown		1	
F0400A B AL0125	33275 3	0903		brown		1	
F0400A B AL0145	33276 0	0903		brown		1	
F0400A W AL0089	33269 2	0903		white		1	
F0400A W AL0125	33270 8	0903		white		1	
F0400A W AL0145	33271 5	0903		white		1	
F0400A S AL0089	79719 4	0903		silver		1	
F0400A S AL0125	79720 0	0903		silver		1	
F0400A S AL0145	79721 7	0903		silver		1	
F0400A NRS	70646 2	0903	Equipment kit F0400N			1	
GBM7300 B SB	56986 9	2009		brown		1	
GBM7300 W SB	56985 2	2009		white		1	
Drill template F0400N	72194 6	08				1	

F0400N

WINDOW HANDLE LOCK



OPERATION AND USE

- Solid window lock for inward opening windows up to 1 m height to replace the window handle
- Locking of the device and the window with the handle
- Complete locking with push-button cylinder
- After complete locking unlocking with the key
- Can be used DIN L and DIN R
- Suitable for all surface materials, such as wood, PVC and aluminium

TECHNOLOGY

- Vds, DIN and SKG-certified
- Steel claw bolts, universal application due to adjustable bolt
- Resists more than 1 ton load
- Backset adjustable from 30 to 37 mm



F0400N B



F0400N S



Drill template
F0400N



6N009





N 2007 207



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
F0400N B EK	37183 7	0903		brown	10	1	
F0400N B AAL0006	38821 7	0903		brown	10	1	
F0400N B AAL0054	16505 4	0903		brown	10	1	
F0400N B AL0089	37189 9	0903		brown	10	1	
F0400N B AL0125	37187 5	0903		brown	10	1	
F0400N B AL0145	37188 2	0903		brown	10	1	
F0400N B CL/DFNLI	37186 8	0903		brown	10	1	
F0400N W EK	36771 7	0903		white	10	1	
F0400N W AAL0006	38823 1	0903		white	10	1	
F0400N W AAL0054	16507 8	0903		white	10	1	
F0400N W AL0089	37180 6	0903		white	10	1	
F0400N W AL0125	36983 4	0903		white	10	1	
F0400N W AL0145	37158 5	0903		white	10	1	
F0400N W CL/DFNLI	36980 3	0903		white	10	1	
F0400N S AAL0006	38822 4	0903		silver	10	1	
F0400N S AAL0054	16506 1	0903		silver	10	1	
F0400N S AL0089	37193 6	0903		silver	10	1	
F0400N S AL0125	37194 3	0903		silver	10	1	
F0400N S AL0145	37195 0	0903		silver	10	1	
Drill template F0400N	72194 6	08				1	

FTS206

ELEGANT WINDOW LOCK



OPERATION AND USE

- For inward opening windows and patio doors
- Device and window are locked with the securing bolt
- Locks with 2 turns, First turn: slightly press in the bolt = locking function (protection of the persons inside), Second turn: press in the bolt completely = dead bolted
- Opening the device from the dead bolted position with the key
- Can be supplied keyed alike with a variety of other ABUS products
- Suitable for all surface materials, such as wood, PVC and aluminium

TECHNOLOGY

- Tested by independent Test Institutes
- More than 1 ton pressure resistance
- For rebates 0 - 25 mm
- "Open/closed" position visible
- Incl. two keys
- Drilling template FTS206 should only be used in conjunction with drilling template FAS101



FTS206 B





Drill template FTS206



Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
	4003318						
FTS206 B EK	37395 4	0903		brown	10	1	
FTS206 W EK	37401 2	0903		white	10	1	
Drill template FTS206	37710 5	08				1	

FTS96

STABLE WINDOW LOCK



OPERATION AND USE

- Suitable for all inward opening windows and patio doors
- Ideal for wooden windows
- Just for unlocking a key is needed
- Can be supplied keyed alike with a variety of other ABUS products
- Particularly suitable for wooden windows

TECHNOLOGY

- VdS, DIN and SKG-certified
- Resists more than one ton load
- Solid body and steel double bolts
- Open/closed position visible
- Incl. two keys



FTS96 B





Drill template
FTS96



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
FTS96 B EK	11197 6	0903		brown	10	1	
FTS96 W EK	11209 6	0903		white	10	1	
FTS96 B B/SB	11196 9	0903		brown	10	1	
FTS96 W B/SB	11208 9	0903		white	10	1	
Drill template FTS96/FTS106	11367 3	08				1	

FTS88

STABLE WINDOW LOCK



OPERATION AND USE

- Suitable for use on most types of conventional, tilt and turn, inward opening or sliding windows and doors
- Suitable for plastic and metal windows
- Lock and unlock with the key
- Can be supplied keyed alike with a variety of other ABUS products

TECHNOLOGY

- VdS and DIN-certified
- Resists more than one ton load
- Solid steel bolt with the ABUS typical claw bolts
- Sturdy lock case
- Universal range of use
- Incl. two keys
- Ideally suited for tight installation spaces



FTS88 B



Drill template
FTS88



N 2007 207



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
FTS88 B EK	10754 2	0903		brown	9	1	
FTS88 W EK	10753 5	0903		white	9	1	
FTS88 W B/EFSP	52841 5	0903		white	9	2	
Drill template FTS88	10285 1	08				1	

FTS3002

WINDOW LOCK FOR OUTWARD OPENING WINDOWS AND PATIO DOORS

OPERATION AND USE

- For outward opening windows, patio doors and sliding windows
- Lock without a key, open with a key
- Lock is available keyed alike with a variety of other ABUS products
- Suitable for all surface materials, such as wood, PVC and aluminium

TECHNOLOGY

- Sturdy steel bolt lock
- Inner mechanism made from hardened steel
- Top quality 4-pin cylinder
- Incl. two keys
- SKG-certified
- Simple installation
- Covered screws



FTS3002 B

FTS3002 S



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
FTS3002 B AL0125	31726 2	0903		brown	5	6	
FTS3002 B AL0145	31729 3	0903		brown	5	6	
FTS3002 W vs. EK	26801 4	0903		white	5	6	
FTS3002 W AL0125	31727 9	0903		white	5	6	
FTS3002 W AL0145	31730 9	0903		white	5	6	
FTS3002 S AL0125	31728 6	0903		silver	5	6	
FTS3002 S EE0025	28321 5	0903		silver	5	6	

FTS3003


WINDOW LOCK FOR INWARD OPENING WINDOWS AND PATIO DOORS

OPERATION AND USE

- Suitable for inward opening windows and patio doors
- Lock without a key, open with a key
- Can be supplied keyed alike with a variety of other ABUS products
- Suitable for all surface materials, such as wood, PVC and aluminium

TECHNOLOGY

- Sturdy steel bolt lock
- Inner mechanism made from hardened steel
- Top quality 4-pin cylinder
- Incl. two keys
- Simple installation
- Covered screws



FTS3003 B



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
FTS3003 B EK	28410 6	0903		brown	5	1	
FTS3003 W EK	28409 0	0903		white	5	1	
FTS3003 W C/PLCZHRUS	32421 5	0903		white	5	2	

3010



ADDITIONAL WINDOW LOCK

OPERATION AND USE

- For inward opening windows and patio doors, hatches, trap doors and sheds
- Lock and unlock with the key
- Can be supplied keyed alike with a variety of other ABUS products
- Suitable for all surface materials, such as wood, PVC and aluminium

TECHNOLOGY

- Two sturdy square bolts
- All screws hidden, unreachable for attack
- Easy to fit, inside and outside
- Incl. two keys




3010 B



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
3010 B EK	02930 1	0903		brown	6	1	
3010 B AL0089	37066 3	0903		brown	6	1	
3010 B AL0125	31760 6	0903		brown	6	1	
3010 B AL0145	31762 0	0903		brown	6	1	
3010 W EK	02073 5	0903		white	6	1	
3010 W AL0089	37069 4	0903		white	6	1	
3010 W AL0125	31761 3	0903		white	6	1	
3010 W AL0145	31763 7	0903		white	6	1	

SW20

DOOR AND WINDOW PROTECTION



OPERATION AND USE

- Universal window and door protection
- Self-locking
- The bolt is inserted manually to secure windows and doors
- To open the window or door, the bolt is withdrawn

TECHNOLOGY

- Solid steel bolt
- No drilling of window or door
- Fitting on the space next to window or door only
- Solid fixing and robust construction




SW20 B



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
SW20 B EK	10452 7	0903		brown	4	1	
SW20 W EK	10449 7	0903		white	4	1	

SW10

DOOR AND WINDOW PROTECTION



OPERATION AND USE

- Universal window and door protection
- Self-locking
- The bolt is inserted manually to secure windows and doors
- To open the window or door, the bolt is withdrawn

TECHNOLOGY

- Solid steel bolt
- No drilling of the window / door panel
- Fitting on the frame only
- Solid fixing and robust construction





SW10 B



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
SW10 B EK	10446 6	0903		brown	4	1	
SW10 W EK	10443 5	0903		white	4	1	

SW2

HANDY WINDOW AND DOOR PROTECTION



OPERATION AND USE

- Universal applications
- Self-locking
- The bracket is folded down manually to secure windows and patio doors
- The bracket is folded back up again to open them

TECHNOLOGY

- Solid steel bolt for high protection
- Height: 82 mm
- Fitting on the frame only
- No drilling of window or door panel
- Solid fixing and robust construction





SW2 B



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
SW2 B	32335 5	0903		brown	3	10	
SW2 W	32336 2	0903		white	3	10	

SW1

HANDY WINDOW AND DOOR PROTECTION



OPERATION AND USE

- Universal applications
- Self-locking
- The bracket is folded down manually to secure windows and patio doors
- The bracket is folded back up again to open them

TECHNOLOGY

- Solid steel bolt
- Height: 52 mm
- No drilling of window or door panel
- Fitting on the frame only
- Solid fixing and robust construction




SW1



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
SW1 B	32333 1	0903		brown	3	10	
SW1 W	32334 8	0903		white	3	10	

FAS101

PROTECTION FOR THE HINGE SIDE OF THE WINDOW



OPERATION AND USE

- Suitable for inward opening turn and tilt windows at the hinge side
- Lock secured by pushing in the locking bolt
- Product rotates as the window is opened
- Unlock by tilting without keys
- No key necessary
- Suitable for all surface materials, such as wood, PVC and aluminium

TECHNOLOGY

- VdS and SKG approved, DIN tested
- More than 1 ton pressure resistance
- Needs only small space between window and wall
- Easy operation via simple latching and unlatching
- Open/closed position easily visible
- Covered screws



FAS101 B



FAS101 S




Drill template
FAS101



Ref. No.	EAN	Family	Variants	Finish	Level	PU	Gross Price €
	4003318						
FAS101 B EK	24487 2	0903		brown	10	1	
FAS101 W EK	24490 2	0903		white	10	1	
FAS101 S EK	27952 2	0903		silver	10	1	
Drill template FAS101	24496 4	08				1	

FAS97

AUTOMATIC PROTECTION FOR THE HINGE SIDE OF THE WINDOW



OPERATION AND USE

- Suitable for inward opening turn and tilt windows at the hinge side
- Operation only required before tilting the window, via the frame strip
- Locks automatically when closing the window
- Suitable for all surface materials, such as wood, PVC and aluminium

TECHNOLOGY

- VdS and SKG approved, DIN tested
- Resists more than one ton load
- Convenient handling for tilt/turn handles: unlock by tilting without keys, locks automatically when closing the window
- Covered screws
- Ideal in combination with additional window handle locks



FAS97 B



FAS97 S



Drill template FAS97




6N004

N 2007 207



Ref. No.	EAN 4003318	Family	Variants	Finish	Level	PU	Gross Price €
FAS97 B EK	11780 0	0903		brown	10	1	
FAS97 W EK	11782 4	0903		white	10	1	
FAS97 S EK	72240 0	0903		silver	10	1	
FAS97 B B/5B	11781 7	0903		brown	10	2	
Drill template FAS97	10376 6	08				1	



HOMETEC PRO BLUETOOTH®



CFA3100
Page 168



CFT3100
Page 168



CFF3100
Page 169



CFS3100
Page 169



CFW3100
Page 169

HOMETEC PRO



CFA3000
Page 170



CFF3000
Page 170




CFT3000
Page 171



CSS3000
Page 171

HOMETEC PRO BLUETOOTH® DOOR LOCK DRIVE



CFA3100 S

OPERATION AND USE


- For house and flat entrance doors, offices, service rooms
- Lock / unlock and open the door via app, by entering a code, a finger scan or by pressing a button
- Send access authorisations and restrict to a time period or set as permanent
- Share access permissions
- For installation on the inside of the door
- No special cylinder required – can be integrated into the existing locking system

TECHNOLOGY

- Designed for Euro profile cylinders according to DIN 18252 and DIN EN 1303 with emergency function
- Easy, flexible and wireless installation: clamp, glue or screw
- Fully automated programming of the door lock drive
- Intelligent motor controller
- Maximum security through AES-128-bit encryption and ABUS keycard
- Bluetooth® radio standard
- Power supply by battery (4 x AA batteries included)
- Required:
 - Cylinder with emergency function
 - Cylinder protrusion of 7-12 mm on the inside of the door
 - Bluetooth®-compatible smartphone (Bluetooth® 4.0 LE and higher)
 - Currently supported iOS or Android software version
 - Free ABUS app for iOS or Android

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
HomeTec Pro CFA3100 S	88312 5	20	Bluetooth® door lock drive	silver	1	
HomeTec Pro CFA3100 W	88311 8	20	Bluetooth® door lock drive	white	1	

HOMETEC PRO BLUETOOTH®-KEYPAD



CFT3100 S

OPERATION AND USE

- Lock / unlock and open the door by entering a code
- Enables access authorisations to be granted
- Backlit display with high-quality touch screen
- Straightforward, flexible and cable-free installation

TECHNOLOGY


- Maximum security through AES-128-bit encryption and ABUS keycard
- Bluetooth® radio standard
- Power supply by battery (4 x AA batteries included)
- CFA3100 required
- Compatible with privacy cover CSS3000

Ref. No.	EAN 4003318	Family	Variants	Finish	VE	Gross Price €
HomeTec Pro CFT3100 S	88314 9	20	Bluetooth® keypad	silver	1	
HomeTec Pro CFT3100 W	88313 2	20	Bluetooth® keypad	white	1	

CFF3100

NEW

HOMETEC PRO BLUETOOTH® REMOTE CONTROL



OPERATION AND USE

- Lock / unlock and open the door by pressing a button
- Drive status can be requested
- Control up to two drives at once

TECHNOLOGY


- Maximum security through AES-128-bit encryption and ABUS keycard
- Bluetooth® radio standard
- Power supply by battery (1 x 3V button cell CR2032 included)
- CFA3100 required

Ref. No.	EAN	Family	Variants	Finish	PU	Gross Price €
HomeTec Pro CFF3100 W	88315 6 4003318	20	Bluetooth® remote control	black	1	

CFS3100

NEW

HOMETEC PRO BLUETOOTH® FINGER SCANNER



OPERATION AND USE

- Lock / unlock and open the door with a fingerprint
- Enables access authorisations to be granted
- Cover protects the sensor from weather-related influences
- Straightforward, flexible and cable-free installation

TECHNOLOGY


- Maximum security through AES-128-bit encryption and ABUS keycard
- Bluetooth® radio standard
- Power supply by battery (3 x AA batteries included)
- CFA3100 required

Ref. No.	EAN	Family	Variants	Finish	PU	Gross Price €
HomeTec Pro CFS3100 W	40506 8 4003318	20	Bluetooth® finger scanner	white	1	

CFW3100

NEW

HOMETEC PRO BLUETOOTH® WI-FI BRIDGE



OPERATION AND USE

- Lock / unlock and open the door instantly from a distance via app
- Review access history on the go
- Use personal assistants Amazon Alexa and Google Home


TECHNOLOGY

- Required:
 - CFA3100 Bluetooth® door lock drive
 - IEEE 802.11 b/g/n WiFi network (2,4 GHz)
 - Internet connection
 - Open socket (230V), max. 5 metres from the door lock drive

Ref. No.	EAN	Family	Variants	Finish	PU	Gross Price €
HomeTec Pro CFW3100 W	88316 3 4003318	20	Bluetooth® Wi-Fi Bridge	white	1	

CFA3000

HOMETEC PRO RADIO DOOR LOCK DRIVE



CFA3000 S

OPERATION AND USE

- For house and flat entrance doors, office and service rooms
- Easy to use: lock/unlock and open the door by pressing a button
- For assembling on the internal side of the door

TECHNOLOGY


- No special cylinder required – integration into existing lock system possible
- Designed for Euro profile cylinders according to DIN 18252 and DIN EN 1303 with emergency function
- Easy, flexible and wireless installation: clamp, glue or screw
- Fully automatic programming of the central unit
- Intelligent motor controller
- Maximum security due to AES-128 bit encryption
- Power supply by battery (4 x AA batteries included)
- Cylinder protrusion of 7–12 mm required on the inside of the door



Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
CFA3000 W	10123 6	2011	Radio door lock drive	white	1	
CFA3000 S	10124 3	2011	Radio door lock drive	silver	1	

CFF3000

HOMETEC PRO RADIO REMOTE CONTROL



OPERATION AND USE

- For extended use and additional configuration of the HomeTec Pro central unit
- Maximum user comfort: lock/unlock and open the door at the touch of a button

TECHNOLOGY


- Status query of the central unit possible
- Controlling of up to two HomeTec Pro at the same time possible
- Maximum security due to AES-128 bit encryption
- Power supply by battery (1 x 3V CR2032 button cell battery included)



Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
CFF3000	10127 4	2011	Radio remote control	silver	1	

CFT3000

HOMETEC PRO RADIO KEYPAD



OPERATION AND USE

- For extended use and additional configuration of the HomeTec Pro central unit
- Very easy to use: lock/unlock and open the door by entering a code
- Enables access authorisations to be granted

TECHNOLOGY

- Backlit display with high-quality touch screen
- Easy and wireless installation
- Maximum security due to AES-128 bit encryption
- Power supply by battery (4 x AA batteries included)




CFT3000 S



Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
CFT3000 W	10125 0	2011	Radio keypad	white	1	
CFT3000 S	10126 7	2011	Radio keypad	silver	1	

CSS3000

HOMETEC PRO VISUAL COVER



OPERATION AND USE

- Protection against reading from unauthorized third parties


TECHNOLOGY

- Ensures improved readability of the keypad in strong sunlight
- Protection against weather-related influences (e.g. rain, pollen, dust)
- Easy installation: put on, clip in, done!



CSS3000 S

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
CSS3000 W	73362 8	2011	Visual cover	white	1	
CSS3000 S	73361 1	2011	Visual cover	silver	1	



ELEKTRONIC



JC8650 LILY
Page 176



JC8630 LORI
Page 176



JC8660 JULIE
Page 177



JC4800 ISA
Page 177




JC2100A GRETA
Page 178

CUPBOARD DOORS & DRAWERS



JC1100A DANNI
Page 178



JC1200A JONAS
Page 179



JC4500 MARC
Page 179



JC6602 MIMI
Page 180



JC4100A SINA
Page 180




JC4400 LENNY
Page 181



JC4900 JULIAN
Page 181



JC4200A LIA
Page 182



JC4300A MARA
Page 182



JC5100A NESSA
Page 183

PROTECTION AGAINST BURNS



JC4700 KAY
Page 183



JC4600 NINA
Page 184

OUTSIDE & ON THE GO



JC6416 LARA
Page 184



JC6412 MIKE
Page 185

BED SECURITY



JC9100 ERIC
Page 185



JC1300 JANITA
Page 186

DOORS & WINDOWS



JC6100A LEIF
Page 186



JC6200 LUCA
Page 187



JC5200A MILLIE
Page 187



JC7100 NINO
Page 188

SHOWERING & BATHING



JC8710 KIM
Page 188


STAIR SAFETY



JC6324 ZOE
Page 189



JC9330 FINN
Page 189



JC9210 TIM
Page 190



JC9308 LOU
Page 190



JC9203 HENRY
Page 191

EDGE GUARDS



JC3100A DENNY
Page 191



JC3400A TOBI
Page 192




JC3500 JANNIC
Page 192



JC3624 PETER
Page 193

VARIOUS PRODUCTS



JC1430 NOAH
Page 193



JC8650 LILY

NIGHT LIGHT WITH TEMPERATURE DISPLAY



OPERATION AND USE

- This night light calms your child, additional feature: Room temperature display
- For children's rooms etc.

TECHNOLOGY

- Blue = less than 14 degrees Celsius
- Green = 15 to 20 degrees Celsius
- Orange = 21 to 26 degrees Celsius
- Red = more than 27 degrees Celsius
- Included in the scope of delivery: Micro USB charging cable

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC8650 LILY	73155 6	0321	Night light with temperature display	white	1	

JC8630 LORI

NIGHT LIGHT



OPERATION AND USE

- For reassurance: helps children get their bearings at night
- For children's bedrooms and halls

TECHNOLOGY

- On and off switch on the night-light (slider)
- LED light: 1 x 0,5 watt

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC8630 LORI	73162 4	0320	Night light	white	1	

JC8660 JULIE

LED NIGHT LIGHT



OPERATION AND USE

- For reassurance: helps children get their bearings at night
- For children's bedrooms and halls

TECHNOLOGY

- 1 charging unit with LED light – connects to socket for contactless charging, 1 portable unit with LED emergency light and torch
- Energy saving: Uses 2 x 0.5 watt LEDs, LED colour temperature: 6,500 K
- 5-in-1 functions:
 - Calming night light
 - Torch
 - Emergency light
 - Twilight sensor The light switches on depending on the ambient lighting
 - Motion sensor: Movement switches the light on – motion detection in a 120 degrees angle and approx. 5.5 metre distance

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC8660 JULIE	73163 1	0321	LED night light	white	1	s

JC4800 ISA

TV TILT PROTECTION



OPERATION AND USE

- Prevents flat screens (TV, PC, etc.) from tipping forward

TECHNOLOGY

- Simple installation
- Can be fixed to the wall or a piece of furniture
- Strap length: variable/adjustable
- Included in the scope of delivery: Installation materials

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4800 ISA	73129 7	0320	TV tilt protection	black	1	

JC2100A GRETA

SOCKET PROTECTOR



OPERATION AND USE

- Protects children from electric shocks
- For use at home and when staying elsewhere
- Suitable for Swiss sockets children from electric shocks
- For use at home and when staying elsewhere
- Suitable for Swiss sockets

TECHNOLOGY

- Simple installation – no drilling, gluing or screws required
- Childproof: can only be removed using a special key
- Discreet, unobtrusive design

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC2100A GRETA	76975 7	0320	Socket protector	white	1	

JC1100A DANNI

UNIVERSAL BOLT



OPERATION AND USE

- Locks cupboard doors and drawers, and protects children from, for example, dangerous substances (medicines, cleaning agents) or other household items (scissors, knives etc.)
- For cupboards and chests of drawers

TECHNOLOGY

- The bolt can be opened from both sides using a push button
- Included in the scope of delivery: simple installation thanks to 3M adhesive tabs

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC1100A DANNI	76971 9	0320	Universal bolt	white	1	

JC1200A JONAS

UNIVERSAL BOLT



OPERATION AND USE

- Locks cupboard doors and drawers, and protects children from, for example, dangerous substances (medicines, cleaning agents) or other household items (scissors, knives etc.)
- For cupboards and chests of drawers

TECHNOLOGY

- The bolt can be opened from both sides
- Included in the scope of delivery: simple installation thanks to 3M adhesive tabs

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC1200A JONAS	76965 8	0320	Universal bolt	transparent	1	

JC4500 MARC

MAGNETIC CLOSURE



OPERATION AND USE

- Discreet, invisible lock
- For drawers and cupboards

TECHNOLOGY

- Childproof: can only be opened with the special magnetic key
- Simple installation: stick or screw – no drilling required!
- Up to a wood thickness of 25 millimetres



Magnet



Verriegelung



Verriegelungsplatte

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4500 MARC	73144 0	0320	Magnetic closure	white	1	

JC6602 MIMI

LOCK STRIPE



OPERATION AND USE

- Locks cupboard doors and drawers, and protects children from, for example, dangerous substances (medicines, cleaning agents) or other household items (scissors, knives etc.)
- For drawers and cupboards


TECHNOLOGY

- Velcro fastener

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC6602 MIMI	74227 9	0320	Lock stripe	white	1	

JC4100A SINA

DRAWER LOCK



OPERATION AND USE

- Locks cupboards and drawers, for example, those containing dangerous substances (medicines, cleaning agents and more)
- For drawers and cupboards

TECHNOLOGY

- Discreet, inconspicuous design
- Installation: screw in from the inside. Included in the scope of delivery: screws

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4100A SINA	76973 3	0320	Drawer lock	white	1	

JC4400 LENNY

DRAWER LOCK



OPERATION AND USE

- Clamp protection prevents children's hands from getting caught
- Locks cupboards and drawers, for example, those containing dangerous substances (medicines, cleaning materials and more)
- For drawers and cupboards

TECHNOLOGY

- Installation: Screw in from the inside
- Discreet, inconspicuous design
- Included in the scope of delivery: Screws

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4400 LENNY	73161 7	0320	Drawer lock	white	1	

JC4900 JULIAN

CABINET LOCK WITH FLEXIBLE STRAP



OPERATION AND USE

- Locks cabinets containing, for example, dangerous substances (medicines, cleaning agents etc.)
- Suitable for cabinets with closed knob or bow handles
- For cupboards

TECHNOLOGY

- Simple installation – no drilling, gluing or screws required
- Length individually adjustable

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4900 JULIAN	74228 6	0320	Cabinet lock	white	1	

JC4200A LIA

GLASS DOOR LATCH



OPERATION AND USE

- Proven solution to keep children out of glass cabinets and display cases, and protect them from any danger associated with them
- For glass cabinets and display cases

TECHNOLOGY

- Easy release by pressing the lock
- Included in the scope of delivery: simple installation thanks to 3M adhesive tabs

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4200A LIA	76970 2	0320	Glass door latch	white	1	

JC4300A MARA

CABINET DOOR LOCK



OPERATION AND USE

- Locks cupboards, for example, those containing dangerous substances (medicines, cleaning agents etc.)
- Suitable for doors with handles or knobs

TECHNOLOGY

- Simple installation – no drilling, gluing or screws required

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4300A MARA	76972 6	0320	Cabinet door lock	white	1	

JC5100A NESSA

DOOR LOCK



OPERATION AND USE

- Holds doors and windows open preventing fingers becoming trapped

TECHNOLOGY

- The flexible plastic material reliably dampens the closing of doors or windows without damaging them
- Easy and residue-free installation: the lock is hung on the hinge of the door or window
- Alternatively the hinge lock can be placed in any position on the door or window frame using the counter component (included in the scope of delivery)

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC5100A NESSA	76974 0	0320	Door lock	white	1	

JC4700 KAY

STOVE GUARD



OPERATION AND USE

- Protects against burns on hot stove tops/hot plates
- For conventional stove tops
- For at home and away

TECHNOLOGY

- Diagonal construction makes it difficult to spill over onto the cooker (angle 45 degrees)
- Flat, ergonomic design
- Variable width from 50.5 to 96 centimetres
- Simple installation (sticks) no drilling or screws required
- Transparent, inconspicuous material

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4700 KAY	73128 0	0320	Stove guard	transparent	1	

JC4600 NINA

OVEN DOOR GUARD



OPERATION AND USE

- Prevents children from opening oven doors

TECHNOLOGY

- Simple installation with adhesive pad
- Fits all current oven doors
- Heat-resistant plastic
- Also suitable for washing machine and dishwasher doors (depending on model)

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC4600 NINA	73132 7	0320	Oven door guard	vanilla	1	

JC6416 LARA

UNIVERSAL REFLECTOR STICKER



OPERATION AND USE

- Increased visibility in the dark, twilight and poor visibility conditions
- For buggies, bicycles etc.

TECHNOLOGY

- 24 millimetres x 4 metres, 16 pieces
- Adhesive installation
- Visibility: approx. 150 metres
- Sticks to various materials

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC6416 LARA	73146 4	0320	Universal reflector sticker		18	

JC6412 MIKE

CHILD'S BUGGY REFLECTOR



OPERATION AND USE

- Increased visibility in road traffic in the dark, twilight and poor visibility conditions
- For buggies, bicycles, dog leads and more

TECHNOLOGY

- Scope of delivery: 2 x reflectors, 12 x 12 centimetres
- Reflector visibility: approx. 150 metres
- Velcro fastener: Fitting is child's play
- Cleaning: Hand wash

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC6412 MIKE	73159 4	0320	Child's buggy reflector	yellow	1	

JC9100 ERIC

BED GUARD



OPERATION AND USE

- Stops children falling out of bed
- For beds 180 to 200 centimetres long and up to 150 centimetres wide

TECHNOLOGY

- Sturdy construction
- Easy to assemble and dismantle: perfect for at home and away
- Cover: high-quality silk, washable at 30 degrees Celsius
- Cover: high-quality silk, washable at 30 degrees Celsius

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC9100 ERIC	73127 3	0320	Bed guard	white	1	

JC1300 JANITA

BED COVER HOLDER



OPERATION AND USE

- Stops children from losing their bed covers when asleep
- For thin covers/sheets

TECHNOLOGY

- For slatons up to 18 millimetres
- High-quality plastic; painted surfaces are undamaged
- Universal use – fits all current children's beds
- Easy to fit

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC1300 JANITA	73160 0	0321	Bed cover holder	grey	1	

JC6100A LEIF

DOORSTOP



OPERATION AND USE

- Prevents doors from shutting
- For front doors, internal doors and entrance doors

TECHNOLOGY

- Also secure on flat surfaces

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC6100A LEIF	76968 9	0320	Doorstop	grey	1	

JC6200 LUCA

DOORSTOP



OPERATION AND USE

- Prevents doors from shutting
- For front doors, internal doors and entrance doors

TECHNOLOGY

- Also secure on flat surfaces
- Transparent design
- Simply hangs from the door handle
- The soft material stops the door panel from being damaged

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC6200 LUCA	73137 2	0320	Doorstop	transparent	1	

JC5200A MILLIE

DOORSTOP



OPERATION AND USE

- Prevents doors from shutting

TECHNOLOGY

- The soft material stops the door panel from being damaged
- Simply hangs from the door handle

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC5200 MILLIE	76969 6	0320	Doorstop	grey	1	

JC7100 NINO

WINDOW CATCH



OPERATION AND USE

- Prevents wind from slamming the window shut
- For tilt/turn windows, balcony/patio doors (depending on indoor or outdoor opening) and double casement windows without central bar

TECHNOLOGY

- Included in the scope of delivery: Fitting with 3M sticky label and (optional) screws

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC7100 NINO	73136 5	0320	Window catch	white	1	

JC8710 KIM

NON-SLIP BATH STICKER



OPERATION AND USE

- Reduces the danger of slipping in the bath or shower
- For baths, showers and tiles

TECHNOLOGY

- 2 x 5 different, various-coloured animal designs
- Adhesive installation: self-adhesive reverse side

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC8710 KIM	73131 0	0320	Non-slip bath sticker		1	

JC6324 ZOE

ANTI-SLIP TAPE



OPERATION AND USE

- Reduces the risk of falls in slippery areas
- For stair treads, entrance areas, ladders (e.g. for bunk beds) and rooms with high humidity (e.g. bathrooms)

TECHNOLOGY

- 24 millimetres x 4 metres, can be cut to size

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC6324 ZOE	73145 7	0320	Anti-slip tape	black	1	

JC9330 FINN

METAL DOOR AND STAIR GATE



OPERATION AND USE

- For internal doors and staircases


TECHNOLOGY

- The width can be adjusted from 73 to 81.5 centimetres
- Recommended minimum distance between door and stair gate and wall/stair posts: Minimum 12 millimetres, maximum distance: 62 millimetres
- Accessories for installing on stairs and wall: available separately
- Tested according to: DIN1930:2011
- Extension by 8.5 centimetres available

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC9330 FINN	73150 1	0320	Metal door and stair gate	white	1	

JC9210 TIM

METAL DOOR AND STAIR GATE



OPERATION AND USE

- For internal doors and staircases

TECHNOLOGY

- The width can be adjusted from 60 to 107 centimetres
- Recommended minimum distance between door and stair gate and wall/stair posts: 12 millimetres. Maximum distance: 62 millimetres
- Accessories for installing on stairs and wall: available separately
- Tested according to: DIN1930:2011

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC9210 TIM	73151 8	0320	Metal door and stair gate	white	1	

JC9308 LOU

INSTALLATION ADAPTER ON STAIR GATE FOR "FINN"



OPERATION AND USE

- Optional accessory for extending the FINN stair gate by 8.5 cm


TECHNOLOGY

- The stair gate FINN can be extended by 8.5 centimetres per side
- Easy assembly
- PVC free

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC9308 LOU	73152 5	0320	Installation adapter on stair gate	white	1	

JC9203 HENRY

Y SPINDLE FOR INSTALLING "FINN" ON STAIR RAILS



OPERATION AND USE

- Y spindle in particular for staircases
- Use on stair spindles with a maximum diameter of 25 millimetres

TECHNOLOGY

- Installation with no drilling required
- Simple installation: clamped on

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC9203 HENRY	73154 9	0320	Stair adapter	white	1	

JC3100A DENNY

EDGE GUARD



OPERATION AND USE

- Protects against injury on edges
- For table edges, windowsills etc.

TECHNOLOGY

- 4 x edge guard
- Simple installation with 3M adhesive pad
- (Included in the scope of delivery)

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC3100A DENNY	76966 5	0320	Edge guard	grey	1	

JC3400A TOBI

EDGE GUARD



OPERATION AND USE

- Protects against injury on edges
- For table edges, windowsills etc.

TECHNOLOGY

- 4 x edge guard
- Simple installation with 3M adhesive pad (included in the scope of delivery)

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC3400A TOBI	76967 2	0320	Edge guard	transparent	1	

JC3500 JANNIC

EDGE GUARD



OPERATION AND USE

- Reduces the risk of injury
- For table corners and chest of drawers in addition

TECHNOLOGY

- 4 x corner guard
- Soft foam, high damping
- Simple adhesive mounting (3M sticky pad)
- Tip: extend with Peter edge protector

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC3500 JANNIC	73138 9	0320	Edge guard	vanilla	1	

JC3624 PETER

EDGE PROTECTION



OPERATION AND USE

- Protects against injury on edges
- For table edges, window sills etc.


TECHNOLOGY

- 1 x edge protector, length: 2,4 metres - Can be cut to a specific length
- Soft foam, high damping
- Simple installation with 3M sticky pad
- Tip: extend with Jannic corner guard

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC3624 PETER	73139 6	0320	Edge protection	vanilla	1	

JC1430 NOAH

FLOWER POT GUARD



OPERATION AND USE

- Protects children from toxic substances in potting compost
- For flower pots and planters

TECHNOLOGY

- Diameter: up to 30 centimetres, can be cut to size
- Scope of delivery: 2 x including fixing rods
- Also suitable for protecting pets

Ref. No.	EAN 4003318	Family	Variants	Finish	PU	Gross Price €
JC1430 NOAH	73158 7	0320	Flower pot guard	brown	1	



SMOKE ALARM DEVICE



RWM250
Page 196



RWM150
Page 196

CARBON MONOXIDE DETECTOR



COWM510
Page 197

HAZARD DETECTOR



C02WM110 AirSecure™
Page 197

RWM250

STAND-ALONE SMOKE ALARM DEVICE WITH HEAT ALARM FUNCTION



OPERATION AND USE

- Recommended for bedrooms, children's rooms and halls
- Can also be used in kitchens
- Also suitable for recreational vehicles (e.g. mobile homes)
- May also be used in small businesses, provided that no grinding, gas, welding or sawing work is regularly carried out. This is because fine dust, exhaust gases and extreme temperature fluctuations could trigger false alarms.
- Tip: Check the functioning every four weeks
- Several smoke detectors can be linked wirelessly (via radio)
- In the event of one alarm being activated, all other alarms within range will also be set off

TECHNOLOGY

- Q-mark certified by KRIWAN TESTZENTRUM
- Certified according to EN14604:2005/AC:2008
- Extended test according to vfdb14-01
- Made in Germany
- Alert for smoke + heat
- 3V lithium battery, solid-state, 12-year battery life
- Quick and clean assembly without drilling
- Dimensions: 10,5 cm diameter, 4,0 cm height
- 88 dB alarm
- LED-display
- CE according to 1772-CPR-150086



Ref. No.	EAN	Family	Variants	Battery	Finish	PU	Gross Price €
RWM250	4003318 09386 9	2002	Stand-alone Smoke alarm device with heat alarm function	3V lithium battery, solid state	pure white	1	

RWM150

SMOKE ALARM DEVICE



OPERATION AND USE

- Recommended for bedrooms, children's rooms and halls
- Also suitable for recreational vehicles (e.g. mobile homes)
- Tip: Check the functioning every four weeks!

TECHNOLOGY

- Detection range: up to 40 m² within a room
- Alarm volume: 85 dB
- Fixed 3 volt lithium battery, up to 10-year service life
- Warning in case of weak battery
- Regular self-testing with automatic error message
- Hush function for 9 minutes
- Dimensions: height: 36 mm, Ø 100 mm
- Recalibration in the event of soiling
- VdS-tested in accordance with DIN EN 14604 and VdS 3131



Ref. No.	EAN	Family	Variants	Battery	Finish	PU	Gross Price €
RWM150	4003318 37242 1	2002	Stand-alone Smoke device	3V lithium battery, solid state	pure white	1	

COWM510

CO DETECTOR



OPERATION AND USE

- For carbon monoxide detection in private households
- Suitable for installation in rooms with heating systems (open fireplaces, gas boilers, flow heaters, etc.)
- Warns even of low carbon monoxide concentrations
- Wall or stand-alone mounting

TECHNOLOGY

- 10 year sensor lifespan (electrochemical)
- Display to indicate the CO concentration
- Incl. self-test function and voltage monitoring
- Audio and visual alarm
- A loud 85 dB alarm
- Detection Range: up to 60 m²
- 2x1.5V Alkaline AA batteries
- Displays when battery is low (displays "low-batt")
- Verified and certified in accordance with EN50291-1:2010+A1:2012
- Operating Temperature -20°C - +50°C

Ref. No.	EAN	Family	Variants	Battery	Finish	PU	Gross Price €
COWM510	4003318 89164 9	2007	CO detector	2x1.5V Alkline AA batteries	white	1	

CO2WM110 AIRSECURE™

NEW

CO₂ DETECTOR



OPERATION AND USE

- For the detection of indoor CO₂ concentrations
- Temperature and humidity display
- Wall or stand-alone mounting

TECHNOLOGY

- CO₂ sensor service life: max. 10 years
- OLED display
- LED colour display of the current air quality
- Power supply: AC adapter, input: AC 100~240 V, output: DC 5 V/1 A (Micro USB)
- Backup battery (Li-Ion 3.7 V)
- Date and time display
- Operating temperature: -10° to 40°C
- Humidity: 0 % to 95 % (non-condensing)
- Measurement range: CO₂: 0-5,000 ppm
- Alarm event display

Ref. No.	EAN	Family	Variants	Battery	Finish	PU	Gross Price €
CO2WM110 AirSecure™ CO ₂ detector	4003318 67964 3	2007	Displays CO ₂ , temperature, humidity, date and time	AC adapter Input: AC 100~240V Output: DC 5V/1A (Micro USB) Backup battery (Li-Ion 3.7V)		1	

INDEX

Product	Page	Product	Page
A		JC4700 KAY	183
A93	119	JC4800 ISA	177
AC4100	145	JC4900 JULIAN	181
B		JC5100A NESSA	183
B5LT	131	JC5200A MILLIE	187
C		JC6100A LEIF	186
CFA3000	170	JC6200 LUCA	187
CFA3100	168	JC6324 ZOE	189
CFF3000	170	JC6412 MIKE	185
CFF3100	169	JC6416 LARA	184
CFS3100	169	JC6602 MIMI	180
CFT3000	171	JC7100 NINO	188
CFT3100	168	JC8630 LORI	176
CFW3100	169	JC8650 LILY	176
CO2WM110 AirSecure™	197	JC8660 JULIE	177
COWM510	197	JC8710 KIM	188
CSS3000	171	JC9100 ERIC	185
D		JC9203 HENRY	191
D10PS	111	JC9210 TIM	190
D15	109	JC9308 LOU	190
D45	127	JC9330 FINN	189
D6PS	114	P	
DC10223	144	Platinum 34CS	33
DC13023	144	R	
DI141	94	RWM150	196
E		RWM250	196
E45	129	S	
E50	121	SK66	141
E60	117	SK69	141
EFS65	148	SK78	140
ES TGL PZ	147	SK79	140
ES WC Round Forend	148	SK89	139
ES WC Square Forend	149	SK99	139
ESHT PZ Round Forend	146	SW1	163
ESHT PZ Square Forend	146	SW10	162
F		SW2	163
FAS101	164	SW20	162
FAS97	165	T	
FO400A	154	T65AL	50
FO400N	155	T65AL	54
FO500N	153	TAS102	138
FOS550	152	TAS112	137
FTS206	156	TAS82	138
FTS3002	159	TI12	125
FTS3003	160	TI14	123
FTS88	158	TKZ40	147
FTS96	157	TSS550	134
J		X	
JC1100A DANNI	178	XP20S	103
JC1200A JONAS	179		
JC1300 JANITA	186		
JC1430 NOAH	193		
JC2100A GRETA	178		
JC3100A DENNY	191		
JC3400A TOBI	192		
JC3500 JANNIC	192		
JC3624 PETER	193		
JC4100A SINA	180		
JC4200A LIA	182		
JC4300A MARA	182		
JC4400 LENNY	181		
JC4500 MARC	179		
JC4600 NINA	184		

INDEX

Product	Page	Product	Page
20	34	797 797 LED	68
23	35	797 Smart	66
37/55 37RK/55	21	818	91
37/60 37RK/60	20	838 838CS	90
37RK/70	19	858	89
37RK/80	18	868	88
65 65CS	46	878	87
72 72IB	48	888	86
72/40	52	1200	142
72LL/40	53	2110	136
75IB	45	2130	135
82TI	40	2603	145
83/45	29	3010	161
83/50 83CS/50	28		
83/55 83CS/55	25		
83/80 83/60	24		
83AL TITANIUM™	30		
83WP 83WPCS	26		
83WPIB	27		
84IB	47		
85 85WY	43		
86TI	39		
88	42		
93RK/110	32		
96TI	41		
98TI	38		
100	97		
110	96		
115	99		
140	95		
146TSA	64		
147TSA	63		
148TSA	62		
155	61		
158	58		
158KC	59		
160	60		
180IB	57		
190CS/60	56		
200	98		
645TI	55		
707	68		
713	78		
716	82		
717 717IB	80		
717AL	81		
718	79		
719	77		
720	76		
721	83		
722	75		
723	74		
724	84		
725TI	71		
726TI	73		
727	70		
727TI	72		
737	70		
767	69		
777	69		
787 787 LED	67		
787 BIG 787 BIG LED	67		
787 Smart	66		

TERMS AND CONDITIONS

General

1. Quotations, tenders or orders with no stipulated acceptance period shall not be binding.
2. The present Terms and Conditions shall be binding if they have been declared applicable either in our tender, product/price list, or in our confirmation of the order. Terms and conditions of the Buyer that diverge from the present General Terms and Conditions shall not be binding unless and only to the extent they have been expressly accepted by us in writing.
3. Save as provided otherwise, advertising literature and catalogues shall not be binding. Data contained in technical documents shall be binding only if expressly guaranteed.

Prices

1. Save as provided otherwise, our prices are deemed to be in Euro.
2. If the conditions on which the formation of our prices was based on, in particular currency changes or governmental taxes, charges, fees, customs duties, etc., were to vary between the submission of the tender and the contractually agreed delivery date, we shall be entitled to adapt our prices and other terms of supply to prevailing circumstances.

Terms of Payment

1. Unless stated otherwise, our invoices shall be due for payment immediately and shall be settled immediately, without any cash discount or other deduction allowed. Payments shall be made into one of our bank accounts as printed on our invoices. Payment shall be deemed to have been made when the amount due has been credited to any one of these accounts in Euros and is at our free disposal. Payment of our invoices must be made in full and reducing payment due against counter-claims raised by the Buyer is not admissible.
2. If the Buyer is late with respect to the agreed terms of payment, he shall be in default without reminder and shall be liable to pay default interest, from the 31st day counting from the date of the invoice, at a rate of 8% p.a.

Reservation of Title

1. We shall remain the owner of all supplied products until we have received payment in full of the agreed amount. On conclusion of the Contract, the Buyer authorizes us to have said reservation of title entered pursuant to the laws of the countries concerned, in the public registers kept for this purpose by the competent authorities of the respective countries, and to complete all relating formalities. During the whole period of the reservation of title, the Buyer shall, at his expense, maintain the supplies, take out all necessary insurance with a view to protecting them, for our benefit, against theft, total loss, fire, water and other risks, and take all further measures in order to ensure that our title is not prejudiced in any way whatsoever.
2. If the supplied products were delivered prior to payment of all amounts owed by the Buyer under the Contract, we shall retain title to the product until payment in full insofar as this is admissible under the law in the area of application of which the supplied product is located. If this law does not permit the reservation of title but allows us to reserve other security interests in the supplied product equalling the German retention of title, we may exercise all rights of this kind. The Buyer is obliged to assist us in any action taken to protect our title or the right to the product which replaces such title.

Liability

Save as provided otherwise, the Buyer shall have no claims other than those expressly stated in the present General Terms and Conditions, irrespective of the grounds they may be based on. Thus, the Buyer shall raise no claim for damages or a reduction in price, and he shall have no right to withdraw from or terminate the Contract, unless such claim or right is expressly provided for under the General Terms and Conditions. The Buyer shall on no account have a claim for compensation of damage that does not affect the products as such, as for instance loss of production, loss of use, lost orders, profit loss or any other direct or consequential damage. This exclusion of liability shall not apply in the event of gross negligence, unlawful intent or insofar as mandatory law provides otherwise.

Compliance with Export Control Regulations

1. Our obligation to fulfill this agreement is subject to the proviso that the fulfillment is not prevented by any impediments arising out of national and international foreign trade and customs requirements or any embargos or other sanctions, in particular export control provisions.
2. If the Buyer transfers goods delivered by us to a third party worldwide, the Buyer shall comply with all applicable national and international (re-) export control regulations. In any event the Buyer shall comply with the (re-) export control regulations of Switzerland, the Federal Republic of Germany, of the European Union and of the United States of America.
3. If required to conduct export control checks, the Buyer, upon our request, shall promptly provide us with all information pertaining to particular end customer, destination and intended use of goods provided by us, as well as any export control restrictions existing.
4. The Buyer shall indemnify us and hold us harmless from and against any claim, proceeding, action, fine, loss, cost and damages arising out of or relating to any non-compliance with export control regulations by the Buyer, and the Buyer shall compensate us for all losses and expenses resulting thereof, unless such noncompliance was not caused by fault of the Buyer. This provision does not imply a change in burden of proof.

Applicable Law

The present contractual relationship is governed by German substantive law. The application of the United Nations Convention on Contracts for the International Sale of Goods (the Vienna Law on the International Sale of Goods) of April 11, 1980, shall be excluded.

Jurisdiction

The place of jurisdiction for the Customer and for us shall be Wetter (Ruhr), Germany.



Security Tech Germany

ABUS | August Bremicker Söhne KG
www.abus.com

Altenhofer Weg 25
58300 Wetter
Germany
info@abus.de
+49 23 35 - 634 0

Due to a policy of continual development, ABUS reserves the right to modify technical details & colours. E&OE © ABUS 2020