

Compact Camera Module with 3.7 mm Pinhole Lens for IPCS10020

Art.-Nr. IPCS10002

Seite 1 von 2



The rectangular camera module is a required accessory for the Dual Flex Encoder IPCS10020. The mini module measures just 27 x 37 x 25 mm (inc. housing and adhesive pad) and has an 8 m cable for connection to the encoder, which is routed downwards. With an angle of view of 57°, the 3.7 mm pinhole lens gives a focused view of selected areas of a room or into corridors.

Surface and flush-mounting for discreet/hidden surveillance

The tiny module, which is not much bigger than a cigarette lighter, can be flush-mounted, e.g. behind a wall or suspended ceiling, in a vertical shaft (with cabling routed downwards) etc. It is attached using a mounted housing with an adhesive pad, and the pinhole lens can easily be fitted into a hole in the wall or ceiling. Alternatively, the module can be surface-mounted using drill installation - in this case, a second housing in a discreet white colour is used to camouflage the module.

Disclaimer:

The legal situation with regard to hidden surveillance may vary considerably from country to country or from region to region. Please check the applicable provisions in your installation location before installing the product.

Technologies

- HD 720p resolution: 1280 x 720
- 3.7 mm needle eye lens
- Angle of view: 57°
- 8 m cable length
- Ideal for discreet video surveillance
- Includes a compatible bracket

Compact Camera Module with 3.7 mm Pinhole Lens for IPCS10020

Art.-Nr. IPCS10002

Seite 2 von 2

Technical data - Compact Camera Module with 3.7 mm Pinhole Lens for IPCS10020

IP protection class	24
PSTI conformity required	No