

Network Surge Protection

Art.-Nr. ITAC10210

Seite 1 von 2



Protect your cameras, network video recorders or various network devices from high electrical voltages, e.g. from a lightning strike or static discharge, in a reliable and cost-effective manner using our overvoltage protection. This way, you can prevent faults in expensive devices. Our overvoltage protection complies with the IEC61643-21:2000 standard.

Technologies

- Protects cameras and recorders from overvoltage in the network line
- Supports PoE and PoE+
- Compatible with end-span and mid-span PoE
- Fast tripping time of less than 1 ns
- Complies with the IEC61643-21:2000 standard
- SPD Type 3

Technical data - Network Surge Protection

Attenuation	0.5 dB
DC power supply	48~57 V
Dimensions	(LxWxH) 110 x 52 x 28 mm
Height	28 mm
Insulation resistance	0.4 MΩ
Length	110 mm
Max. Air humidity	95 %
Max. Leakage current	5 kA
Max. Operating temperature	55 °C
Min. operating temperature	0 °C
Net weight	0.096 kg
Network connection	1x PoE Eingang: 1000 Mbit/s, 1x PoE Ausgang: 1000 Mbit/s
PSTI conformity needed	No
Product group	Accessories
Response time	0,001 ms

Network Surge Protection

Art.-Nr. ITAC10210

Seite 2 von 2

Technical data - Network Surge Protection

WEEE group	09
width	52 mm