


EFS65 for fire doors (DIN R/L 65 24)

Seite 1 von 2



SECURITY FOR FIRE DOORS

The mortice lock with double bolt and particularly robust mechanism is especially suitable for fire doors.

A fire door must offer a special level of safety. This also requires the right lock. High-quality materials and the extra-strong construction make the EFS65 a good choice. The mortice lock is especially suitable for fire doors with a distance measurement of 72 millimetres. The double bolt made of steel with a centre latch and a lock case made of zinc plated sheet steel make it particularly durable and robust. The lock is MPA-tested and monitored. It is designed for both DIN-right and DIN-left doors.

Technologies

- Steel double bolt with middle latch
- Lock body made from galvanized steel
- Extra solid mechanics
- Tested and supervised by the MPA (official German test institute)
- For DIN left and right doors
- Whisper Latch

Operation and use

- The ABUS EFS 65 mortice lock is specially suited for right/left opening fire doors
- When closing the door only the latch is being operated
- When locking with the door cylinder the bolt is activated
- Forend 24 x 235 mm (round)

EFS65 for fire doors (DIN R/L 65 24)

Seite 2 von 2

Variants

- Finish: Galvanic zinc plated

Technical data - EFS65 for fire doors (DIN R/L 65 24)

Door type	Fire door
Security Level Home Security	6
Weight	704 g
colour	zinc plated
EAN	4003318215117