

8-Port PoE Gigabit Switch

Art.-Nr. ITAC10111

Seite 1 von 1



Technical data - 8-Port PoE Gigabit Switch

AC power supply	100 - 240 V
Application purpose	General surveillance
Connections	6 x Gigabit PoE Port, 2 x Gigabit Hi-PoE Port, 1 x Gigabit RJ45 Port, 1 x Gigabit SFP Port
DC power supply	54 V
Depth	109 mm
Dimensions	218 x 109 x 28 mm
Gross weight	1.295 kg
Height	27.8 mm
Housing material	Metal
Language Manual	DE, GB, FR, NL, DK, IT
Language Packaging	DE, GB, FR, NL, DK, IT
Length	109 mm
Max. Air humidity	95 %
Max. Operating temperature	40 °C
Max. PoE power per port	7 x 15 watts or 3 x 30 watts or 1 x 90 watts (for max. power each port)
Min. operating temperature	0 °C
Net weight	0.576 kg
Network connection	Downstream: 8x 10/100/1000Base-T (PoE), Uplink: 1x 10/100/1000Base-T, 1 x SFP
Network standards	IEEE 802.3 af/at/bt, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x
Other functions	Port Isolation, PoE Watchdog, 6 KV Surge Protection, Fanless, Port 7 and 8 up to 300 m in extended mode
PSTI conformity given	No
PSTI conformity needed	No
Pin assignment Power supply	1/2(-), 3/6(+), 4/5(+), 7/8(-)
PoE Standard	IEEE 802.3 af/at/bt
Power consumption	120 W
Product group	Accessories
Total PoE power	110 W
WEEE group	09
width	218 mm