



IN FOUR SIGNAL COLOURS

We recommend our aluminium padlock 70AL with coloured synthetic coating for various purposes.

With the robust padlock 70AL you can secure objects of medium value or with an average risk of theft in different areas of application. We recommend Signal Yellow for construction sites and the building trade, Outdoor Green for forests, gardens and forestry work, Orange wherever you want to attract special attention and Silver is very suitable for use around machinery and buildings. The 70AL consists of an encapsulated aluminium lock body that uses a special protective cap and drainage channels to protect the lock from the ingress of dirt and splash water. The interior is made of stainless materials. The steel shackle and the lock body are encased in plastic. This protects all surfaces that the 70AL could bump into.

Technologies

- Solid aluminium body
- Encapsulated lock body with special cover and drainage channels to protect the locking mechanism from water and dirt
- Tough vinyl jacket protects sensitive surfaces
- Shackle made from hardened steel with vinyl jacket
- Inner components made from rustfree material
- Double bolted
- Precision pin cylinder
- Paracentric keyway for increased protection against manipulation
- Self-locking by pushing down the shackle, no key needed

Operation and use

- To secure valuable/goods of medium value or at an average risk of theft
- Ideal to secure objects in various areas of application
- Signal Yellow: at construction sites and in the building trade
- Outdoor Green: outdoor use, unobstrusive look for forests, garden and forest work
- Life Vest Orange: eye-catching, to warn or attract attention
- Machine Silver: for use around machines and buildings

Variants

- Size: 45 mm

Technical data - 70AL/45 green

Depth e	28 mm
Height f	73 mm
Horizontal clearance b	20 mm
Keyed alike	No
Locking type	key
Security Level Home Security	5
Security card	No
Shackle diameter d	8 mm
Vertical clearance c	25 mm
Weight	111 g
Width a	55 mm
color of facets	green
colour	green
EAN	4003318508745

Technical drawing

