



ABUS

Security Tech Germany



MOBILE SECURITY
CATALOGUE

MOTORBIKE AND SCOOTER LOCKS

Advantages of the new catalogue

- Find products quicker and more easily
- Product features instantly visible

GRANIT™ Extreme 59

20 Jahre

Features

- IP65
- IP67
- IP68

Mark-Anwender Vorteile

- IP65
- IP67
- IP68
- IP69K
- IP69
- IP66
- IP64
- IP63
- IP62
- IP61
- IP60

Techniktaget

- PC
- Bluetooth

Artikel	EAN	Abmessungen	Gewicht	Material	Anwendung	Preis
GRANIT™ Extreme 59	4200148	100 x 110 x 18 mm	1,1 kg	Alu	Indoor	1
GRANIT™ Extreme 59	4200149	100 x 110 x 18 mm	1,1 kg	Alu	Indoor	1
GRANIT™ Extreme 59	4200150	100 x 110 x 18 mm	1,1 kg	Alu	Indoor	1
GRANIT™ Extreme 59	4200151	100 x 110 x 18 mm	1,1 kg	Alu	Indoor	1
GRANIT™ Extreme 59	4200152	100 x 110 x 18 mm	1,1 kg	Alu	Indoor	1

Learn more inside!

Pictograms



New product

Locks



Double locking

Dual locking of the shackle in the lock body



Pocket size

Lock in small format



XL size

Lock in large format



Lighted key

Lighted key included



Manual locking

Active locking with a key required



Automatic locking

No active locking with a key required



Robust webbing

High-tech mesh, durable and hydrophobic



Combo

Combination code is factory set



Individual code

Combination code can be freely selected



Rechargeable

Rechargeable battery



Battery

Including battery



Bordo 8-bars

Folding lock with 8 bars offers even more flexibility due to greater length



SmartX

Innovative locking system, controlled via smartphone



XPlus

Picking-resistant disc cylinder „XPlus“



Plus

Picking-resistant disc cylinder „Plus“



Lightweight

Lightweight lock



Alarm

Lock with 100 dB alarm function



One Key Option

Multiple locks can be produced keyed alike and thus operated with one key

Content

ABUS Made in Germany	Page 4
Approvals	Page 5
Key service	Page 6
Keyed alike	Page 8
The ABUS level system	Page 10
ABUS Motorbike Lock Guide	Page 12
ABUS Brake Disc Lock Finder	Page 12

Locks

U-Shackle Locks	Page 14
Lock-Chain Combinations	Page 20
Steel-0-Flex Locks	Page 38
Alarm Brake Disc Locks	Page 42
Brake Disc Locks	Page 50
Garage security and accessories	Page 64
Special Security Items	Page 78
Padlocks and Chains	Page 90
Brackets	Page 96
Sales Displays	Page 100



ABUS - Made in Germany

When August Bremicker and his sons founded ABUS in 1924, they had a lot of experience with craftsmanship – and a clear vision: They wanted to create products that protected human life and property. It was a far-sighted corporate guideline – paired with an expectation for quality right from the start. It was the start of a continuous success story. The ABUS brand became a synonym for security.

High-quality materials

To be able to offer consistently high quality and security, we use high-quality materials at every price level. Complex hardening processes guarantee the best attack resistance in our materials. Our internal quality management processes all materials before and during the production process and ensures that every product has the high quality you expect.

The key to success

At ABUS, we produce and build many of our machines ourselves and all the tools we use in the production of our security products in-house. That bundles know-how, guarantees jobs, and strengthens identification. Our own engineering and toolmaking department concentrates exclusively on the development of bicycle and motorcycle locks.


This ensures that we meet the tough requirements you place on your bicycle or motorcycle lock every day.

Ensuring continuity

In our own ABUS test laboratory, we routinely carry out tests and attacks on our products to ensure that we offer consistently high quality.

Among others we make sure our locks are resistant to:

- Ice spray attacks and freezing conditions thanks to a -40°C chamber
- Twisting, pulling, hammering and sawing attacks with help of our manual or mechanical tests
- Rust by simulating highly corrosive weather conditions



Approvals

ABUS locks are tested and acknowledged by independent, neutral test institutes in several European countries. The following test seals confirm the extraordinary security of the ABUS 2-Wheel locks:



Svenska Stöldskyddsföreningen
Stockholm, Sweden



Norges Forsikringsforbund
Oslo, Norway



Finansiála
Helsinki, Finland



ART ANWB, RAI, TASS
Helmond, Netherlands



Test Seal OSIMZ
Moscow, Russia



Test Seal VdS
Cologne, Germany



ABUS Seal for Ice Spray Test
Volmarstein, Germany



Sold Secure Motorbike



Key service



The ABUS key service allows you to order new keys for existing locks.

Just select the required blank, enter the desired coding and the key will be delivered within no time.

If no key number is available, please send us the remaining pattern key. We'll produce a replica of the key.



	<p>Additional ABUS XPlus Ref. No.: 24657</p>	<p>EAN-No.: 04003318246579</p>
	<p>Additional ABUS Plus Ref. No.: 06227</p>	<p>EAN-No.: 04003318062278</p>
	<p>ABUS - Voucher for Plus or XPlus Ref. No.: 04318</p>	<p>EAN-No.: 04003318043185</p>
	<p>ABUS - Voucher for ABUS other Ref. No.: 29001</p>	<p>EAN-No.: 04003318290015</p>



One Key Simple. Individual.

Have custom bike locks made - operate everything with just one key!

Here's how it works

A lock for connecting, a frame lock, a padlock, and even a battery lock for e-bikes - if you want to secure your bike properly, you need a lot of locks. That is why we at ABUS, with the One Key system, offer the ability to produce locks for your customers in such a way that they can all be operated with one key. No mess, no looking for keys.



1. Read key code from code card



2. Choose suitable products at your retailer

How One Key works

It's quite simple. Each ABUS lock has an individual key code with which spare keys or matching "keyed alike" locks can be made - even years after purchase. All that matters is that the locks from ABUS have the same type of cylinder installed.



3. 1 week to manufacture your custom product



4. Pick up at retailer or ship to home



Familiar face – New design

As a manufacturer of cylinders and bicycle locks, ABUS has the unique opportunity on the market to manufacture custom locks so that they can all be operated with one key – or “keyed alike”. It is important that the locks be compatible with each other for this purpose.

So far we have marked our products and campaigns with these icons:



With YourPlus™, we have combined all locks that have a Plus cylinder.

This icon currently indicates that this lock can be keyed alike.

From now on, we're bringing everything together under One Key – a clear promise for more convenience.

Overview of keyed alike products

Products with XPlus cylinder

GRANIT™ Extreme 59
 GRANIT™ Power 58
 GRANIT™ Extreme Plus 59
 GRANIT™ Detecto XPlus 8008
 (mit und ohne Anschlusskette)
 GRANIT™ Detecto XPlus 8077
 (mit und ohne Anschlusskette)
 GRANIT™ 58 12KS Black Loop
 GRANIT™ Power XS 67 (mit und ohne Anschlusskette)
 GRANIT™ Sledg 77
 GRANIT™ Victory XPlus 68
 GRANIT™ Extreme 59
 GRANIT XPlus™ 540
 BORDO GRANIT XPlus™ 6500K
 BORDO GRANIT XPlus™ 6500KA
 BORDO™ 6000K
 BORDO™ 6000KA
 GRANIT City Chain XPlus™ 1060
 PRO SHIELD™ XPlus 5955
 SHIELD™ XPlus 5755L

Products with Plus cylinder

GRANIT™ power Chain 37 14KS Black Loop
 1190 2.0
 Steel-0-Flex™ 950
 GRANIT™ Quick 37/60 Maxi + Mini
 GRANIT™ Quick 37/60
 Snowmobil 37/55
 GRANIT™ 37/60
 GRANIT™ 37RK/80
 GRANIT™ 37/55 S&S
 GRANIT™ 37/55
 GRANIT™ Plus 640
 GRANIT™ Plus 470
 CityChain™ 1010
 Steel-0-Chain™ 9809
 Steel-0-Chain™ 9808

EC-cylinder

GRANIT™ 460
 PHANTOM™ 8960

Surcharge
 for manufacturing
only 10%
 of the price
 of the lock

The ABUS level system

The ABUS level system

Clear, consistent, simple.

The packaging of a security product influences the buying decision of your customers!

As part of our packaging concept, which is characterised by a clear, steady and modern presentation of our product range, you and your customers also benefit from a level system, which provides information on the security ranking of our products.

The ABUS level system is transparent and simplified system that represents exclusively the level of security of the locks. The level system – pictured as a speedometer – reaches level 15 for bicycle locks and level 20 for motorbike locks.

With the level system, a better understanding for the customer is achieved and conveys, already at the first glance, one of the key considerations when buying a security product: the level of security.

The result: a modern appearance at the point of sale, which promotes your sale actively!



Maximum Security
Level: 10-20



Extra Security
Level: 5-9



Standard Security
Level: 1-4

Alarm

More and more ABUS locks are equipped with an alarm of approx. 100 dB to rout out bicycle thieves effectively. The addition „Alarm“ on the level system shows that a lock has this feature.



Standard Security
with Alarm

GRANIT™

GRANIT™ Tough Security.

MADE IN
GERMANY



Best security has a name: Granit.

The Granit locks are known to be made with the best materials, the best technology and many patents.

- 1 ABUS XPlus cylinder: The ultimate resistance against intelligent opening methods e.g. picking
- 2 Power Cell Technology makes pulling and breaking forces spread through the whole lock, using the resistance of the complete lock
- 3 Square shackles force the thief to cut the shackle twice as it can not be twisted open
- 4 The parabolic shaped shackle generates at least two contact points with every object being used to pull on the shackle – this reduces the breaking force coming on one point
- 5 A special steel alloy and a particular hardening process make the shackle hard, resisting sawing attacks, but still flexible enough to withstand torsion attacks
- 6 Power Link Technology means direct locking of the chain end link into the highly resistant locking mechanism
- 7 High quality chain produced according to special ABUS specifications



ABUS Motorbike Lock Guide

Motorbike Guide: A special service.

The ABUS "Motorbike Guide" gives you the interactive possibility to look for the lock that fits your bike.

All information are without obligation and subject to technical modifications to the motorbikes and/or the locks. The information is a recommendation only!



ABUS Brake Disc Lock Finder

Find the right brake disc lock – quick and easy

ABUS has a gadget for all motorbike- and scooter owners, which helps to find the perfect brake disc lock. This finder includes templates with the measurements of the bolts of all ABUS brake disc lock and reveals quick and easy, whether a brake disc lock fits a two-wheeler or not.



TIP:

Your customers can easily find out at home which ABUS brake disc lock fits their two-wheelers: Just go to www.abus.com to the favored lock, click on „Downloads“, download the template, print, cut out and see if the lock fits the disc!



U-Shackle Locks





59
Page 16



58
Page 17



770A
Page 18



540
Page 19

GRANIT™ Extreme 59

Security Level



Features



XPlus™



SH 59



Technical Data

- 16 mm square parabolic shackle
- Double-locking mechanism securing the shackle in the lock body
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Manual cover to protect the keyhole from dirt and corrosion

Technology



Test Seals



Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
59/180HB310	58608 8	310	111	19	3060		1
59/180HB260	58607 1	260	111	19	2700		1
59/180HB245	58606 4	245	111	19	2600		1
SH 59	23763 8				420		2

GRANIT™ Power 58



Security Level



Features



Technical Data

- 16 mm round shackle (18 mm with coating)
- Double-locking mechanism securing the shackle in the lock body
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock
- Manual cover to protect the keyhole from dirt and corrosion

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Carrier	Box Qty
58/140HBIII310	32865 7	309	84	18	2400		2
58/140HBIII260	32864 0	259	84	18	2250		2
58/140HBIII100	32863 3	100	84	18	1740		5
SH 58	05810 3				400		3

770A SmartX™

Security Level




Features



3D Position Detection



SmartX RC



Controlled by iOS- and Android Smartphones or using the Smart Remote (available separately)

Versions



blue

Technical Data

- 13 mm hardened square shaft parabolic shackle
- SmartX™ locking system with Bluetooth – high-quality, keyless locking offers user-friendly operation
- Alarm function with at least 100 dB for 15 seconds followed by automatic reactivation
- 3D Position Detection – detects vibrations and the smallest movement in all three dimensions and triggers the alarm
- Smart alarm – the lock only emits a small warning beep in the event of minor and brief vibrations, e.g. if a football bounces nearby
- USB-C port
- App connection
- Memorizes the last parking location of the motorbike
- ABUS power cell technology offers the highest level of protection against impacts and attempts to break open the lock
- The shackle, the housing and the locking mechanism's load-bearing parts are manufactured from specially hardened steel

Technology



Test Seals



Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
770A/160HB230 black SmartX	82361 9	230	108	17	2000		1
770A/160HB300 black SmartX	82362 6	300	108	17	2200		1
770A/160HB230 blue SmartX	84520 8	230	108	17	2000		1
SmartX RC	64000 1						1

GRANIT XPlus™ 540



Security Level



Features



Technical Data

- 13 mm square parabolic shackle (17 mm with coating)
- Double-locking mechanism securing the shackle in the lock body
- ABUS (patented) Power Cell technology offers the highest protection against hitting and pulling attacks
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Automatic cover to protect the keyhole from contamination and corrosion

Technology



Test Seals



1) Class B 2) Klasse A+ 3) 30330

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
540/160HB230	18893 0	229	108	17	1450		6
540/160HB300	18894 7	299	108	17	1656		6

Lock-Chain Combinations





59 EXTREME
Page 22



8008 12KS
Page 24



1060
Page 31



37/80 14KS
Page 23



8077 12KS
Page 25



9210
Page 32



58/100 12KS
Page 26



1010
Page 33



68 12KS
Page 27



9809
Page 34



1190 2.0
Page 28



9808
Page 35



67 12KS/10KS
Page 29-30



8210
Page 36

GRANIT™ Extreme Plus 59

Security Level



Features



XPlus™



ST 1010



Technical Data

- 12 mm hexagonal chain with textile sleeve to protect against damage to the paintwork
- ABUS Power Link technology (patented) allows for a direct and protected connection from the chain to the locking mechanism
- The chain, the housing and the structural parts of the locking mechanism are manufactured from specially hardened steel
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover to protect against dirt and corrosion

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318	⌀ mm	⋯ cm	Weight g	Carrier	Box Qty
59/12HKS110	56558 8	12	110	3900		1
59/12HKS140	56559 5	12	140	4700		1
59/12HKS170	56560 1	12	170	5700		1
ST1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1

GRANIT™ Power Chain 37 14KS Black Loop



Security Level



Features



Lock-Chain
Combinations

Technical Data

- 14 mm strong (loop) chain with fabric sleeve to prevent damage to paintwork
- Double bolted 14 mm shackle in the lock body
- Cylinder inserted into the padlock from the top for optimum drill and pull resistance
- Shackle guard protects against attacks with tools
- Black Granit coating provides optimum corrosion resistance for the lock body and shackle
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- ABUS Plus cylinder for maximum protection against attempted manipulation, e.g. picking
- Two keys are supplied with the lock, one LED lighted

Technology



Test Seals



Ref. No.	EAN 4003318	mm	cm	mm	mm	mm	Weight g	Carrier	Box Qty
37RK/80 14KS 120 black loop	52285 7	14	120	22	22	14	7052		1

GRANIT™ Detecto XPlus 8008 12KS Black Loop

Security Level



Features



XPlus™



3D Position Detection



Technical Data

- 12 mm strong loop chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The chain, the 16 mm bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm function on basis of the ABUS 3D detection system that means, that every movement is detected
- Alarm at a volume of at least 100 dB for 15 seconds, followed by automatic reactivation
- Lock can be transported in locked condition without activated detection system thanks to automatic brake disc recognition system
- Different acoustic signals inform about battery- and activation status
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- One CR2 Battery for the alarm function is included

Technology



Test Seals



1) applicable for lock only 2) class D

Ref. No.	EAN 4003318	mm	cm	mm	mm	Weight g	Carrier	Box Qty
8008/12KS120 black loop	76699 2	12	120	16	60	5100		1

GRANIT™ Detecto XPlus 8077 yellow 12KS Black Loop



Security Level



Features



XPlus™



3D Position Detection

Lock-Chain
Combinations

Technical Data

- 12 mm chain (loop) with textile sleeve to protect against damage to the paintwork
- The chain, the 13.5 mm bolts, the housing and the structural parts of the locking mechanism are manufactured from specially hardened steel
- 3D Position Detection – detects vibrations and the smallest movements
- Alarm at a volume of at least 100 dB for 15 seconds, followed by automatic reactivation
- The lock can be transported in a closed position without activating the alarm
- Acoustic and optical signals (multi-coloured LED) display the battery and activity status
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Two standard AAA batteries to supply the electronic unit are included in the scope of delivery

Technology



Test Seals



1) applicable for lock only 2) class C

Ref. No.	EAN 4003318	mm	cm	mm	mm	Weight g	Carrier	Box Qty
8077 yellow 12KS120 black loop	19005 6	12	120	13,5	45	5200		1

GRANIT™ 58 12KS Black Loop

Security Level



Features



Technical Data

- 12 mm chain with textile sleeve to prevent damage to the paintwork
- 16 mm round shackle (18 mm with coating)
- The chain, the shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock
- Manual cover for the keyhole to protect against dirt and corrosion

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318	mm	cm	mm	mm	mm	Weight g	Carrier	Box Qty
58/140HBIII100 12KS 120 black loop	32870 1	12	120	100	84	18	5500		1

GRANIT™ 68 Victory 12KS Black Loop



Security Level



Features



Lock-Chain
Combinations

Technical Data

- 12 mm chain with textile sleeve to prevent damage to the paintwork
- 14 mm locking bolt
- The chain, the locking bolt, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318	 mm	 cm	 mm	Weight g	Carrier	Box Qty
68 12KS 120 black loop	44743 3	12	120	14	4500		1

1190 2.0

Security Level



Features



Technical Data

- 11 mm square chain with fabric sleeve to prevent damage to the motorbike's paintwork
- The chain, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- ABUS Code Card for additional and replacement keys
- With innovative locking mechanism: light weight, single piece chain lock
- Two keys are supplied with the lock

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318	mm	cm	Weight g	Carrier	Box Qty
1190/120 2.0	69877 4	11	120	4300		2
1190/150 2.0	69880 4	11	150	4900		2

GRANIT™ Power XS 67 12KS Black Loop



Security Level



Features



Lock-Chain
Combinations

Technical Data

- Solid 12 mm chain with textile sheath to prevent damage to paintwork
- 14 mm shackle (17 mm with coating)
- Double-locking mechanism securing the shackle in the lock body
- The chain, the lock shackle, the lock body and supporting parts of the locking mechanism are made of specially hardened steel
- A soft silicone case prevents scratches
- ABUS XPlus cylinder for the highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock

Technology



Test Seals



Ref. No.	EAN 4003318	mm	cm	mm	mm	mm	Weight g	Carrier	Box Qty
67/105HB50 yellow 12KS120 black loop	58241 7	12	120	48	41	17	4450		1
ST1010	23207 7						172	transport bag 160 mm / 250 mm / 50 mm	1

GRANIT™ Power XS 67 10KS Black Loop

Security Level



Features



Technical Data

- Solid 10 mm chain with textile sheath to prevent damage to paintwork
- 14 mm shackle (17 mm with coating)
- Double-locking mechanism securing the shackle in the lock body
- The chain, the lock shackle, the lock body and supporting parts of the locking mechanism are made of specially hardened steel
- A soft silicone case prevents scratches
- ABUS XPlus cylinder for the highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock

Technology



Test Seals



1) applicable for lock only

Ref. No.	EAN 4003318	mm	cm	mm	mm	mm	Weight g	Carrier	Box Qty
67/105HB50 red 10KS120 black loop	59715 2	10	120	48	41	17	3350		1
ST1010	23207 7						172	transport bag 160 mm / 250 mm / 50 mm	1

GRANIT™ CityChain XPlus 1060



Security Level



Features



XPlus™



ST 1010

Lock-Chain
Combinations

Technical Data

- 10 mm hexagonal chain with textile sleeve to protect against damage to the paintwork
- ABUS (patented) Power Cell technology offers the highest protection against hitting and pulling attacks
- ABUS Power Link technology (patented) allows for a direct connection from the chain to the Power Cell
- Interwoven coating of the lock body to protect against brutal methods of attack
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- ABUS XPlus cylinder for the highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Cover to protect the keyhole from contamination

Technology



Test Seals



1) class C 2) class B+

Ref. No.	EAN 4003318	⌀ mm	●●●●● cm	Weight g	Carrier	Box Qty
1060/110 black	18895 4	10	110	2650		2
1060/140 black	18896 1	10	140	3260		2
1060/170 black	18897 8	10	170	3750		2
ST1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1

IVY Chain 9210

Security Level



Features



ST 1010



Technical Data

- 10 mm square chain with functional, durable and highly flexible synthetic fibre sleeve which prevents damage to paintwork
- The sleeve offers very high protection against abrasion and does not absorb liquids, e.g. water or oil
- Ergonomic lock body with impact-resistant SCT (Soft Case Technology)
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Ergonomically-shaped lock body
- Comes with a user-friendly reversible key

Technology



Test Seals



Ref. No.	EAN 4003318	mm	cm	Weight g	Carrier	Box Qty
9210/110 Moto	88989 9	10	110	3000		2
9210/140 Moto	88990 5	10	140	3600		1
9210/170 Moto	88991 2	10	170	4300		1
ST1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1

CityChain 1010



Security Level



Features



Plus™



ST 1010

Lock-Chain
Combinations

Technical Data

- 9 mm thick hexagonal chain with textile sleeve to protect against damage to the paintwork
- The chain, the housing and the structural parts of the locking mechanism are manufactured from specially hardened steel
- ABUS Plus cylinder for high protection against manipulation attempts, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Automatic keyhole cover to prevent corrosion and the ingress of dirt

Technology



Test Seals



1) class B

Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty
1010/110 black	18898 5	9	110	2400		2
1010/140 black	18899 2	9	140	2740		2
1010/170 black	18900 5	9	170	3200		2
ST1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1

Steel-0-Chain™ 9809

Security Level



Features



Plus™



Technical Data

- 9 mm thick square chain with webbing sleeve to protect paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of proprietary, specially hardened steel alloys
- Automatic cover for the keyhole against dirt and corrosion
- ABUS Plus cylinder for high protection against manipulation
- Available keyed alike to many other ABUS Plus cylinder locks

Technology



Test Seals



1) 35210

Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty
9809/85 black	78079 0	9	85	2100		2
9809/110 black	78080 6	9	110	2600		2
9809/140 black	78081 3	9	140	3100		2
9809/170 black	78082 0	9	170	3700		2

Steel-O-Chain™ 9808



Security Level



Features



Plus™

Lock-Chain
Combinations

Technical Data

- 8 mm thick square chain with webbing sleeve to protect paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of proprietary, specially hardened steel alloys
- Automatic keyhole cover to prevent corrosion and the ingress of dirt
- ABUS Plus cylinder for high protection against manipulation
- Available keyed alike to many other ABUS Plus cylinder locks

Technology



Test Seals



1) 33324

Ref. No.	EAN 4003318	⌀ mm	⋯ cm	Weight g	Carrier	Box Qty
9808/85 black	78075 2	8	85	1750		2
9808/110 black	78076 9	8	110	2550		2
9808/140 black	78077 6	8	140	2800		2

Steel-0-Chain™ Iven 8210

Security Level



Features



ST 1010



Technical Data

- 8 mm square chain with functional, durable and highly flexible synthetic fibre sleeve which prevents damage to paintwork
- The sleeve offers very high protection against abrasion and does not absorb liquids, e.g. water or oil
- The chain, the housing and the structural parts of the locking mechanism are manufactured from specially hardened steel
- Ergonomic lock body with impact-resistant SCT (Soft Case Technology) sleeve
- High-quality locking cylinder with user-friendly reversible key for maximum protection against tampering, e.g. lock-picking
- Two keys are supplied with the lock

Technology



Test Seals



1) class B 2) 24192

Ref. No.	EAN 4003318	⌀ mm	----- cm	Weight g	Carrier	Box Qty
8210/110	18906 7	8	110	2497		2
ST1010	23207 7			172	transport bag 160 mm / 250 mm / 50 mm	1



Steel-0-Flex locks





950
Page 40



8200
Page 41

Steel-0-Flex™ 950

Security Level



Features



Technical Data

- Overlapping steel sleeves with a diameter of 25 mm protect the steel cable inside
- PVC casing to prevent damage to paintwork
- The steel sleeves and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS Plus cylinder for maximum protection against attempted manipulation, e.g. picking
- Two keys are supplied with the lock
- Manual cover to protect the keyhole from dirt and corrosion

Technology



Test Seals



Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty
950/100	25715 5	25	100	1540		2

Steel-0-Flex™ Iven 8200



Security Level



Features



Steel-0-Flex
locks

Technical Data

- 25 mm thick overlapping steel shells protect the inner steel cable
- The sleeve offers high protection against abrasion and doesn't absorb any liquids, e.g. water or oil
- The functional, durable and highly flexible mesh sleeve protects against damage to paintwork
- The shells, housing and the structural parts of the locking mechanism are made of specially hardened steel
- Ergonomic lock body with impact-resistant Soft Case Technology sleeve
- Premium-quality locking cylinder with easy-to-use reversible key for a high level of protection against tampering, e.g. picking
- Two keys are supplied with the lock

Technology



Test Seals



Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty
8200/85	55148 2	25	85	1340		2
8200/110	55149 9	25	110	1580		2

Alarm Brake Disc Locks





8008 Detecto 2.0
Page 44



8078 Detecto SmartX
Page 45



8077 Detecto
Page 46



7000 Detecto RS1
Page 47



277A
Page 48



275A
Page 49

GRANIT™ Detecto XPlus 8008 2.0

Security Level



Features



XPlus™



Cobra 12/140



8008 Adapter Chain



3D Position Detection



Technical Data

- 16 mm steel bolt
- The bolt as well as supporting elements of the locking mechanism are made of special hardened steel
- Alarm of at least 100 dB for 15 seconds followed by automatic reactivation
- 3D position detection senses vibrations and the slightest of movements in all three dimensions and triggers the alarm
- Different acoustic signals inform about battery, activation and alarm status
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Manually operated keyhole cover to protect against dirt and corrosion
- Lock can be transported locked position without activated detection system thanks to automatic brake disc recognition system

Technology



Test Seals



1) class D

Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty
8008 Granit Detecto XPlus 2.0	79270 0	16	60	1200		1
Kette 12KS120 8008	76698 5			4120		1
COBRA 12/140 for 8008	79481 0			465		6

GRANIT™ Detecto SmartX 8078

Versions



yellow



red



Controlled by iOS- and Android Smartphones or using the Smart Remote (available separately)

Security Level



Features



3D Position Detection



8078 Adapter Chain



SmartX RC

Alarm Brake Disc Locks

Technical Data

- 13,5 mm steel bolt
- SmartX locking system with Bluetooth 3.0 – High quality, keyless locking system offers user-friendly operation
- USB-C port
- Connection to ABUS App
- Memorizes the last parking location of the motorbike
- Alarm of at least 100 dB
- 3D position detection senses vibrations and the slightest of movements in all three dimensions and triggers the alarm
- The bolt, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Lock can be transported in locked position without activating the detection system thanks to automatic brake disc recognition system
- A multi colour LED and different acoustic signals inform about battery, activation and alarm status

Technology



Test Seals



Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty
8078 Granit Detecto SmartX yellow B/SB	84045 6	13,5	48	990		1
8078 Granit Detecto SmartX blue B/SB	84749 3	13,5	48	990		1
8078 Granit Detecto SmartX red B/SB	89978 2	13,5	48	990		1
SmartX RC	64000 1					1
Chain 12KS120 8078	64217 3			4000		1

GRANIT™ Detecto XPlus 8077

Security Level



Features



XPlus™



3D Position Detection



8077 Adapter Chain



Versions



green



orange



red



blue



black

Technical Data

- The 13.5 mm locking bolts, body and structural parts of the locking mechanism are manufactured using specially hardened steel
- 3D position detection senses vibrations and the slightest of movements in all three dimensions and triggers the alarm
- Alarm function with at least 100 dB for 15 seconds followed by automatic reactivation
- With its automatic brake disc detection system, the lock can be transported in the locked position without the alarm going off
- Acoustic and visual signals (multi-coloured LEDs) display the battery and activity status
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock, one LED lighted
- Two AAA standard batteries are included in the scope of delivery

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	mm			
8077 Granit Detecto green	70441 3	13,5	48	940		1
8077 Granit Detecto yellow	19002 5	13,5	48	940		1
8077 Granit Detecto orange	04301 7	13,5	48	940		1
8077 Granit Detecto red	70440 6	13,5	48	940		1
8077 Granit Detecto black	55675 3	13,5	48	940		1
8077 Granit Detecto blue	71804 5	13,5	48	940		1
Chain 12KS120 8077	59472 4			3970		1

Detecto 7000 RS1

Versions



sonic red



flame black



logo orange



logo yellow



Security Level



Features



3D Position Detection

Alarm Brake Disc Locks

Technical Data

- 10x5 mm steel bolt
- The bolt, body and the structural parts of the locking mechanism are made of specially hardened steel
- Alarm function which emits a 100 dB noise for 15 seconds and then automatically re-arms itself
- 3D position detection – detects vibrations and the slightest movement in all three dimensions and triggers the alarm
- Acoustic and optical signal (LED, 3 colours) indicate battery status and active status
- Single-hand operation thanks to the patented “Snap’n Go” system – lock closes automatically when pressed on the brake disc
- ABUS Extra Classe cylinder with coded reversible key
- Two keys are supplied with the lock
- Automatic keyhole cover to protect against dirt and corrosion

Technology



Test Seals



Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty
Detecto 7000 RS1 sonic red	04140 2	10x5	70	580		1
Detecto 7000 RS1 flame black	04142 6	10x5	70	580		1
Detecto 7000 RS1 logo orange	69066 2	10x5	70	580		1
Detecto 7000 RS1 logo red	69064 8	10x5	70	580		1
Detecto 7000 RS1 logo yellow	69065 5	10x5	70	580		1

277A


Security Level



Features



Versions



yellow

Technical Data

- 10 mm steel bolt
- "push down" - cylinder
- The bolt, lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Alarm function based in vibration detection system
- Alarm at a volume of at least 100 dB
- Acoustic signal indicates the activity status
- Three keys supplied with the lock
- One CR2 standard battery to supply the electronic unit is included in the scope of delivery

Technology



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Carrier	Box Qty
277A RD	39395 2	10	50	825		1
277A YE	39394 5	10	50	825		1

Versions



red



Security Level



Features



Alarm Brake Disc Locks

Technical Data

- 5 mm steel bolt
- "push down" - cylinder
- The bolt, lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Alarm function based in vibration detection system
- Alarm at a volume of at least 100 dB
- Acoustic signal indicates the activity status
- Three keys supplied with the lock
- One CR2 standard battery to supply the electronic unit is included in the scope of delivery

Technology



Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty
275A YE	39397 6	5	45	725		1
275A RD	39396 9	5	45	725		1

Brake Disc Locks





77
Page 52



★ 39
Page 57



68
Page 53



405
Page 58



37/60 Maxi+Mini
Page 54



277
Page 59



37/60
Page 55



275
Page 60



67
Page 56



★ 304
Page 61



303
Page 62

GRANIT™ Sledg 77

Security Level



Features



XPlus™



SH 77



Memory Cable



Versions



grip yellow



web yellow



web orange



grip black

Technical Data

- 13 mm locking bolt made from hardened special steel
- Extremely high protection against theft
- Small, easy to handle, compact and secure
- Easy handling thanks to the sliding mechanism
- Open the lock, let the slide slip out with the locking bolt, guide the bolt through the brake disc from the inside, push the lock body towards the bolt and lock with the key
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Non-slip, protective rubber coating
- Includes a Memory Cable – to remind you about the lock before setting off
- Two keys are supplied with the lock

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty
77 Granit Sledg grip red	47503 0	13	45	780		1
77 Granit Sledg grip yellow	50966 7	13	45	780		1
77 Granit Sledg web yellow	48736 1	13	45	780		1
77 Granit Sledg web orange	87561 8	13	45	780		1
77 Granit Sledg grip black	87562 5	13	45	780		1
Memory Cable	33919 6			40		6
SH77	54648 8			300		6

GRANIT™ Victory XPlus 68

Versions



Security Level



Features



Technical Data

- 14 mm steel bolt
- Excellent grip thanks to the rubberised ring
- The bolt, lock body and supporting elements of the locking mechanism are made of specially hardened steel
- The round shape hinders the use of attacking and cutting tools
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock
- Includes a Memory Cable – to remind you about the lock before setting off. With the „Roll-up“ version, it is integrated into the bolt

Technology



Test Seals



1) class C


Ref. No.	EAN 4003318	mm	Weight g	Carrier	Version	Box Qty
68 yellow roll up	56564 9	14	720			1
68 yellow full	56335 5	14	740			1
68 yellow half	56336 2	14	720			1
68 black-half	63837 4	14	120		Locking bolt	1
68 black-full	37343 5	14	120		Locking bolt	1
68 lang 68/12KS	37336 7	14	200		Locking bolt	1
Roll Up Adapter	56566 3		28			1
Locking bolt incl. Roll Up Adapter	56565 6	14	120			1
SH 68/69	33581 5		280			1

GRANIT™ Quick 37/60 Maxi + Mini

Security Level



Features



Versions



Maxi yellow



Mini Pro yellow



Maxi Pro yellow

Technical Data

- 11 mm padlock with shackle protection (13 mm with the Pro version)
- Double-locking mechanism securing the shackle in the lock body
- The shackle, the sleeves in the cover, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- Excellent grip thanks to the rubber inlays on the side
- ABUS Plus cylinder for exceptionally high levels of protection against manipulation attempts such as picking
- Two keys are supplied with the lock
- A Memory Clip to prevent you from accidentally pulling away with the motorbike still locked is included

Technology



Test Seals



1) class C 2) Maxi/Mini Pro

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
37/60HB70 Maxi yellow	43849 3	70	11-28	11	665		1
37/60HB50 Mini yellow	42657 5	53	12-20	11	604		1
37/60HB50 Mini Pro yellow	56908 1	53	12-20	13	660		1
37/60HB70 Maxi Pro yellow	56910 4	70	11-28	13	665		1

GRANIT™ Quick 37/60



Security Level



Features



Technical Data

- 11 mm padlock shackle with shackle protection
- Double-locking mechanism securing the shackle in the lock body
- The shackle, shackle protection, body and structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS Plus cylinder for exceptionally high levels of protection against manipulation attempts such as picking
- Two keys are supplied with the lock
- Manual cover to protect the keyhole from dirt and corrosion
- A Memory Clip to prevent you from accidentally pulling away with the motorbike still locked is included

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
37/60HB70 Yellow C/SB	00903 7	70	14-24	11	1020		1
SH 37	12372 6				360		1

GRANIT™ Power XS 67

Security Level



Features



XPlus™



Memo Roll Up Cable



Versions



yellow



orange



black

Technical Data

- 14 mm shackle (17 mm with coating)
- Double-locking mechanism securing the shackle in the lock body
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- A soft silicone cover protects from scratches
- ABUS XPlus cylinder for highest level of protection against tampering, e.g. picking
- Two keys are supplied with the lock
- Manual cover to protect the keyhole from dirt and corrosion
- A Memory Cable to prevent you from accidentally pulling away with the motorbike locked is included in the scope of delivery

Technology



Test Seals



Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
67/105HB50 Granit XS red	58090 1	48	41	17	660		1
67/105HB50 Granit XS yellow	56995 1	48	41	17	660		1
67/105HB50 Granit XS black	91774 5	48	41	17	660		1
67/105HB50 Granit XS orange	77583 3	48	41	17	660		1
Memory Cable	33919 6				40		6

Victory 39

NEW

Security Level



Features



Technical Data

- 12 mm locking bolt
- Excellent grip thanks to the rubberised ring
- The round shape hinders the use of attacking and cutting tools
- Integrated Memory Cable as a reminder about the lock before setting off
- Two keys are supplied with the lock

Technology



Ref. No.	EAN 4003318	 mm	Weight g	Carrier	Version	Box Qty
39 BK/RD	68030 4	12	463			1

405

Security Level



Features



Versions



green

Technical Data

- 12 mm round shackle
- The shackle, the lock body as well as supporting elements of the locking mechanism are made of special hardened steel
- Two keys are supplied with the lock
- ABUS quality cylinder

Technology



Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
405/100HB yellow C/SB	77005 0	45	40	14	420		1
405/100HB green C/SB	77006 7	45	40	14	420		1

Versions



yellow



Security Level



Features



Technical Data

- 10 mm steel bolt
- „push down“ cylinder
- The bolt, lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Three keys are supplied with the lock

Technology



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Carrier	Box Qty
277 RD	39398 3	10	50	800		1
277 YE	39399 0	10	50	800		1

275

Security Level



Features



Versions



red

Technical Data

- 5 mm steel bolt
- „push down“ cylinder
- The bolt, lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Three keys are supplied with the lock

Technology



Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty
275 RD	39400 3	5	45	700		1
275 YE	39401 0	5	45	700		1

304

NEW

Security Level



Features



Technical Data

- 10 mm locking bolt
- The locking bolt is made of specially hardened steel
- The lock body is made of impact-resistant cast metal
- SK10 cylinder with inner lane key
- Manually operated keyhole cover to protect against dirt and corrosion
- Simple automatic locking mechanism

Technology



Ref. No.	EAN 4003318	 mm	 mm	Weight g	Carrier	Box Qty
304 RD	69078 5	10	60	463		3

303

Security Level



Features



Technical Data

- 5 mm locking bolt
- The locking bolt is made of specially hardened steel
- The lock body is made of impact-resistant cast metal
- Simple automatic locking mechanism
- SK10 cylinder with inner lane key
- Two keys are supplied with the lock
- Manually operated keyhole cover to protect against dirt and corrosion

Technology



Ref. No.	EAN 4003318	mm	mm	Weight g	Carrier	Box Qty
303 RD	87333 1	5	38	312		12



METZELE

275 DOT

ABUS

DRIVE

Garage security and accessories





PPIC90000
Page 66



787 BIG
Page 69



★ WCH
Page 73



138/150 GateSec
Page 67



787 LED
Page 70



GRANIT™ WBA 100
Page 74



AF5625
Page 68



787
Page 70



GRANIT™ WBA 75
Page 74



787 BIG LED
Page 69



797 LED
Page 71



WBA 60
Page 75



797
Page 71



WA 50
Page 75



767
Page 72



★ SSP20
Page 76

PPIC90000



Versions



Battery Cam



Base Station



Battery Cam +
Base Station




2 x Battery Cam +
Base Station

Technical Data

- 100% wireless thanks to battery and Wi-Fi/radio technology
- 2.4 GHz Wi-Fi and encrypted transmission
- Long-lasting battery and 4-hour fast-charge mode
- White light LED and high-performance chip set
- Full HD 1080p/2MPx
- 120° angle of vision (150° diagonal)
- Stand-by mode and hardware PIR-controlled activation
- PIR angle of view 112° and PIR range 8m
- Free App2Cam Plus (Android/iOS)
- Push notifications on the app
- Access images and videos on mobile via App2Cam Plus (up to 3 users)
- Local usage or via internet
- Base station via USB adapter to an open socket
- Local data storage in base station and without Cloud subscription
- Integrated loudspeaker and microphone
- Horizontal camera design

Ref. No.	EAN 4003318	Variants	Colour	Box Qty
PPIC90520	87916 6	Battery Cam	white	1
PPIC90010	87914 2	Base Station	white	1
PPIC90000	87913 5	Battery Cam + Base Station	white	1
PPIC90200	87915 9	2 x Battery Cam + Base Station	white	1

138 GateSec™




Technical Data

- Ideal for internal fitting in roller / garage doors
- To be used on gates / doors w/o rebate on floor
- For use with a padlock (sold separately)
- Solid lock body made of stainless steel
- Tensile strength more than 2.2 t
- 3 attachment points for ground fixation
- Can also be fitted on the wall to secure bicycles, etc
- Fitting materials included

Ref. No.	EAN 4003318	Width cm	Height cm	Depth cm	Variants	Level	Box Qty
138/150	80901 9	150	68	11	Stainless Steel	8	1

AFS625



Technical Data

- 625 ml highly effective foam extinguishing agent
- Easy to use – just like a conventional spray can
- Spraying range (max. distance between source of fire and user) up to 4 m
- Spray time approx. 25 seconds
- Weight: approx. 900 g gross

Ref. No.	EAN 4003318	Variants	Colour	Box Qty
AFS625	85727 0	Fire Extinguishing Spray	red	6

KeyGarage™ 787 BIG LED



Technical Data

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas
- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism
- For wall mounting with screws
- Easily removable clip-in hooks guarantee consumer's comfort
- Outer dimensions of housing: 84 x 119 x 42

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty
787 BIG LED B/wall mounting	83856 9	84	62	120	880	1

KeyGarage™ 787 BIG



Technical Data

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas
- Very large solid metal housing and extra large storage compartment
- Locking cover made from zinc die-cast
- Individually resettable code (4-digit)
- Protective cover with sliding mechanism
- For wall mounting with screws
- Easily removable clip-in hooks guarantee consumer's comfort
- Flat inner mechanism makes a larger storage space possible
- Outer dimensions of housing: 84 x 119 x 62

Garage security
and accessories

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty
787 BIG B/wall mounting	08492 8	83,5	62	120	850	1

KeyGarage™ 787 LED



Technical Data

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas
- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism
- For wall mounting with screws
- Easily removable clip-in hooks guarantee consumer's comfort
- Outer dimensions of housing: 84 x 119 x 42

Ref. No.

EAN
4003318



Weight
g

Box
Qty

787 LED B/wall mounting

83854 5

84

44

180

740

1

KeyGarage™ 787



Technical Data

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas
- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- For wall mounting with screws
- Outer dimensions of housing: 84 x 119 x 42
- Easily removable clip-in hooks guarantee consumer's comfort

Ref. No.

EAN
4003318



Weight
g

Box
Qty

787 B/wall mounting

46331 0

80

45

120

662

1

KeyGarage™ 797 LED



Technical Data

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- Fixing with shackle, e.g. on a door knob of gates and doors
- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code 4-digit
- Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism
- Fixing with shackle, e.g. on a door knob of gates and doors
- Outer dimensions of housing: 84 x 119 x 44
- Housing and shackle plastic coated (protects door from scratching)

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty
797 LED B/with shackle	83855 2	84	44	120	843	1

KeyGarage™ 797



Technical Data

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the code
- Fixing with shackle, e.g. on a door knob of gates and doors
- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- Fixing with shackle, e.g. on a door knob of gates and doors
- Outer dimensions of housing: 84 x 119 x 44
- Housing and shackle plastic coated (protects door from scratching)

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty
797 B/with shackle	46330 3	85	45	180	770	1

KeyGarage™ 767



Technical Data

- Practical storage of keys and code cards for authorised persons
- Access by several authorised persons possible
- Solid metal housing
- Locking cover made from zinc die-cast
- Code up to 10 digits individually resettable (the sequence of the code is irrelevant)
- Code needs to be entered in order to close the locking cover
- Plastic cover to protect against dust, dirt, etc.
- For wall fixing with screws
- Outer dimensions of housing: 84 x 119 x 47

Ref. No.

EAN
4003318



Weight
g

Box
Qty

767 B/wall mounting

53507 9


80

120

45

648

1



Versions



WCH + ACH 9KS/110
Twin Chain



WCH + ACH 9KS/130



Security Level



Technical Data

- Wall anchor with integrated chain
- Chain and housing made of proprietry, specially hardened steel alloys
- The wall anchor is firmly anchored in the wall with high-security special wall plugs
- Supplied with highest quality, high security Fischer™ fitting hardware
- Only designed for wall installation
- Chain and housing made of proprietry, specially hardened steel alloys
- Textile sleeve to protect bicycle finish
- Chains available in different lengths and can be swapped
- Daisy-chain multiple Wall chains
- ABUS XPlus cylinder for exceptional protection against manipulation

Technology



Ref. No.	EAN 4003318	Diameter	Length	Carrier	Box Qty
WCH + ACH 9KS/110	69061 7	9	110		1
WCH + ACH 9KS/110 Twin Chain	69063 1	9	110		1
WCH + ACH 9KS/130	69062 4	9	130		1

GRANIT™ WBA 100

Security Level



Features



Operation and use

- The anchor can be used to secure two-wheeled vehicles in garages, cellars and houses
- The WBA 100 can be fixed to the ground or the wall. When combined with an ABUS lock, it offers the highest level of security

Technical Data

- 16 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories

Test Seals



Ref. No.

EAN
4003318



mm



mm



mm



mm



mm

Weight
g

Box
Qty

WBA 100 GRANIT

27161 8

160

165

16

65

77

2000

1

GRANIT™ WBA 75

Security Level



Operation and use

- The anchor can be used to secure two-wheeled vehicles in garages, cellars and houses
- The WBA 75 can be attached to the floor or the wall with the supplied mounting accessories. When combined with an ABUS lock, it offers the highest level of security

Technical Data

- 14 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories

Test Seals



Ref. No.

EAN
4003318



mm



mm



mm



mm



mm

Weight
g

Box
Qty

WBA 75 GRANIT B/SB

78606 8

135

98

14

65

66

850

1

Security Level



Features



Operation and use

- The anchor can be used to secure two-wheeled vehicles in garages, cellars and houses
- The WBA 60 can be mounted either on the floor or on the wall using the mounting accessories supplied. In combination with an ABUS lock it offers the highest security

Technical Data

- 10 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories

Test Seals



Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	Weight g	Box Qty
WBA60 B/SB	82211 7	118	80	10	52	55	450	1

WA 50

Security Level



Features



Operation and use

- The anchor can be used to secure two-wheeled vehicles in garages, cellars and houses
- The WA 50 is designed for wall installation. In combination with an ABUS lock, it offers a high level of security

Technical Data

- Strong wall anchor made of hardened steel
- Incl. mounting material

Ref. No.	EAN 4003318	mm	mm	mm	mm	Weight g	Box Qty
WA 50	04294 2	110	80	38	38	786	1

SSP20



Technical Data

- Side Stand Pad
- For a safe stand of the motorcycle on loose or muddy ground
- To protect the tiles in the showroom or in your own garage

Ref. No.	EAN 4003318	Variants	Colour	Box Qty
SSP20	90058 7		black	1



Special Security Items





6500A SmartX
Page 80



620TSA
Page 85



★ Alarmbox 2.0
Page 81



2501 / 2502 / 2503
Page 86



★ Alarmbox RC
Page 82



Cobra
Page 87



141 Diskus® Integral
Page 83



1850
Page 87



37/55 Snowmobil
Page 84



Memory Cable
Page 88



205
Page 85



Memory Roll Up
Page 88

Bordo™ 6500A SmartX

Security Level



Features



3D Position Detection



SmartX RC



Controlled by iOS- and Android Smartphones or using the Smart Remote (available separately)

Technical Data

- 5.5 mm bars with extra-soft two-component casing to prevent damage to paintwork
- SmartX™ locking system with Bluetooth – high-quality, keyless locking offers user-friendly operation
- Alarm function with at least 100 dB for 15 seconds followed by automatic reactivation
- 3D Position Detection – detects vibrations and the smallest movement in all three dimensions and triggers the alarm
- Smart alarm – the lock only emits a small warning beep in the event of minor and brief vibrations, e.g. if a football bounces against the bike
- USB-C port
- App connection
- Location storage of the bike's last parking location
- LED light shows battery- and charging-status
- Also available with remote control (RC version)
- Incl. bracket (SH)

Technology



Ref. No.	EAN 4003318	Length	Weight g	Box Qty
6500A/110 black SH SmartX	61495 8	110 cm	2300	3
6500A/110 black SH RC SmartX	61497 2	110 cm	2300	3
SmartX RC	64000 1			1

Alarmbox 2.0

Versions



Alarmbox 2.0 BK +
ACH 6KS/100



Alarmbox 2.0 BK +
ACL 12/100



Technical Data

- Alarm function with min. 100 dB for 15 seconds, thereafter automatic re-arming
- 3D position detection senses impacts and movements
- Intelligent alarm – the lock gives a short warning signal after unintentional movement
- Incl. CR2 battery
- Secure fitting to bikes or any other round tube using silicone coated metal straps
- Compatible with ABUS ACH adapter chains and ACL adapter cables
- Available with 6mm/100cm ACH chain or as standalone unit

Technology



Special Security
Items

Ref. No.	EAN 4003318	Weight g	Box Qty
Alarmbox 2.0 BK	61482 8	430	4
Alarmbox 2.0 BK + ACH 6KS/100	61488 0	1271	4
Alarmbox 2.0 BK + ACL 12/100	61489 7	747	4

Alarmbox RC

Versions



RC



Alarmbox RC
Top view



Technical Data

- Alarmbox with remote control
- Alarm function with min. 100 dB for 15 seconds, thereafter automatic re-arming
- 3D position detection senses impacts and movements
- Intelligent alarm – the lock gives a short warning signal after unintentional movement
- Convenient activation using remote
- Uses CR2 (alarmbox) and CR2032 (remote) battery (included)
- Wide range of applications and uses
- Super lightweight
- Multiple fitting options

Technology



Ref. No.	EAN 4003318	Weight g	Box Qty
Alarmbox RC SingleSet	61487 3	78	4
Alarmbox RC TwinSet	69058 7	2 x 78	4
Alarmbox RC Box only	69059 4	62	1
Alarmbox RC RC only	69060 0	16	1

DI141 Diskus® Integral

Versions



black



Technical Data

- Universal hasp with integrated Diskus® padlock (70 mm) for doors and gates without rebate
- Easy to operate with one hand due to handy frontal cylinder access
- Extremely corrosion resistant cylinder
- Solid metal locking case almost completely prevents successful attacks on the integrated padlock
- Interchangeable Diskus® lock
- Fixing material (screws, drilling template and spacers up to 5 mm height levelling) and Diskus® lock are included
- Corrosion protected

Ref. No.	EAN 4003318	Box Qty
141/200 schwarz	51439 5	1
141/200 weiß	50656 7	1
141/200+26/70 schwarz	51440 1	1
141/200+26/70 weiß	50655 0	1

Snowmobil 37/55

Features



Technical Data

- 11 mm specially hardened lock bracket with double-locking mechanism
- Extremely long U-lock
- ABUS-Plus locking system against ingenious lock-breaking methods

Technology



Test Seals



1) class C

Ref. No.	EAN 4003318	 mm	 mm	 mm	Weight g	Carrier	Box Qty
37/55HB535 Snowmobil	26706 2	535	28	11	1250		1

CombiLoop 205

Security Level



Technical Data

- 5 mm thick steel cable
- Synthetic coating to prevent damage to the paintwork
- Automatic locking at insertion of the locking bolt
- Individually settable code

Technology



Ref. No.	EAN 4003318	mm	cm	Weight g	Carrier	Box Qty
205/200 black	52523 0	5	200	180		12

620TSA



Technical Data

- Suitable to secure luggage - the length can be adjusted to suitcases with different sizes temporary and flexibly
- Ideal for journeys to the USA: the luggage can be opened/relocked by the US security authorities without damaging the lock
- TSA-conform luggage strap lock incl. writeable address label, opening indicator and individually resettable 3-digit code
- Writeable address label included
- Total length of luggage strap - ca. 192 cm
- Inclusive opening indicator showing that the luggage strap was opened by a TSA key

Special Security Items

Ref. No.	EAN 4003318	Variants	Colour	Box Qty
620TSA/192 blau	87661 5		blue	1
620TSA/192 grün	87659 2		green	1
620TSA/192 rot	87660 8		red	1
620TSA/192 schwarz	87658 5		black	1

Combiflex™



Versions



Combiflex 2502



Combiflex 2501

Technical Data

- Automatically rolling up cable
- Individually settable code
- Case in attractive mobile phone format

Technology



Ref. No.	EAN 4003318	mm	cm	Weight g	Box Qty
2503/120	72501 2	2,5	120	89	3
2502/85	72500 5	2	85	80	3
2501/65	72499 2	1,6	65	54	3



Technical Data

- High quality steel cable with two loop ends
- Synthetic coating to prevent damage to the paintwork

Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty
Cobra 5/75 black	37106 6	5	75	75		24
Cobra 8/200 black	25718 6	8	200	280		24
Cobra 8/250 black	27390 2	8	250	395		16
Cobra 10/140 black	37107 3	10	140	310		30
Cobra 10/200 black	11167 9	10	200	400		28
Cobra 10/220 black	37108 0	10	220	420		24
Cobra 10/300 black	59930 9	10	300	560		21
Cobra 10/500 black	20780 8	10	500	850		15
Cobra 10/1000 black	20781 5	10	1000	1580		9
Cobra 12/120 black	25719 3	12	120	380		15
Cobra 12/180 black	27391 9	12	180	490		15

1850



Technical Data

- High quality steel cable with two loop ends
- Synthetic coating to prevent damage to the paintwork

Ref. No.	EAN 4003318	 mm	 cm	Weight g	Carrier	Box Qty
1850/185	12752 6	8	185	280		18

Memory Cable



Operation and use

- The memory cable serves as visual reminder of the brake disc lock. One end of the cable is secured to the lock and the other is placed as a reminder to the handlebar grip

Ref. No.	EAN 4003318		 cm	Weight g	Carrier	Box Qty
Memory Cable	33919 6		90	40		6

Memo Roll Up Cable



Operation and use

- The memory cable serves as visual reminder of the brake disc lock. One end of the cable is secured to the lock and the other is placed as a reminder to the handlebar grip

Ref. No.	EAN 4003318		 cm	Weight g	Carrier	Box Qty
Memo Roll Up Cable	57038 4		90	15		6



Padlocks and Chains





37160
Page 92



37155 S&S
Page 93



37RK/80
Page 92



37155
Page 93



20
Page 94



24
Page 94



55
Page 95



Chain KS
Page 95

GRANIT™ 37/60



Features



Plus

Technical Data

- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black GRANIT™ coating for even more corrosion resistance
- Two keys are supplied with the lock, one LED lighted
- Shackle guard protects against attacks with tools
- Cylinder inserted from the top: optimum drill and pull resistance
- Shackle can be taken out

Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	mm	Weight g	Box Qty
37/60 B/DFNLI	35062 7	65	18	16	11	35	85	752	1
37/60 B/EFSP	32380 5	65	18	16	11	35	85	752	1

GRANIT™ 37RK/80



Features



Plus

Technical Data

- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black GRANIT™ coating for even more corrosion resistance
- RK: cylinder can be re-keyed to match an existing ABUS-Plus key
- Two keys are supplied with the lock, one LED lighted
- Shackle guard protects against attacks with tools
- Cylinder inserted from the top: optimum drill and pull resistance
- Shackle can be taken out

Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	mm	Weight g	Box Qty
37RK/80 B/DFNLI	20115 8	79	22	22	14	39	94	1020	1
37RK/80 B/EFSP	43121 0	79	22	22	14	39	94	1050	1

GRANIT™ 37/55 S&S


Technical Data

- Highest levels of quality assurance
- ABUS Plus disc cylinder: maximum precision for securing against intelligent attempts to break open, up to 250,000 different key variations
- Double ball locking
- Shackle and body made from hardened alloy steel
- Black GRANIT™ protection for even more corrosion resistance
- RK: cylinder can be re-keyed to match an existing key
- Two keys are supplied with the lock, one LED lighted

Features



Plus



Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	mm	Weight g	Box Qty
37/55 S&S B/EFSP	32441 3	62,5	27,5	26,5	11	31	84	445	2
37/55 S&S	35060 3	62,5	27,5	26,5	11	31	84	415	2

GRANIT™ 37/55

Technical Data

- ABUS-Plus disc cylinder: highest protection against manipulation
- Body and shackle made from hardened alloy steel
- Black GRANIT™ coating for even more corrosion resistance
- RK: cylinder can be re-keyed to match an existing ABUS-Plus key
- Two keys are supplied with the lock, one LED lighted

Features



Plus



Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	mm	Weight g	Box Qty
37/55 B/EFSP	32170 2	62,5	27,5	26,5	11	31	84	586	2
37/55 B/DFNLI	35057 3	62,5	27,5	26,5	11	31	84	586	2

Diskus® 20



Features



Plus

Technical Data

- Stainless steel - outside and inside
- Additional protection against sawing
- Shackle made from high quality stainless steel
- Round shape plus narrow shackle opening makes it difficult to access with heavy-duty tools
- ABUS-Plus disc cylinder: highest protection against manipulation, extremely high number of key differs
- Cylinder cover – maximum protection against dirt and water spray
- Sophisticated Diskus® welded seam for highest break resistance
- Original Diskus® design: 360° protection
- Key retaining: key is needed for locking (lock retains key until locked)
- Made in Germany
- Two keys are supplied with the lock

Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	mm	Weight g	Box Qty
20/70	08854 4	70	20	17	10	30,5	70	330	6
20/80	08798 1	80	25	18	11	35,5	81	469	3

Diskus® 24/70




Features



Technical Data

- Round shape plus narrow shackle opening makes it difficult to access with heavy-duty tools
- Shackle made from hardened alloy steel
- Ideally used with ABUS Diskus® Hasp 140: virtually impossible to attack shackle
- Additional protection against sawing
- Sophisticated welded seam for highest break resistance
- Double locking
- Precision pin tumbler cylinder
- Made in Germany
- Two keys are supplied with the lock

Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	mm	Weight g	Box Qty
24/70	01107 8	70	20	17	10	28	70	323	6



Technical Data

- Body made of solid brass
- Inner components made of non-corrosive materials
- Shackle made from hardened steel
- Precision pin tumbler cylinder
- Self-locking: locking without key by pushing down the shackle

Ref. No.	EAN 4003318							Weight g	Box Qty
		mm	mm	mm	mm	mm	mm		
55/30	02854 0	29	15	13	5	12	44	81	12
55/40	02856 4	38	21	22	6,5	13	60	144	12
55/40HB63	04762 6	38	21	63	6,5	13	103	164	12
55/50	02858 8	48	25	24	7	14	68	216	6
55/60	02859 5	58	32	32	8	16	84	326	6

Chain KS

Technical Data

- Security chain made of special hardened steel
- Fabric sleeve prevents paint work and chrome from damage
- Top security against all types of aggressive attacks



Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
Chain 8KS85 black	27294 3	8	85	1328		2
Chain 8KS110 black	27295 0	8	110	1725		2
Chain 8KS140 black	28509 7	8	140	2090		2
Chain 9KS250 loop	45579 7	9	250	4930		1
Chain 10KS110 black	27168 7	10	110	2510		2
Chain 10KS140 black	27167 0	10	140	3110		2
Chain 10KS170 black	27166 3	10	140	3838		2
Chain 10KS200 black	27530 2	10	200	4540		1

Brackets





SH 58
Page 98



SH 59
Page 98



SH 68/69
Page 98



SH 37
Page 99



SH 77
Page 99



ST1010
Page 99

SH 58



Operation and use

- Transport of U-shackle lock Granit Power 58
- Mounting on tubes with round diameter of 12 - 17 mm or with a screw of 8 - 10 mm diameter
- Screws included
- Metal bracket for mounting with rubber inlays for best hold
- Very quick mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
SH 58	05810 3		400		3

SH 59



Operation and use

- Transport of U-shackle lock Granit Extreme 59
- Mounting on tubes with round diameter of 12 - 17 mm or with a screw of 8 - 10 mm diameter
- Screws included
- Plastic bracket for mounting with rubber inlays for best hold
- Very quick mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
SH 59	23763 8		420		2

SH 68/69



Operation and use

- Transport of brake disc locks Granit Victory 68
- Mounting on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Two sets of screws with different lengths included
- Metal bracket for mounting with rubber inlays for best hold and rattle free transport of the lock
- Very quick mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
SH 68/69	33581 5		280		1



Operation and use

- Metal bracket for mounting with rubber inlays for best hold and rattle free transport of the lock
- Very quick mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
SH 37	12372 6		360		1

SH 77



Operation and use

- Transport of brake disc lock Granit Sledg 77
- Mounting on tubes with round (two tubes needed) diameter of 12 - 28 mm or square diameter of 12 - 18 mm
- Two sets of screws with different lengths included
- Plastic bracket with metal clamp for mounting and rubber inlays
- Very quick mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
SH77	54648 8		300		6

ST1010



Operation and use

- Robust multi use bag made of nylon with handle
- Practical for transporting chain locks, tools and small parts

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
ST1010	23207 7		172	transport bag 160 mm / 250 mm / 50 mm	1

Sales Displays





Display MD20
Page 102



Display 8078
Page 103



PS 88
Page 104

Display MD20



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Display MD20 small	40300	65 / 156 / 82 cm	double-sided	1
Display MD20 big	40299	65 / 224 / 82 cm	double-sided	1

Display 8078



Demo-Display base



Ref. No.	EAN	Dimensions	Version	Box Qty
Demo-Display 8078 D/GB	4003318 62173 4			1
Demo-Display base 8078	62170 3			1



Ref. No.	EAN	Dimensions	Version	Box Qty
8078 cardboard Display D/GB	4003318 61573 3			1
8078 cardboard Display FR	61574 0			1

PS 88



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
PS88 EN	35421 2		50 ml aerosol can	1
VK PS88 Spray 50ml GB	31942 6	15 / 21 / 29 cm	24 x 50 ml	1

Lock- vehicle type-combination table

U-Shackle Locks

Our recommendation				
GRANIT Extreme 59	P. 16	X	X	
GRANIT Power 58	P. 17	X	X	
770A SmartX	P. 18	X	X	
GRANIT XPlus 540	P. 19	X	X	

Alarm Brake Disc Locks

Our recommendation				
GRANIT Detecto XPlus 8008 2.0	P. 44	X	X	
GRANIT Detecto SmartX 8078	P. 45	X	X	
GRANIT Detecto XPlus 8077	P. 46	X	X	
Detecto 7000 RS1	P. 47	X	X	
277A	P. 48	X	X	
275A	P. 49	X	X	

Lock-Chain Combinations

Our recommendation				
GRANIT Extreme Plus 59	P. 22	X	X	X
GRANIT Power Chain 37 14KS Black Loop	P. 23	X	X	X
GRANIT Detecto XPlus 8008 12KS Black Loop	P. 24	X	X	
GRANIT Detecto XPlus 8077 yellow 12KS Black Loop	P. 25	X	X	
GRANIT 58 12KS Black Loop	P. 26	X	X	X
GRANIT 68 Victory 2KS Black Loop	P. 27	X	X	
1190 2.0	P. 28	X	X	X
GRANIT Power XS 67 12KS Black Loop	P. 29	X	X	X
GRANIT Power XS 67 10KS Black Loop	P. 30	X	X	X
GRANIT CityChain XPlus 1060	P. 31	X	X	X
Ivy Chain 9210	P. 32	X	X	X
CityChain 1010	P. 33	X	X	X
9809	P. 34	X	X	X
9808	P. 35		X	
Steel-0-Chain Iven 8210	P. 36		X	

Brake Disc Locks

Our recommendation				
GRANIT Sledg 77	P. 52	X	X	
GRANIT Victory XPlus 68	P. 53	X	X	
GRANIT Quick 37/60 Maxi + Mini	P. 54	X	X	X
GRANIT Quick 37/60	P. 55	X	X	X
GRANIT Power XS 67	P. 56	X	X	X
39	P. 57		X	
405	P. 58	X	X	
277	P. 59	X	X	
275	P. 60	X	X	
304	P. 61		X	
303	P. 62		X	

Steel-0-Flex Locks

Our recommendation				
Steel-0-Flex 950	P. 40	X	X	
Steel-0-Flex Iven 8200	P. 41		X	



Security Tech Germany

ABUS | August Bremicker Söhne KG
www.abus.com

Altenhofer Weg 25
58300 Wetter
info@abus.de
+49 23 35 634-0

Due to a policy of continual development, ABUS reserves the right to modify technical details & colours. © ABUS 2021

